

Madam Chair Peggy Clayton
20356 Wendigo Park Road
Grand Rapids, MN 55744
Phone 218-326-1551

Harris Township

SINCE 1909



NEIGHBORS, SHORES & MORE

Mission Statement:

The Harris Town Board strives to enhance the quality of life, protect the environment, and maintain economic stability for the residents of their community.

www.harristownshipmn.org

Supervisor Dennis Kortekaas 326-1882
Supervisor Mike Schack 340-8852
Supervisor Ken Haubrich 327-1351
Supervisor Jim Kelley 327-0317
Treasurer Josh Thoennes 398-0617
Clerk Amanda Schultz 244-1811

harristownshipclerk@gmail.com

REGULAR MEETING August 14, 2019 at 7:30pm AGENDA

1. **Pledge to the Flag**, followed by the reading of the township mission statement
2. **Approve the Minutes**
 - A. Regular Meeting, July 10, 2019
 - B. Work Session, July 31, 2019
3. **Additions and Corrections**
4. **Business from the Floor-** Please come up to the podium and state your name and address for the record
5. **Consent Agenda**
 - A. Cemetery Deed for David Hall
 - B. Cemetery Deed for Russell Hemphill
 - C. Cemetery Deed for Kathleen Gunderson
6. **Roads**
 - A. Road Inspections, May 29, 2019/J
 - B. Road Inspections, June 15, 2019/J
 - C. Road Inspections, July 13, 2019/J
 - D. Road Inspections, July 22, 2019/J
 - E. Road Inspections, August 8, 2019/J
 - F. 2018 Road Improvements – Completion Certificate/J
 - G. Alicia Place/J
 - H. Lakeview Drive/J
 - I. Robinson Road Project/J
7. **Recreation**
 - A. Firewise/M
 - B. Trails Task Force/M
 - C. Township Landings/P
 - D. Casper Landing/K
8. **Correspondence**
 - A. Thank you letter from City of Grand Rapids/P
 - B. Network Opportunities Meeting, aka Local Collaborative, Minutes of July 24, 2019/P
 - C. Township Association Meeting, Minutes of July 8, 2019
9. **Old Business**
 - A. Schedule Work Session Re: Security/P
 - B. Attendance at Network Opportunities Meetings, aka Local Collaborative/P
 - C. Conditional Use Permit, Grooms Property Service/P
 - D. Mowing Contract/K

10. New Business

- A. Township Legal Seminar/P
- B. District 11 Meeting/P
- C. Lawn Mower Trade-In/K
- D. Zoning, Land Use, and Subsurface Sewage Treatment System (SSTS) Permits for May, 2019/P
- E. Zoning, Land Use, and Subsurface Sewage Treatment System (SSTS) Permits for June, 2019/P
- F. Zoning, Land Use, and Subsurface Sewage Treatment System (SSTS) Permits for July, 2019/P

11. Treasurer’s Report – dated July, 2019, July Financials 2019

- A. Approve Treasurers Report
- B. Approve the payment of bills (include check numbers and amount)

12. Public Input *(please limit comments to 5 minutes)* please come up to the podium and state your name and address for the record

13. UPCOMING Events / Meetings

August 28, 2019	P and D Meeting	7:30 pm Town Hall
September 9, 2019	Township Association	7:00 pm Blandin Foundation
September 11, 2019	Regular Meeting	7:30 pm Town Hall

14. Adjourn

Prepared by: *Amanda Schultz*
 Amanda Schultz, Clerk

Signed by: _____
 Peggy Clayton, Chair

approved via email 8/11/2019

Madam Chair Peggy Clayton
20356 Wendigo Park Road
Grand Rapids, MN 55744
Phone 218-326-1551

Harris Township

SINCE 1909

www.harristownshipmn.org



NEIGHBORS, SHORES & MORE

Mission Statement:
The Harris Town Board strives to enhance the quality of life, protect the environment, and maintain economic stability for the residents of their community.

Supervisor Dennis Kortekaas 326-1882
Supervisor Jim Kelley 327-0317
Supervisor Mike Schack 340-8852
Supervisor Ken Haubrich 327-1351
Treasurer Josh Thoennes 259-1192
Clerk Amanda Schultz 244-1811
harristownshipclerk@gmail.com

REGULAR MEETING July 10, 2019, 7:30 pm MINUTES

Present: Chair Peggy Clayton; Supervisors Jim Kelley, Dennis Kortekaas, Ken Haubrich, Mike Schack; Treasurer Josh Thoennes; and Clerk Amanda Schultz.

Chair Clayton called the meeting to order at 7:30 p.m.

1. **Pledge of Allegiance** – The Pledge of Allegiance to the Flag was conducted and the Mission Statement was read.
2. **Approve the Minutes**
 - A. Regular Meeting, June 12, 2019
Motion to approve the Regular Meeting minutes of June 12, 2019 by Supervisor Kortekaas, seconded by Supervisor Schack, and passed by all.
3. **Additions and Corrections** – Motion to add Items 9C (Schedule Work Session Re: Security) and 10B (Cemetery Burial Rate Adjustment), and to approve the agenda, as amended, by Supervisor Kelley, seconded by Supervisor Haubrich, and passed by all.
4. **Business from the Floor**
 - A. Conditional Use – Ben Nissen presented information on behalf of Grooms Property Services indicating that they will be pursuing a Conditional Use Permit for the business currently located at 33871 8 Mile Road, Grand Rapids.
5. **Consent Agenda** – There were no Consent Agenda items.
6. **Roads**
 - A. 2019 Road Project Updates
Supervisor Kelley reported that Alicia Place and Gary Drive have been blacktopped and shouldered. The intersection and ditching on Lakeview Trail has been completed. The blacktop driveway tie ins and the seeding and blanketing for erosion control purposes have yet to be completed.
 - B. Application for Road Vacation on PID 19-460-0380
Supervisor Clayton communicated information regarding a Road Vacation Request for Parcel ID 19-460-0380 owned by Marjorie Elvig. Road Vacation information provided at Summer Specialized Training will be distributed to Supervisors and Supervisor Clayton will communicate the process with the petitioner.

7. **Recreation** – There were no Recreation items.

8. **Correspondence** – No correspondence was presented.

9. **Old Business**

A. Crack Repair

Supervisor Haubrich reviewed the updated quote from Bargaen, Inc. for crack sealing projects, in the amount of \$45,852.00. Motion to accept the quote and authorize necessary signatures by Supervisor Kelley, seconded by Supervisor Schack, and passed by all.

B. Fireproof Safe

Treasurer Thoennes reported that American Bank has one (1) two-drawer fireproof safe available for \$150.00 and two (2) four-drawer fireproof safes available for \$300.00 each. Moving services would need to be acquired to relocate the items due to their weight. The cost of moving services is not included in the sale price of the items. Motion to purchase two (2) four-drawer fireproof safes from American Bank in the amount of \$600.00 made by Supervisor Haubrich, seconded by Schack, and passed by all.

C. Schedule Work Session Re: Security

Motion to schedule a Work Session Re: Security on Wednesday, July 17, 2019 at the Itasca County Dispatch Center at 3:30 p.m. by Supervisor Kelley, seconded by Supervisor Haubrich, and passed by all.

10. **New Business**

A. Power Washer Purchase

Supervisor Haubrich provided information regarding the need to replace the Township's current power washer, which is unserviceable. Motion to authorize the purchase of a Ryobi Pressure Washer, model RY80940B, in the amount of \$399.00, by Supervisor Kelley, seconded by Supervisor Kortekaas, and passed by all.

B. Cemetery Burial Rate Adjustment

Supervisor Kelley provided information regarding the request to honor the pricing set forth in a funeral arrangement made in November 2018, prior to the rate adjustments were made. Motion to honor the rates as set forth in the funeral arrangement by Supervisor Kelley, seconded by Supervisor Haubrich, and passed by all.

11. **Treasurer's Report**

A. Approve Treasurers Report

Treasurer Thoennes indicated that the June 2019 Financial Report would be provided at the July 24, 2019 Planning & Development (P&D) meeting. Motion to move the June Treasurer's Report to the July 24, 2019 P&D meeting was made by Supervisor Kortekaas, seconded by Supervisor Haubrich, and passed by all.

B. Approve the Payment of Bills

Treasurer Thoennes reviewed the claims for approval, totaling \$96,248.32. Motion to approve claim numbers 18264 and 19016-19043 and Electronic Fund Transfers (EFTs) 1-6, in the amount of \$96,248.32, and gross payroll, in the amount of \$9,569.35, was made by Supervisor Kelley, seconded by Supervisor Schack, and passed by all by roll call vote.

12. **Public Input**

Chair Clayton reported that the hay has been cut and baled from the field behind the cemetery.

13. Upcoming Meetings and Events

July 17, 2019	Work Session Re: Security	3:30 pm Dispatch Center
July 24, 2019	P and D Meeting	7:30 pm Town Hall
August 14, 2019	Regular Meeting	7:30 pm Town Hall

14. Adjourn

There being no further business to be discussed, a motion was made to adjourn the meeting by Haubrich, seconded by Kortekaas, and passed by all at 8:10 p.m.

Submitted by: _____ Signed by: _____
Amanda Schultz, Clerk Peggy Clayton, Chair

Madam Chair Peggy Clayton
20356 Wendigo Park Road
Grand Rapids, MN 55744
Phone 218-326-1551

Harris Township

SINCE 1909

www.harristownshipmn.org



NEIGHBORS, SHORES & MORE

Mission Statement:

The Harris Town Board strives to enhance the quality of life, protect the environment, and maintain economic stability for the residents of their community.

- Supervisor Dennis Kortekaas 326-1882
 - Supervisor Jim Kelley 327-0317
 - Supervisor Mike Schack 340-8852
 - Supervisor Ken Haubrich 327-1351
 - Treasurer Josh Thoennes 398-0617
 - Clerk Amanda Schultz 244-1811
- harristownshipclerk@gmail.com

WORK SESSION
JULY 31, 2019, 7:00 p.m.
MINUTES

Present: Chair Peggy Clayton; Supervisors Jim Kelley, Ken Haubrich, Mike Schack; and Clerk Amanda Schultz.

Chair Clayton called the meeting to order at 7:00 p.m. and the Pledge of Allegiance to the Flag was conducted.

1. Security

A. Jodie Stewart of Stewart Sound Systems provided a review of the estimate provided.

The Board discussed the current information and determined additional questions that need answers.

It was the consensus of the Board to get additional information from Mark Lallak regarding the Honeywell Digital Video Manger System used at Itasca County.

2. Adjourn

There being no further business to be discussed, a motion was made to adjourn the meeting by Supervisor Haubrich, seconded by Supervisor Kelley, and passed by all at 8:52 p.m.

Submitted by: _____
Amanda Schultz, Clerk

Signed by: _____
Peggy Clayton, Chair

HARRIS TOWNSHIP ROAD INSPECTION

DATE: 6/29/2019
INSPECTED BY: JIM

6A

IF ROAD IS GOOD MARK GOOD, IF NEEDED ATTENTION CHECK PROPER COLUMN

STREET NAME	LENGTH	TYPE	IF ROAD IS GOOD MARK GOOD, IF NEEDED ATTENTION CHECK PROPER COLUMN										NOTES OR LOCATION OF ISSUE				
			INSPECTED	GOOD	POT HOLES	WASHBOARD	NEEDS GRADED	BRUSHING	SIGNS	CULVERTS	SHOULDERS						
Bayview Place	0.30	Gravel	X	X													
Bear Creek Rd.	1.70	Gravel	X	X													
Breezy Lane	0.10	Gravel	X	X													
Carol Street	0.20	Gravel	X	X													
Davis Rd.	10.00	Gravel	X	X													
Forest View Trail	0.10	Gravel	X	X													
Hauser Rd.	0.25	Gravel	X	X													
Hughes Rd.	0.25	Gravel	X	X													
Jane Lane	0.50	Gravel	X	X													DOWNED TREE
Lakeview Trail	0.30	Gravel	X	X													
Metzenhuber Rd.	0.10	Gravel	X	X													
Pennala Rd.	0.10	Gravel	X	X													
Pine Crest Rd.	0.20	Gravel	X	X													SLAB WOOD PILED ON ROAD ROW
River Ridge Rd.	0.20	Gravel	X	X													
River View Drive	0.60	Gravel	X	X													
Robinson Landing		Gravel	X	X													
Root Rd.	0.30	Gravel	X	X													
Schmidt Rd.	0.45	Gravel	X	X													
Wendigo Park Circle	0.40	Gravel	X	X													
Wendigo Park Rd.	2.90	Gravel	X	X													
Nancy Drive	0.25	Gravel	X	X													
Norway Rd.	0.10	Gravel	X	X													
Sunset Drive	0.20	Gravel	X	X													
Sunset Lane	0.30	Gravel	X	X													
Vroman Rd.	0.25	Gravel	X	X													
Wagon Wheel Ct Rd.	0.25	Gravel	X	X													
Alicia Place	0.55	Paved	X	X													MILLED TO BE REPAVED IN JULY

HARRIS TOWNSHIP ROAD INSPECTION

DATE: 7/13/2019
INSPECTED BY: Jim

IF ROAD IS GOOD MARK GOOD , IF NEEDED ATTENTION CHECL PROPER COLUMN

STREET NAME	LENGTH	TYPE	INSPECTED	GOOD	POT HOLES	WASHBOARD	NEEDS GRADED	BRUSHING	SIGNS	CULVERTS	SHOULDERS	NOTES OR LOCATION OF ISSUE
Bayview Place	0.30	Gravel	X	X								
Bear Creek Rd.	1.70	Gravel	X	X								
Breezy Lane	0.10	Gravel	X	X								
Carol Street	0.20	Gravel	X	X								
Davis Rd.	10.00	Gravel	X	X								
Forest View Trail	0.10	Gravel	X	X								
Hauser Rd.	0.25	Gravel	X	X								
Hughes Rd.	0.25	Gravel	X	X								
Jane Lane	0.50	Gravel	X	X								
Lakeview Trail	0.30	Gravel	X	X								
Metzenhuber Rd.	0.10	Gravel	X	X								
Pennala Rd.	0.10	Gravel	X	X								
Pine Crest Rd.	0.20	Gravel	X	X								
River Ridge Rd.	0.20	Gravel	X	X								
River View Drive	0.60	Gravel	X	X								
Robinson Landing		Gravel	X	X								
Root Rd.	0.30	Gravel	X	X								
Schmidt Rd.	0.45	Gravel	X	X								
Wendigo Park Circle	0.40	Gravel	X	X								
Nancy Drive	0.25	Gravel	X	X								
Norway Rd.	0.10	Gravel	X	X								
Sunset Drive	0.20	Gravel	X	X								
Sunset Lane	0.30	Gravel	X	X								
Vroman Rd.	0.25	Gravel	X	X								
Wagon Wheel Ct Rd.	0.25	Gravel	X	X								
Wendigo Park Rd.	2.90	Paved	X	X								
Alicia Place	0.55	Paved	X	X								

60

6F

TOWN ROAD WORK CONTRACT COMPLETION CERTIFICATE

The following certificate is being issued to comply with the requirements of Minn. Stat. § 160.17, subd. 3 and is to be filed with the town clerk once completed.

I, (name) Bob Beaver, PE MN (Short Elliott Hendrickson Inc.),
(position/title) Township Engineer, having been directed by the
town board of Harris Township, Itasca County
to inspect the road work described below, have inspected same and I hereby certify that the
work was done and performed according to the contract.

General description of the road work to be performed under the contract:

2018 Road Improvements - Original contract was for subgrade corrections, bituminous
reclamation, aggregate base and bituminous pavement. Change orders were for two culverts
on Field Crest Road and improvements for a turn around on Little Crystal Lane.

Location of the work: Aspen Drive Patch, Field Crest Road, Little Crystal Lane and Woodbine
Lane.

Contractor Name & Address: Hawkinson Construction Co. Inc., PO Box 278, Grand Rapids,
MN 55744

Date inspected: July 19, 2019



Signature

July 19, 2019

Date Signed

**MINUTES of a TOWN BOARD WORK SESSION:
Neighborhood Meeting – Lakeview Drive
October 5, 2011 – Harris Town Hall**

The Harris Town Board met on Wednesday, October 5, 2011 at the Harris Town Hall for a work session / neighborhood meeting with Lakeview Drive residents. The purpose of this work session was to:

- Discuss the temporary drainage improvement project for Lakeview Drive for 2011, including ditching on the north side of Lakeview, between the addresses of 32531 and 32455.

The work session began at 7:30pm and the following officers were present: Supervisors Dennis Kortekaas, Gary Rosato, and Larry Key, and Clerk Michele Smith. Absent: Treasurer Becky Adams.

Also in attendance were Julie Kennedy - Township Road Engineer, and 3 road residents: Steve Burgraff, John Maturi, and Duane Geisler. (16 letters went out, per Julie)

The work session was called to order at 7:30pm by Chairman Rosato, and then turned over to Julie Kennedy, who led the meeting according to the following agenda:

Project Presentation (Julie Kennedy, Township Engineer)

Julie explained that several residents came to a board meeting about a month ago, with concerns of drainage that caused icy conditions in the winter. They and the board discussed the poor condition of the road overall, which could not be fixed before winter, and so agreed to explore some drainage correction yet this year. It was noted that they would try to include as much as possible in the temporary solution that could be used in a long term solution.

Julie presented 2 options for consideration, which would both include an east/west ditch on the inside corner of the Lakeview Drive. It would run along the north side of the road, along & past the corner, preventing water from crossing over the road.

Opt A: Continue the ditch to the natural low spot, and then direct the ditch down to the lake. One issue is that Mr. Varin has a cement driveway that would require a culvert to go under his driveway. Another concern is that the outflow should go through grassy ditches rather than pipes – to slow the water down, and allow some drainage before it gets to the lake.

Julie noted that along most of Lakeview Drive, the township only has prescriptive road easement, from edge of the road to edge of the road. An approximate cost was quoted, *without* the cost of easements(if needed), at **\$20,380.00**. The culvert that is needed makes up \$6,000 of this estimate.

Opt B: Ditch only to a location between Burgraffs, & Varins, and then put in a culvert under the road, so water can drain into the low spot between the properties, with a dissipation basin that would slow the water runoff and spread it out. The cost estimate for this option was **\$12,170.76**

Note: The residents in attendance and Supervisor Key recalled that there was a culvert near Mr. Varin's property - just past his driveway (to the east). It would take some time to find it, but may be worth it.

Another option was requested by the Supervisor Key:

Opt C: Wait 2 years to do anything, and correct the drainage at the same time as resurfacing the road. Duane Geisler was also in favor of this option, as there has not been any accidents as a result of the ice – so maybe just putting up a sign "Watch for ice" would be needed. Geisler also noted that the county sands this corner a lot, and so he didn't feel it was really an issue at all – at least for the residents of the road.

Supervisor Rosato clarified that the order of repairing roads has not yet been determined for 2012 & beyond, but noted that Lakeview Drive is very near the top of the list, due to its condition.

The Board and Julie discussed putting together a total cost estimate to repair Lakeview – including both the road surface repair and drainage correction. Julie commented that she did do an estimate several years ago, so she'll try to find that and bring a full project proposal to the board.

The Lakeview Drive neighborhood adjourned at approximately 8:27pm, by a motion and a second of the board.

Respectfully submitted,

Michele Smith, Harris Township Clerk

**MINUTES from the P&D Meeting
Harris Township Board
Wednesday, August 24, 2011 at 7:30pm**

The regularly scheduled P&D Meeting of the Harris Town Board was held on Wednesday, August 24, 2011. The meeting was called to order at 7:30pm by Chairman Rosato, at the Harris Town Hall, with the following officers present: Supervisors Gary Rosato, Dennis Kortekaas, and Larry Key, and Clerk Michele Smith.

Absent: Treasurer Becky Adams.

Also in attendance: Julie Kennedy, SEH Road Engineer, several residents of Lakeview Drive (Eddie Varin, John Maturi, and Steve Burgraff), and resident Craig Nelson, regarding Mishawaka Landing parking.

1. Pledge to the flag

2. Roads

- Updates by Julie Kennedy – SEH

- o Mishawaka Road:

Julie is still watching sub-cut area of Mishawaka Road, as water continues to seep up through the base course – but it is lessening. Julie hopes to pave the wear course sometime in September. **The Board agreed to allow a 1 month extension for ‘significant’ completion of this Mishawaka road project.**

The speed humps will be patched for additional lift at the same time the subcut area is paved. Signs should be up early next week, for the speed humps.

Reconstruction of the City of Grand Rapids’ section of Mishawaka Road was started this week. SEH is making sure no large truck traffic is driven on our area of the road.

Resident Craig Nelson was in the audience tonight, and voiced his concerns that ditches are so deep near Mishawaka landing, making parking alongside the road almost impossible. Julie commented that the ditch design was primarily for drainage, but that it does deter people from parking on the road, which is prohibited. She explained that it’s prohibited because there is a liability with parking on the inside corner – due to lack of visibility. It’s also prohibited to park on the outside of the corner, as there is no ROW, and parking would be on someone’s private property. Julie also noted that the new signs for this area will say “NO parking”...rather than “No parking on pavement” – which implied that they could park on non-paved areas (private property).



- Lakeview Drive:

Supervisor Key received a call about Lakeview Drive from concerned residents regarding its condition. Supervisor Rosato inspected this road in June, and had commented “Very rough condition; not much for ditches; poor shoulders; may be the worst road in the township.” Julie said it’s at the top of the township’s road priority list, for smaller roads.

Several residents of Lakeview Drive were in attendance tonight, regarding this concern, including Eddie Varin, Steve Burgraff and John Maturi.

Overall, there are two issues with Lakeview Drive: 1.) The road bed is crumbling, and 2.) When snow melts, it runs down the hill, across yards and down the road, until it freezes – causing very slippery conditions and unsafe circumstances. The residents asked if ditching or a holding/over flow pond was an option.

Supervisor Rosato suggested having Julie Kennedy look at the situation, for drainage options – even yet this fall. Julie agreed to do that, and report back to the board. If something cannot be done this fall, the residents requested more sand in the winter on the Lakeview Drive.



- Lakeview Drive (see maps from Julie)

At the request of the Board, after having heard from several residents, Julie looked in the drainage concerns along Lakeview Drive. She shared 2 options for drainage improvement along Lakeview Drive, one for long term and one for short term. Julie noted that replacing a collapsed culvert is part of both solutions.

- *For long term improvements*, it was Julie’s opinion that Lakeview Road should be placed near the top of the road priority list, and the drainage along the entire length of the road be thoroughly evaluated along with the pavement rehabilitation project.
- *For short term improvements*, to protect the safety of the residents during the upcoming icy winter and spring months, it was Julie’s opinion that a temporary drainage solution be implemented, that would include the replacement of the embankment along the inside radius of the curve, with a shallow ditch. The ditch would drain to a cross-street culvert near the property line of 32521 and 32485 in order to carry the water under the road to the south, so that it may continue along its natural drainage course to the lake.

Clerk Smith shared a comment from Lakeview resident J. Maturi, that he had some concern with direct run off going into the lake. He would like to see a holding pond instead, and asked the clerk to pass that information on to the board / Julie.

Julie added that there is only prescriptive easement along much of Lakeview Drive – which means the township only has jurisdiction to make corrections from the edge of road to the edge of road. As a result, easements would be needed from residents to do any drainage improvements. However, since the residents were seeking assistance, it’s likely that easements could be gotten from them – especially in the south and east areas.

An estimated cost to prepare a temporary drainage ditch design, and put in a culvert, would be approximately \$8,000. This work would be partially used in the long term plan, per Julie. It was also clarified that “temporary” means up to 2 years.

It was Julie’s recommendation, and *Supervisor Key’s motion, that the board authorize SEH to prepare the design of a temporary drainage improvement project and the required temporary easement document for discussion with those residents of Lakeview Drive, between properties 32531 and 32455. The motion included that the information would be shared with residents at a Lakeview Drive neighborhood meeting, hosted by the township. The motion was seconded by Supervisor Kortekaas, and upon roll call, motion carried by a unanimous vote.*

Julie will prepare an invitation for all Lakeview Drive residents, and send out accordingly. She will touch base with the board as to the date for this meeting – at either the P&D meeting on September 28th, or a special work session, for the sole purpose of the neighborhood meeting.

- Township “End of Road” signage enforcement, beginning with 2013-2014 contract with Itasca Co.

The board reviewed the information from the county regarding their requirements for “End of town road maintenance” signs. Although this has always been a part of the contract with the county, they will begin enforcing it, with the 2013-2014 season.

Supervisor Key shared that we do currently have some of these types of signs in place at the end of township roads, but added that the maintenance crew is reviewing all roads to determine which ones need these signs.

- Lake Country Power Application for Utility Permit on Twp Road ROW: Sunny Beach Road

The board reviewed the schematic drawing as was in their agenda packet, along with the application. There were no concerns or questions.


Supervisor Kortekaas made a motion to approve the Utility Permit Application as submitted by Lake Country Power for work order #14116, along Sunny Beach Road. The motion was seconded by Supervisor Key, with the assumption that a horizontal bore would be performed. Upon roll call, motion carried.

- Paul Bunyan construction update; see map and discuss if there are any concerns

After reviewing the map of current construction as supplied by Paul Bunyan, Julie Kennedy voiced concern if indeed Mishawaka Road is included, due to the current road construction along a portion of Mishawaka Road. Julie agreed to contact Paul Bunyan to clarify. There was no concern with the other areas shown on the map.

7C

Platted ROW Public Accesses



Work session minutes re: Road Tour and Public Lake Access
Tuesday, October 16, 2018
9:00 am – 12:00 Noon

In attendance: Peggy Clayton, Jim Kelley, Ken Haubrick, Dennis Kortekaas, and Mike Schack

The board met at the town hall at 9 AM on Tuesday, and over the course of the three hours we did cover some roads that we feel should be fixed sooner rather than later and would be on our list of priorities in 2019, and also located some public lake access spots.

We did look at:

Alicia Place and found that this road would need a reclaim, and would be the board's next road to be worked on!

Apache Drive washout needs to be fixed before winter sets in.

The corner in Gary Drive needs to be widened, when the road is redone.

Little Crystal Lane needs to have a turn-around installed.

Mishawaka Shores needs to have some sub base correction, that the board needs to work on sooner rather than later.

Mishawaka Road needs some repainting arrows and white lines redone at the speed bumps.

(Note: at that same time, parking lot lines need to be repainted at Crystal Park).

Mishawaka Landing was discussed and the consensus was that before we move forward with redoing the park portion, a survey would need to be done so the board knows where the lines begin and end.

Sunny beach Addition, it was decided that we should have some type of agreement in place regarding grading (beginning and ending) lines.

Tolerick Drive needs to be sub cut, when the road is redone.

Woodbine Lane also could use some work sooner rather than later, and the consensus was to complete the work in 2019 , but on the 2018 schedule.

Public Lake Access:

By 31739 Sunny beach road - there is a non-accessible!

Southwood Road – another non-accessible, all wetlands! Further down Southwood (by 31855) another non accessible.

Submitted by Chair/Peggy Clayton



GRAND RAPIDS

IT'S IN MINNESOTA'S NATURE



GRAND RAPIDS
IT'S IN MINNESOTA'S NATURE

Parks and Recreation Department
Park and Recreation Department RA Civic Center
420 N Pokegama Avenue
Grand Rapids, MN 55744
218.326.2500 Phone
218.326.5410 Fax

Memorandum

To: Harris Township
From: Dale Anderson, Director of Parks & Recreation
Date: July 23, 2019
Re: Fireworks Partnership

Dear Township Board,

Thank you once again for partnering with us to provide the Grand Rapids Area Fireworks Display that took place on Pokegama Lake on July 4th. We have received an overwhelming amount of positive feedback about the show. The unique partnership we have built ensures a great event for members of our community as well as the thousands of visitors who enjoy our Northern Minnesota hospitality.

I am in the process of securing the same company for next year's show on July 4th, 2020. I hope you will consider remaining a partner in the years to come!

Cc:
Blandin Foundation
City of Cohasset
Greater Pokegama Lakes Association
Harris Township

An Equal Opportunity / Affirmative Action Employer

Networking Opportunities Team Meeting
Networking to improve efficiency, maintain service levels
and save money
while preserving our individual community identities

July 24, 2019

The next meeting will be August 28 , 2019 at the Timberlake Lodge from 11-1, lunch included. Our plan is to continue meeting on the 4th Wednesday of each month, except for June and December.

Present: Burl Ives and Brett Skyles (Itasca County), Greg Tuttle (Cohasset), Mike Baltus (Spang), Peggy Clayton (Harris), Lilah Crowe (Arbo), Mary Jo Wimmer, facilitator.

Open Market

Arbo Township

- God's Country is for sale
- New employee for maintenance, is hiring
- Discussion of security on township property with Itasca County

Spang Township

- High rain has caused roads to wash out
- Their town hall is being used for Ti Chi classes through ElderCircle. They would like to see more use of their hall by the public.

Cohasset

- Comprehensive plan will include a community survey
- Mountain bike trails are being used and expanded

Itasca County

- IEDC and CREEDA are both working on economic development for the county, not just Grand Rapids
- Jail task force in place, have hired an architect and business consultant are are considering various locations
- Strategic planning process to include economic development, tax-based growth and job creation.

Harris

- Have a new clerk and treasurer
- Have paved some of their roads
- Looking into security for township buildings

Township Association

- Township survey is upcoming

Discussion of use of paid facilitator

The group decided to retain the use of Mary Jo Wimmer as facilitator. Itasca County is willing to pay the fee for this year.

Lilah Crowe has agreed to take notes at the August meeting.

Discussion of recruiting more participants in these meetings

Mary Jo will contact Mary Drewes for Coleraine and reach out to Pat Medure

Lilah will contact Tasha Conley with Grand Rapids

Brett will contact Mark Box and Chris Reed of Deer River

Mary Jo will send letters to city clerks according to a list provided by Lilah.

Mary Jo Wimmer

Trillium Leadership Development, mjwimmer80@gmail.com

8C



Itasca County Township Association
Office of the Secretary
61490 County Road 29
Northome, MN 56661-1908

ITASCA COUNTY TOWNSHIP ASSOCIATION MEETING

Monday 8 July 2019

President Mike Baltus opened the meeting at 7:00 PM.

The Pledge of Allegiance was recited.

Lloyd Adams motioned and Jim Kelley seconded to accept the minutes from the last meeting.

Treasurer's Report: Roberta Truempler

Savings:	\$ 11,625.85
Checking:	\$ 1,271.35
Claims:	
July payroll	\$ 295.52
Grattan Township (dues refund)	\$ 70.00

Gary Nelson motioned and Lloyd Adams seconded to accept the Treasurer's report. Motion carried.

RENO'S REPORT:

The District 11 meeting will be on 21 August at the Walker Community Center. Registration is at 5:30 PM. Meeting starts at 6:00 PM

The Annual meeting will be in Mankato 22and 23 November (Friday and Saturday).

Weed books are \$10.00 if you order them. Each township was given one book.

You can get standardized forms for weeds on the Ag. Website under Noxious weeds.

The Blandin Broadband news was updated 2 July. You can find broadband maps on Google which shows served, underserved and not served areas.

There will be a conference on broadband 8-10 October at Grand View Lodge in Nisswa.

The MPCA through a grant from US EPA, is sponsoring a meeting in Walker on 29 August on winter roads maintenance.

Research has shown that 1 teaspoon of salt contaminates 5 gallons of water.

The Board of Appeals and Equalization is now open on the Dept of Revenue Website.

PROGRAM: Tamara Lowney, IEDC (Itasca Economic Development Corporation)

IEDC "sees opportunities when others see challenges", and connects people to resources.

Their communication strategy is consistent , intentional and engaging. The core of what they do is small businesses which they help to streamline. They also recruit big businesses to come to area. Their goal is to increase the economy, quality of jobs, and attract more people to live in our area.

IEDC has many regional and funding partners. CEDA (Community Economic Development Association) headed by Sarah Carling reaches out to rural Itasca county.

COMMISSIONER'S REPORT:

Burl Ives said that the county needs more jobs and more businesses.

Magnetation was sold.

Discussion about the new jail is ongoing. How to pay for it, such as property or sales tax increase, and where to put it. The County is touring some eight new jails. They question if they should build a larger jail or other counties can send inmates to our jail. Itasca County sends some inmates to other jails when ours is full and it is quite expensive.

OLD BUSINESS:

Communications: None

Committees:

APIC: Dick Lacher – no meeting

ARDC: Larry Salmela – no meeting

911 User Radio Board: Pat Hill – had a meeting but didn't announce it until too late to go.

ATP: Gary Johnson – meeting this Wednesday

L&R: Peggy Clayton – meeting in

September

NEW BUSINESS:

A moment of silence was held in memory of Ester Heitala who served for many years on the ICTA Board.

A Board of Directors met prior to this meeting. A survey will be sent to all Directors regarding how they pay their board and contractors. After they have approved it, it will be sent to each Township Clerk.

The storm on Saturday did a lot of damage in Spang Township with flooding on the roads, etc..

Harris Township announced that they have hired a Clerk and Treasurer.

Dick Lacher motioned and Peggy Clayton seconded to adjourn the meeting. The meeting was adjourned at 8:10 PM. The next meeting will be held on Monday 12 August.

Respectfully submitted,



Pat Hill, Secretary

ITASCA COUNTY

ENVIRONMENTAL SERVICES

Zoning/Solid Waste

Itasca County Courthouse


123 N.E. 4th Street

GRAND RAPIDS, MINNESOTA 55744-2600

Office (218) 327-2857

Fax (218) 327-7331

www.co.itasca.mn.us



July 10, 2019

Harris Township
Attn: Kati Pierce, Clerk
20876 Wendigo Park Rd
Grand Rapids, MN 55744

RE: Conditional Use for Paul Grooms, located off of State Hwy 169
Legal Description: Lot 1 lyg W of Hwy 169 ROW & less W 330' of N 660',
S.31, 54-25

Dear Kati;

Enclosed is a Conditional Use application for your Township's review and recommendation.

Once your Township has had a chance to review the application, please have your Chairperson sign, date, submit your recommendation and return the entire three-page application to our office. Please keep in mind that the criteria for making a recommendation is that the use is compatible with the existing neighborhood, that it will not impede the normal and orderly development of the surrounding area and that the location and character of the proposed use is consistent with a desirable pattern for development of the area.

You are invited to participate in the public hearing which is scheduled for Wednesday August 14, 2019 in the County Board Room of the Courthouse at 9:00am. If you are interested in attending the site inspection, the date and time will be sent to you under separate cover.

If you require additional information, please don't hesitate to contact our office.

Sincerely,

A handwritten signature in cursive script that reads "Katie Benes".

Katie Benes
Environmental Services Specialists

NOTE: Ben Nissen, agent for Paul Grooms; Please be informed that it is your responsibility to contact Harris Township regarding their procedures for submitting a recommendation. The Clerk's number is (218) 256-7411.

PCBA 04


Criteria Necessary for the Granting of a Conditional Use – 5/15/08

Itasca County Environmental Services

Phone: (218) 327-2857

Fax: (218) 327-7331

Website: www.co.itasca.mn.us



Applicants are responsible to prove the following to the Planning Commission / BoA and County Board:

A. Conditional Use Permits may be approved only upon a showing by the applicant that the standards and criteria stated below will be satisfied. Since by definition a conditional use is a special use not generally appropriate within the zone district, the applicant bears the burden of demonstrating a right to the permit by making such showing. Absent such showing, the Planning Commission and County Board shall deny any application. Conditional uses not listed within the rural residential and farm residential zoning districts that is of a commercial nature shall also require approval by the County Board of Commissioners

B. A Conditional Use Permit may be granted only upon finding all of the following. It is the applicants responsibility to prove all of the following to the PC/BoA and County Board. The applicant will have to explain why their use meets the following criteria during the public hearing.

1. The use conforms to the comprehensive plan of the County.
2. The use is compatible with the existing neighborhood.
3. The use shall not materially adversely impact air quality, water quality or cause soil disturbance.
4. The site has sufficient access for ingress and egress and is adequate for water supply and sewage treatment.
5. The use shall not cause unsafe or unhealthy conditions.

C. Mandatory Lakeshore Mitigation. As a condition of issuance of certain permits, Conditional Uses measures shall be required to mitigate the impacts of developments, nonconforming structures, or uses on lake water quality. Lakeshore mitigation requirements shall be determined according to the following Mandatory Mitigation Practices. The following information shall be submitted with the application:

1. Evaluate and upgrade ISTS to comply with the requirements of Minn. Rules, Chaps. 7080-7083
If the septic system needs to be certified, a time frame needs to be outlined indicating the date the permit/design shall be obtained and when the septic system shall be certified.
2. Erosion control, storm water management, and mitigation plan. This plan shall describe erosion control during/after construction, storm water management/runoff control and mitigation/buffer screening. The mitigation plan shall require a shoreline buffer which shall be in the shore impact zone and consist of trees, shrubs and ground cover of native plants and understory to effectively screen structure(s) as viewed from the waters. This may be accomplished by working with Itasca SWCD or other sources but said plan must be reviewed by Itasca SWCD. A shoreline buffer consisting of trees, shrubs and ground cover of native plants and understory shall be required as follows:

Lake Class	Buffer (Distance from OHWL landward)
GD	10'
RD	15'
NE & PSL	50'

4. Plant materials for native vegetation buffers shall be as prescribed according to the landscape position, water table, soil type and exposure of the project site. For every 5,000 square feet of buffer are, there shall be a variety of types of native trees, shrubs, forbs, and grasses planted to achieve full coverage. The survival of planting materials must be maintained for a minimum of five years, so that the approved coverage plan is adhered to. This coverage plan may be inspected periodically to assure compliance.
5. Other mitigation practices may be required by Planning Commission / Board of Adjustment such as the use of exterior building materials that blend with natural vegetation.

CRITERIA NECESSARY FOR THE GRANTING OF A CONDITIONAL USE PERMIT (CUP)

RE: Applicant
Proposed Use:
Township/Range

■In the Shoreland Overlay Zoning District, *New Resorts* may be allowed on General Development and Recreational Development lakes, Big Fork River, and Mississippi River Scenic Class provided the underlying zoning district is Recreational Commercial, Light Industrial Commercial, or Industrial and only if they meet all of the following standards and Article 15A.3:

1. Setback or screening. Uses without water-oriented needs must be located on parcels without public waters frontage or, if such uses are located on shoreland parcels with public waters frontage, these uses must either be set back double the normal ordinary high water level setback or be substantially screened from view from the water by vegetation or topography, assuming summer leaf-on conditions.
2. Screening of parking. In addition to meeting impervious surface coverage limits, setbacks, and other applicable zoning standards, the uses must be designed to incorporate topographic and vegetative screening of parking areas and structures.
3. Moorings. Uses that require short-term watercraft mooring for patrons must centralize these facilities and design them to avoid obstructions of navigation and to be the minimum size necessary to meet the need.
4. Signs and lighting. Uses that depend on patrons arriving by watercraft may use signs and lighting to convey needed information to the public subject to the following general standards:
 - a. No advertising signs or supporting facilities for signs may be placed in or upon public waters;
 - b. Signs conveying information or safety messages may be placed in or on public waters by a public authority or under a permit issued by the Itasca County Sheriff;
 - c. When necessary signs may be placed within the shore impact zone if they are designed and sized to be the minimum necessary to convey needed information. They must only convey the location and name of the establishment and the general types of goods or services available. The signs must not contain other detailed information such as project brands and prices, must not be located higher than 10 feet above the ground and must not exceed 32 square feet in size. If illuminated by artificial lights, the lights must be shielded or directed to prevent illumination out across public waters; and
 - d. Other outside lighting may be located within the shore impact zone or over public waters if it is used primarily to illuminate potential safety hazards and is shielded or otherwise directed to prevent direct illumination out across public waters. This does not preclude use of navigational lights.

APPROVED

DENIED

Chairperson, Planning Commission/BoA

Date

DATE 7-9-2019 PHONE # 319-359-0388 PERMIT # _____

ITASCA COUNTY CONDITIONAL USE APPLICATION
USES NOT PROVIDED FOR WITHIN ZONING DISTRICTS

APPLICANT/ADDRESS Paul Grooms 37232 Twin Fawns Ln. Cohasset

AGENT/ADDRESS Ben Nissen, 19017 S. Gamma Beach Rd., Grand Rapids

PROPERTY ADDRESS 33871 8 mile Rd. Grand Rapids / 16929 Highway 169 Grand Rg,
MIN 55744

PROPERTY DESCRIPTION/PARCEL # 19-031-2201, Lt. 1 Lyg W of Hwy 169 ROW +
LESS W 330' OF N 660', S. 31, 54-25

ZONE DISTRICT FR LAKE NAME/CLASS NA EX. USE _____

DESCRIPTION OF PROPOSED USE Existing - Lawn mowing, Snow Removal, Boat Storage

Sales of Docks + Lifts with proposed Showroom

ATTACH A MAP SHOWING PROPERTY LOCATION, EXISTING CONDITIONS, PROPOSED DEVELOPMENT, AND NEARYBY USES, INCLUDING ANY OTHER INFORMATION THAT IS PERTINENT TO THIS REQUEST.

MANDATORY LAKESHORE MITIGATION PRACTICES: (To be included with the C/U application)

A. Septic System: Certified ; Shall be Upgraded _____ with Permit/Design obtained by: _____

5/14/15 Certification of New Septic System by: _____;

B. Erosion control, storm water management, and mitigation plan. This plan shall describe erosion control during/after construction, storm water management/runoff control and mitigation/buffer screening. The mitigation plan shall require a shoreline buffer which shall be in the shore impact zone and consist of trees, shrubs and ground cover of native plants and understory to effectively screen structure(s) as viewed from the waters. This may be accomplished by working with Itasca SWCD or other sources but said plan must be reviewed by Itasca SWCD. The required buffer shall be as follows:

Lake Class	Buffer (Distance from OHWL landward)
GD	10'
RD	15'
NE & PSL	50'

Plant materials for native vegetation buffers shall be as prescribed according to the landscape position, water table, soil type and exposure of the project site. For every 5,000 square feet of buffer are, there shall be a variety of types of native trees, shrubs, forbs, and grasses planted to achieve full coverage. The survival of planting materials must be maintained for a minimum of five years, so that the approved coverage plan is adhered to.

SITE INSPECTION. The applicant acknowledges that no one can be prohibited from coming onto the property when the site is inspected by the Planning Commission or County Board. Photographs may be taken at the site inspection and displayed at the public hearing for use in the decision making process.

Unless otherwise stipulated, a conditional use permit shall remain in effect for so long as all conditions agreed upon are observed. Legal action may result if the provisions and conditions are not complied with as set forth in the application. Upon approval of this conditional use, it shall be the responsibility of the applicant to notify the Environmental Services Department, upon completion of the project, including any conditions. The property may be inspected at any time to assure and affirm all conditions and terms of the permit are in compliance.

SIGNATURE/DATE: Paul Grooms 7-8-19

On 7-9-19, the Environmental Services Department received the completed application, accompanying information and the fee is paid in full. A copy of the information handout has been given to the applicant/agent.

THE APPLICANT HAS THE BURDEN OF DEMONSTRATING A RIGHT TO A CONDITIONAL USE BY SHOWING [DETAILED EXPLANATION] THAT ALL OF THE FOLLOWING STANDARDS AND CRITERIA WILL BE SATISFIED.

1. Describe how the proposed use conforms to the comprehensive plan of the County. The existing building started as a boat storage on a residential property. It has grown into a small business that employs several people by providing many services to the homeowners and businesses of Itasca County.
2. Describe how the use is compatible with the existing neighborhood. I have spent hundreds of hours and thousands of dollars renovating the existing house into a livable home again. I also removed many dump loads of trash from the property to enhance the overall estate. I intended on using the house for myself.
3. Describe how the use shall not materially adversely impact air quality, water quality or cause soil disturbance. With the addition of the new building, I have built a new septic system per code, hauled off all of the garbage, and planted new grass.
4. Describe how the site has sufficient access for ingress and egress and is adequate for water supply and sewage treatment. I have an entrance on both 8 mile road and highway 169 that we use. I use the existing well and have installed a new septic system per code.
5. Describe how the use shall not cause unsafe or unhealthy conditions. I am committed to continue to maintain a clean, orderly, and safe space for my employees, and anyone else that may come onto the property.

PERMIT APPROVAL: In accordance with MS#15.99, Itasca County must approve or deny the variance application within 60 days of submission of the completed application/fee. If said application is denied, the reason/s must be stated in writing at the time of denial. This time line may be extended by Itasca County for another 60 days provided the applicant/s receive written notice with reasons for the extension. The extension may not exceed 60 days unless approved by the applicant. The 60 days will end on: 9-7-2019.

On _____ Planning Commission/BoA authorized an extension for the following reasons with an expiration date of:

Authorizing Signature and Date: _____

On _____ the applicants hereby waive the time frame requirements set forth in MS#15.99:

Signatures

Witness:

RECOMMENDATIONS

TOWN BOARD OF _____
OR
UNORGANIZED TOWNSHIP

APPROVAL
AMEND
REJECTION

CHAIR _____
DATE _____
COMMISSIONER _____

REASONS: _____

When a land use in any zoning district is not specifically listed as a Permitted Use or Conditional Use, the land use may be considered as a Conditional Use. The applicant shall make a showing that the proposed use is similar to a Permitted Use or Conditional Use, consistent with the purpose of the zoning district in which the proposed use will be located, compatible with surrounding uses, and conforms to the Comprehensive Land Use Plan. The Zoning Administrator shall determine if the Conditional Use Permit Application is complete and then submit the Application for consideration by the Planning Commission. If the use is of a commercial nature and proposed for a residential zoning district (Rural Residential or Farm Residential), the Planning Commission shall hold a public hearing, evaluate the Application under the criteria in Article 21, and submit a report of its finding and recommendations to the County Board. The County Board shall hold a public hearing, evaluate the Application under the criteria in Article 21, consider the Planning Commission's report, and act on the Application.

On _____ the Planning Commission/Board of Adjustment, unanimously/ majority vote

APPROVED AMENDED DENIED a Conditional Use for: _____

[description of conditional use and conditions or reasons for denial]

Chairperson – Itasca County Planning Commission/Board of Adjustment

DECISION

On _____ the County Board of Commissioners, unanimously/ majority vote

APPROVED AMENDED DENIED a Conditional Use for: _____

[description of conditional use and conditions or reasons for denial]

Chairperson – Itasca County Board of Commissioners

Approval includes the findings of fact and compliance with all County, State and Federal Rules, Regulations and Statutes as required by law. In accordance with Section 18.4.1 of the Zoning Ordinance, any aggrieved person may obtain judicial review by obtaining a writ of certiorari from Court of Appeals within 60 days after receipt of due notice of the proceeding and decision sought to be reviewed and by serving said writ upon the Itasca County Auditor and any other adverse party within such period of 60 days.

In Regard To the Application of a Conditional Use Permit

When I originally purchased this property, my intent was to renovate the existing home, dramatically clean the surrounding acreage, and build a boat storage building.

With the increased growth in the economy over the last few years, I have been able to grow my business by increasing the services that I provide and adding additional employees. Honestly, the growth has been quicker than I could have anticipated and been challenging to manage.

In retrospect, I should have come to the county and applied for the Conditional Use Permit much sooner. In the future, I am committed to communicating better with the county to ensure any future expansion is permitted before moving forward.




ITASCA COUNTY

Planning Commission/Board of Adjustment

COURTHOUSE

123 NE Fourth Street
Grand Rapids, MN 55744
Office (218) 327-2857
Fax (218) 327-7331



Date: July 10, 2019

To: Paul Grooms
37232 Twin Fawns Ln
Cohasset, MN 55721

Ben Nissen
19017 S Gama Beach Rd
Grand Rapids, MN 55744

RE: Parcel #19-031-2201

Lot 1, lying W of Hwy 169 ROW & less W 330' of N 660', Sec. 31 54-25

Please be informed that the Planning Commission/Board of Adjustment will view the above site on **Monday, August 12, 2019 at 11:30 am.**

The Planning Commission/Board of Adjustment will review the above matter on **Wednesday, August 14, 2019** in the County Board Room of the Courthouse at **9:00 am.** The County Board will hold a public hearing, then review and act on this application on **Tuesday, August 20, 2019** in the County Board Room of the Courthouse at **2:30 pm.**

A representative must be present to address the application at all the above dates/times.

Any questions, please contact the Environmental Services Department at (218) 327-2857.

Sincerely,

A handwritten signature in cursive script that reads "Diane Nelson".

Corresponding and Recording Secretary
dn

CC: MnDOT - District 1
Harris Township
Itasca County Engineer's Dept - Ryan Sutherland
DNR Forestry

PCBA 03

Equal Opportunity Employer

ITASCA COUNTY, MINNESOTA

Paul Grooms has made application for a Conditional Use Permit (CUP) for the property described as: Lot 1 1/2 W of Hwy 169 ROW & less W 330' of N 660', Sec. 31, 54-25. This CONDITIONAL USE Permit would allow: Applicant to use property for business/commercial use conducting the following operations: lawn care, snow removal, boat storage, sale of docks and lifts (including proposed showroom). Conditional Use is required in a Farm Residential zone

You are being notified of the impending action so that you may appear, or notify this office, your concern/s, if any, regarding this CONDITIONAL USE application at the public hearing. A copy of the staff report for this application is available by contacting the Itasca County Environmental Services Department (ESD), five days prior to said hearing. Information to be presented to the Board, must be submitted to the ESD five days prior to the hearing.


Paul Grooms is responsible for contacting Kati Pierce, Clerk of Harris Township at 256-7411 for their recommendations which are to be forwarded to the Planning Commission. Note: Interested Property Owners may also contact the Township for further information on the Township's recommendation.

NOTICE OF PLANNING COMMISSION/BOA HEARING: The public hearing will commence at 9:00 a.m. in the Board Room of the Itasca County Courthouse, Grand Rapids, MN on the 14 day of August 2019. Once an agenda has been prepared, you may contact ESD to find an 'approximate time' that this particular matter will be considered by the Board. Interested individuals must monitor the posted agenda and be available and be prepared to proceed when the above matter is considered by the Planning Commission/BoA.

When a land use in any zoning district is not specifically listed as a Permitted Use (PU) or Conditional Use (CU), the land use may be considered as a CU. The applicant shall make a showing that the proposed use is similar to a PU or CU, consistent with the purpose of the zoning district in which the proposed use will be located, compatible with surrounding uses, and conforms to the Comprehensive Land Use Plan. The Zoning Administrator shall determine if the CUP Application is complete and then submit the Application for consideration by the Planning Commission. If the use is of a commercial nature and proposed for a residential zoning district (Rural Residential or Farm Residential), the Planning Commission shall hold a public hearing, evaluate the Application under the criteria in Article 21, and submit a report of its finding and recommendations to the County Board. The County Board shall hold a public hearing, evaluate the Application under the criteria in Article 21, consider the Planning Commission's report, and act on the Application.

NOTICE OF COUNTY BOARD HEARING: The meeting will commence at ^{2:30}~~3:00~~ P.M. in the Board Room of the Itasca County Courthouse, Grand Rapids, MN on the 20th day of August 2019. Once an agenda has been prepared, you may contact the Administrative Services Department (218/327-2847) to find out the time that this CUP will be considered by the County Board.

Paul Grooms Conditional Use Permit Application



The Data is provided "as is" without warranty or any representation of accuracy, timeliness or completeness. The burden for determining accuracy, completeness, timeliness, merchantability and fitness for or the appropriateness for use rests solely on the requester. The County makes no warranties, express or implied, as to the use of the Data. There are no implied warranties of merchantability or fitness for a particular purpose. The requester acknowledges and accepts the limitations of the Data, including the fact that the Data is dynamic and is in a constant state of maintenance, correction and update.

This information is a compilation of data from different sources with varying degrees of accuracy and requires a qualified field survey to verify.


Time: Public 8x11
 Date: 7/10/2019



Itasca Geographic Information System
 "decision support through automation"

COPYRIGHT - ITASCA COUNTY
 ALL RIGHTS RESERVED

No reproduction of this map is allowed by any method or in any form without written permission.



Legend

-  Subject Property
-  1/4 Mile Buffer
-  Tax Parcel

EIDEN, ROBERT E & MELISSA A
 19-031-2320
 16497 US HWY 169
 GRAND RAPIDS MN 55744
 COSTAL, LEE E
 19-031-2203
 13943 8 MILE RD
 GRAND RAPIDS MN 55744
 O'HERN, DONALD R & GLORIA
 13-025-4400
 4009 8 MILE RD
 GRAND RAPIDS MN 55744
 SUTHERLAND, JACOB & ALBERS, NOELLE
 19-031-2350
 6520 US HWY 169
 GRAND RAPIDS MN 55744

FORD, WAYNE
 19-030-3302
 17166 US HIGHWAY 169
 GRAND RAPIDS MN 55744
 KRUMREI, THOMAS W JR
 19-031-2310
 16614 US HWY 169 S
 GRAND RAPIDS MN 55744
 PETZ, EARL W JR
 19-031-3202
 13271 W SPLITHAND ROAD
 GRAND RAPIDS MN 55744
 VIRKUS, KEVIN L & VICKY L
 19-030-3301
 33852 8 MILE ROAD
 GRAND RAPIDS MN 55744

HUESTON, BARB ETAL
 19-031-3201
 712 LAPRAIRIE AVE
 GRAND RAPIDS MN 55744
 MARSHALL, DAVID J
 19-031-2100
 33557 BEAR CREEK RD
 GRAND RAPIDS, MN 55744
 RABEY, GREGORY A
 19-031-2305
 16605 SOUTH HIGHWAY 169
 GRAND RAPIDS MN 55744

MnDOT, District 1
 Jeff Tillman
 2606 Hwy 2 E
 Grand Rapids, MN 55744

owner:
 Paul Grooms
 372.32 Twin Fawns Ln.
 Cohasset, MN 55721

agent
 Ben Nissen
 19017 S Gamma Beach Rd.
 Grand Rapids, MN 55744

Harris Township
 Kati Pierce, Clerk
 20876 Wendigo Park Rd
 Grand Rapids, MN 55744

Itasca County Engineer's
 Ryan Sutherland
 123 NE 4th St
 Grand Rapids, MN 55744

DNR Forestry
 PO Box 157
 Deer River, MN 56636

HARRIS TOWNSHIP'S "FACTS OF FINDINGS"
Criteria Necessary for Granting a Recommendation for a
CONDITIONAL USE PERMIT

To make an affirmative recommendation of a Conditional Use Permit to the Itasca County Planning Commission and Board of Adjustment, the Harris Town Board must identify all positive findings as specified:

REQUEST FROM: _____ DATE: _____

REQUEST FOR: _____

- | | |
|--|--------------------------------------|
| 1. Is the use consistent with the Harris Township Comprehensive Plan?
<u>Comments:</u> | Yes or No or N/A |
| 2. Is the conditional use compatible with the existing neighborhood?
<u>Comments:</u> | Yes or No or N/A |
| 3. Have environmental concerns or precautions been addressed?
<u>Comments:</u> | Yes or No or N/A |
| 4. Does the site have sufficient vehicle access in and out of the property, and is there adequate parking space (if applicable)?
<u>Comments:</u> | Yes or No or N/A
Yes or No or N/A |
| 5. Is there adequate water supply and sewage treatment for the request?
<u>Comments:</u> | Yes or No or N/A |
| 6. Have potential unsafe or unhealthy conditions been addressed?
<u>Comments:</u> | Yes or No or N/A |

Other Comments : _____

Based on the criteria above, the Harris Town Board will make the following recommendation to the Itasca County Planning Commission / Board of Adjustment regarding the Conditional Use Permit request:

_____ **RECOMMEND AS PRESENTED/REQUESTED** _____ **DO NOT RECOMMEND**

_____ **RECOMEND IF AMENDED AS FOLLOWS:**

Signed, the Harris Township Board of Supervisors:

_____ Peggy Clayton, Chairman

_____ Ken Haubrich

_____ Dennis Kortekaas

_____ Jim Kelley

_____ Mike Schack

Note:
The Harris Town Board reserves the right to change or amend their recommendation, based on new information, up until the scheduled public hearing by the Itasca County Planning Commission / Board of Adjustment

DATE: _____

HARRIS TOWNSHIP'S "FACTS OF FINDINGS"

Criteria Necessary for Granting a Recommendation for a

CONDITIONAL USE PERMIT

To make an affirmative recommendation of a Conditional Use Permit to the Itasca County Planning Commission and Board of Adjustment, the Harris Town Board must identify all positive findings as specified:

REQUEST FROM: Paul Grooms

DATE: 8/14/2019

REQUEST FOR: Grooms Property Service

1. Is the use consistent with the Harris Township Comprehensive Plan? Yes or No or N/A
Comments:

2. Is the conditional use compatible with the existing neighborhood? Yes or No or N/A
Comments:

because of other businesses

3. Have environmental concerns or precautions been addressed? Yes or No or N/A
Comments:

no signs of runoff or sediment and there is a new septic

4. Does the site have sufficient vehicle access in and out of the property, and is there adequate parking space (if applicable)? Yes or No or N/A
 Yes or No or N/A
Comments:

5. Is there adequate water supply and sewage treatment for the request? Yes or No or N/A
Comments:

6. Have potential unsafe or unhealthy conditions been addressed? Yes or No or N/A
Comments:

Other Comments : _____

Based on the criteria above, the Harris Town Board will make the following recommendation to the Itasca County Planning Commission / Board of Adjustment regarding the Conditional Use Permit request:

RECOMMEND AS PRESENTED/REQUESTED DO NOT RECOMMEND

RECOMEND IF AMENDED AS FOLLOWS:

Signed, the Harris Township Board of Supervisors:

Peggy Clayton Peggy Clayton, Chairman

Ken Haubrich Ken Haubrich

Dennis Kortekaas Dennis Kortekaas

Jim Kelley Jim Kelley

Mike Schack Mike Schack

DATE: 8/14/2019

Note:

The Harris Town Board reserves the right to change or amend their recommendation, based on new information, up until the scheduled public hearing by the Itasca County Planning Commission / Board of Adjustment

Township Legal Seminar ^{10A}

Presented by:
Couri & Ruppe Law Office

Inquiring Minds Want to Know:

- 
- **THE JOY OF BEING THE ROAD AUTHORITY-** Town road basics.
 - **GRAVEL ROAD MAINTENANCE & DESIGN**
 - **WON'T YOU BE MY NEIGHBOR?-** How to work with the County, your neighboring townships and cities, and your residents.
 - **IT'S BaaaaaaaCK!**- Understanding annexation statutes.
 - **TOWNSHIP JEOPARDY**
 - **EVERYTHING YOU ALWAYS WANTED TO KNOW BUT WERE AFRAID TO ASK-** Answers to your questions from our 2018 legal seminar evaluation form.
 - **CONFLICTS OF INTEREST-** Contracting with Town officers, voting, etc.
 - **WHOSE MONEY IS IT?-** Restrictions on use of Township funds.
 - **STUMP THE CHUMPS-** Answers to any and all legal questions you may have.

Registration and All Materials are FREE!
Complimentary Lunch Provided!

CHOOSE THE DATE AND LOCATION THAT WORKS BEST FOR YOU:

- SATURDAY, SEPTEMBER 7, 2019 (9:00am to 4:00 pm)- Rutledge City Hall (Pine County)
SATURDAY, OCTOBER 5, 2019 (9:00am to 4:00 pm)- Cotton Town Hall (St. Louis County)
SATURDAY, OCTOBER 12, 2019 (9:00am to 4:00 pm)- New Haven Town Hall (Olmsted County)

Register directly from our website:

www.couriruppe.com (click on the "Township Legal Seminar" tab)
or call Kathy at (763) 497-1930

10B

**Minnesota
Association
of
Townships**



Executive Director:
David Hann

Staff Attorneys:
Steve Fenske
Ruth Simpson

DISTRICT 11 MEETING NOTICE

There will be a District Meeting of all township officials in the 11th District of the Minnesota Association of Townships. The 11th District includes the counties of Aitkin, Cass, Hubbard, Itasca and Koochiching.

WHEN:	Wednesday, August 21, 2019
TIME:	5:30 pm - Registration 6:00 pm – Meeting
WHERE:	Walker Area Community Center, Cass Co 105 Tower Avenue E From 200 W (371), turn south on 2 nd St, and east on Tower Avenue

The Tentative Agenda is located on the reverse side of this page.

<p>5:00 – 5:30 pm Opportunity to meet with the MAT Staff for questions prior to the district meeting. Bring your legal questions. <i>If quorum of a board meets with staff, proper notice must be posted.</i></p>
--

Please feel free to come early if you would like to talk with any staff prior to the meeting.

The following staff members are scheduled to be at your meeting:

David Hann, Executive Director
Steve Fenske, Attorney
Jon Mocol, MATIT

NOTE: This notice is being sent to Clerks and Chairpersons only. Please notify the other members of your town board so that they may attend.

This notice is being mailed on or about July 22, 2019.

TENTATIVE AGENDA

Welcome & Pledge to the Flag

- **Reno C. Wells, District 11 Director**
 - Local issues
 - Invited Guest(s) including local legislators

MAT Staff

- **David Hann, Executive Director**
 - Association update
 - Government Relations Update
 - Other Issues
- **Steve Fenske, Attorney**
 - New Law and Bill Update
 - New Case Law Update(s)
- **Jon Mocol, Manager of MAT Agency Operations**
 - Notes and updates
 - Other Issues

Door Prizes

Adjourn

Refreshments will be served.

Harris

10D

PERMIT NO. _____

ITASCA COUNTY APPLICATION FOR ZONING/SSTS PERMIT & CERTIFICATE OF COMPLIANCE

Current

Property Owner, Address & Phone # _____

Agent, Address & Phone # _____

Contractor, Address & License # _____

*If other than self, they are to be licensed with the MN Dept. of Commerce. Property owner may forfeit any mechanic's lien rights entitled under MS 514.01. The hiring of unlicensed contractor/s is a misdemeanor under Minnesota Law.

Em. # _____ Latitude/Longitude of driveway location to residence _____

The side of the main road/highway that the driveway is located on: North South East West

Property Address (if different than current) _____

Complete Legal Description _____

Parcel # and Lot Dimensions and/or Area _____

Lake and/or River Name & Classification _____

Highway/Road Name and/or No. _____ Zoning District _____ Existing Use _____

PROPOSED USE:

_____ Single Family Dwelling	_____ New Construction	_____ SSTS (Septic System) ___ New ___ Upgrade
_____ Multi-family Dwelling	_____ Alt. Of Structure	_____ SSTS Certificate of Compliance
_____ Two, Three or Four Plex	_____ Change in Use	_____ Yes: _____ No: Nonconforming SSTS
_____ Seasonal Cabin	_____ Other _____	If yes, SSTS shall be upgraded by the year _____
_____ Manufactured Home	_____ Special Conditions Necessary (explain) _____	
_____ Garage	_____ Steep Slopes ___ Screening ___ Erosion Control _____	
_____ Accessory Structure	OTHER: _____	
	Recreational; Commercial; Industrial _____	

STRUCTURE - MINIMUM DISTANCE FROM:

- A.* Road centerline and/or* intersecting road to bldg line _____ '
 - *or 35' from r/w whichever is greater _____'
- B. Side Yard (each) _____'
- C. Rear Yard (each) _____'
- D. Water Table to lowest floor _____' 03'
- E. Flood Plain - First Floor Elevation _____'
- F. High water mark to building line _____'
- G. Top of Bluff _____'
- H. Maximum percent of lot coverage _____%
- I. Max. Building Height _____' Maximum Stories _____'
- J. Dimensions: _____'

MINIMUM REQUIREMENTS FOR SSTS:

- A. Septic Tank (S.T.) to: Well 50'
 - B. S.T to: Occupied Bldg and Property Line/s 10'
 - C. S.T to: Buried Water Pipe under Pressure 10'
 - D. Minimum Septic Tank Size (Gallons) _____'
 - E. SSTS to Ordinary High Water Mark _____'
 - F. Type of Sewage Treatment: _____
 - G. Sewage Treatment to Deep Well 50'
 - H. Sewage Treatment to Shallow Well 100'
 - I. Sewage Treatment to Occupied Building 20'
 - J. Sewage Treatment to Property Lines (each) 10'
 - K. Sewage Treatment to Water Table 03'
 - L. Certified Installer or **Self _____
- INSPECTION: 218/327-2857

I have read the above minimum requirements and hereby acknowledge that I understand them and will comply with them. **I hereby waive any and all claims against Itasca County, on installing my own SSTS due to my failure to conform and comply with the Sanitation Ordinance and Minnesota Rules Chapter 7080. Permit is valid for 12-months to start construction.

SIGNATURE AND DATE _____

Fees: Permit/Emergency # \$ _____ Paid In Full on _____ Received by _____

Zoning/Sanitation Permit: APPROVED REJECTED _____ Date _____ Zoning Officer _____
indicate reason below

Comments: _____

Harris Twp

Parcel Information

Parcel Information:

Selected:

PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
19-610-0275	ADAMS, JONATHAN P	29564 SUNNY BEACH RD GRAND RAPIDS MN 55744	HARRIS TWP	POKEGAMA	GD	S:23 T:54 R:25	RURAL RESIDENTIAL		2.3	THAT PT OF W 450' OF OUTLOT A, LYG WLY OF THE FOLL DESC LINE: COMM AT THE NW CORNER OF SAID OUTLOT A; TH S 69 DEG 04' 24" E, ALG THE N LINE OF SAID OUTLOT A, A DIST OF 325.86' TO THE E LINE OF THE W 325.86' OF SAID OUTLOT A & THE POB OF THE LINE TO BE DESC; TH S 20 DEG 59' 15" W, ALG SAID E WENDIGO BAY

River Class:

Phone Number:

(218) 851 - 5848

Applicant / Agent Information

Contractor Name and License:

Selected:

Name:

Jonathan Adams

Contact Name	Business	License
Owner	Owner	

Property Information

Ownership Description:

Private

Access Road Name:

Sunnybeach Rd.

Is septic compliant?

None

Road Class:

County / Township Rd

Structure Information

Existing Use:

Vacant

Proposed Use:

Accessory

Accessory Structure:

Pole Building

Maximum building height:

35'

Number of bedrooms:

0

Well type:

None

Pressurized Water:

No

Building Dimensions:

50x100 Pole Building

Current septic status:

None

50x84

Permit Fee

Permit application fee:

Accessory Structure/Addn. - Pole Building \$60

Emergency 911 - Emergency 911 \$75

Permit Comments

After The Fact:

No

Resort:

No

Comments:

Structure will have concrete slab, No sewer and will have water. 1 story building. Used as storage use only, no living/sleeping quarters.

Application Received Date:

05/01/2019

Issued Date:

05/01/2019

Issued By:

Rosann Bray

Terms
Road Setback

Centerline 68'

Right-of-Way 35'

Side Yard Setback

Accessory 10'

Dwelling 15'

Rear Yard Setback

Accessory 10'

Dwelling 30'

Riparian Setback

Structure 75'

Impervious Surface

20% of parcel

Property owner can increase the coverage allowed by 5% if erosion control and stormwater management conform to the shoreline vegetative buffer standards.

Elevation of Lowest Floor

3'

Bluff Setback

30' from the top of a bluff

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at 218-591-1616. New or upgrading driveways; township road contact your township and county road contact County Engineer Office at 218-327-2853.


Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. Permit is valid for 12 months to start construction. Permit authorized by Environmental Services Department.

Approvals

Approval Signature Date

#1 Approved By  5-1-19

#2 Approved By  5-1-19

Itasca County Land Use
Permit # 190102

Itasca County Courthouse
123 NE 4th Street
Grand Rapids, MN 55744
(218) 327-2857

Parcel Information

Parcel Information: Selected:

PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
19-565-0163	CARSrud, DEAN R & LISA K	1506 SW 3RD AVE GRAND RAPIDS MN 55744	HARRIS TWP	POKEGAMA	GD	S:16 T:54 R:25	RURAL RESIDENTIAL	31888 SOUTHWOOD RD GRAND RAPIDS MN 55744	0.71	S 100 FT OF OUTLOT A RUFF SHORES

River Class:

Phone Number: (218) 259 - 1845

Applicant / Agent Information

Contractor Name and License: Selected: Name: Dean Carsrud

Contact Name	Business	License
Owner	Owner	

Property Information

Ownership Description: Private Access Road Name: Southwood Rd

Is septic compliant? Unknown Road Class: County / Township Rd

Structure Information

Existing Use: Seasonal Proposed Use: Accessory

Accessory Structure: Boathouse Maximum building height: 10'

Number of bedrooms: 0 Well type: Unknown

Pressurized Water: Unknown Building Dimensions: 14'x16' Boathouse

Current septic status: Unknown

Permit Fee

Permit application fee: Accessory Structure/Addn. - Boathouse \$60

Permit Comments

After The Fact: No Resort: No

Comments: 4/26/19 Site visit JG. Existing boathouse is 8'x10', proposed is 14' x 17' on existing slab, meets OHWL setback needs additional screening. Application Received Date: 05/07/2019

Boathouse is intended for storage of water-related accessories only. No running water/sanitation and no living/sleeping quarters permitted.

Issued Date: 05/07/2019 Issued By: Katie Benes

Terms

Road Setback

Centerline 68'

Right-of-Way 35'

Side Yard Setback

Accessory 10'

Dwelling 15'

Rear Yard Setback

Accessory 10'

Dwelling 30'

Riparian Setback

Structure 75'

Impervious Surface

20% of parcel

Property owner can increase the coverage allowed by 5% if erosion control and stormwater management conform to the shoreline vegetative buffer standards.

Elevation of Lowest Floor

3'

Bluff Setback

30' from the top of a bluff

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at 218-591-1616. New or upgrading driveways; township road contact your township and county road contact County Engineer Office at 218-327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. Permit is valid for 12 months to start construction. Permit authorized by Environmental Services Department.


Approvals

Approval

Signature

Date

#1 Approved By

 5-7-19
K. Benes 5/7/19

ITASCA COUNTY APPLICATION FOR ZONING/SSTS PERMIT & CERTIFICATE OF COMPLIANCE

Current

Property Owner, Address & Phone # _____

Agent, Address & Phone # _____

Contractor, Address & License # _____

*If other than self, they are to be licensed with the MN Dept. of Commerce. Property owner may forfeit any mechanic's lien rights entitled under MS 514.01. The hiring of unlicensed contractor/s is a misdemeanor under Minnesota Law.

Em. # _____ Latitude/Longitude of driveway location to residence _____

The side of the main road/highway that the driveway is located on: North South East West

Property Address (if different than current) _____

Complete Legal Description _____

Parcel # and Lot Dimensions and/or Area _____

Lake and/or River Name & Classification _____

Highway/Road Name and/or No. _____ Zoning District _____ Existing Use _____

PROPOSED USE:

- Single Family Dwelling New Construction SSTS (Septic System) New Upgrade
Multi-family Dwelling Alt. Of Structure SSTS Certificate of Compliance
Two, Three or Four Plex Change in Use Yes: No: Nonconforming SSTS
Seasonal Cabin Other If yes, SSTS shall be upgraded by the year
Manufactured Home Special Conditions Necessary (explain)
Garage Steep Slopes Screening Erosion Control
Accessory Structure OTHER:
Recreational; Commercial; Industrial

STRUCTURE - MINIMUM DISTANCE FROM:

- A.* Road centerline and/or* intersecting road to bldg line
B. Side Yard (each)
C. Rear Yard (each)
D. Water Table to lowest floor
E. Flood Plain - First Floor Elevation
F. High water mark to building line
G. Top of Bluff
H. Maximum percent of lot coverage
I. Max. Building Height Maximum Stories
J. Dimensions:

MINIMUM REQUIREMENTS FOR SSTS:

- A. Septic Tank (S.T.) to: Well 50'
B. S.T to: Occupied Bldg and Property Line/s 10'
C. S.T to: Buried Water Pipe under Pressure 10'
D. Minimum Septic Tank Size (Gallons)
E. SSTS to Ordinary High Water Mark
F. Type of Sewage Treatment:
G. Sewage Treatment to Deep Well 50'
H. Sewage Treatment to Shallow Well 100'
I. Sewage Treatment to Occupied Building 20'
J. Sewage Treatment to Property Lines (each) 10'
K. Sewage Treatment to Water Table 03'
L. Certified Installer or **Self

INSPECTION: 218/327-2857

I have read the above minimum requirements and hereby acknowledge that I understand them and will comply with them. **I hereby waive any and all claims against Itasca County, on installing my own SSTS due to my failure to conform and comply with the Sanitation Ordinance and Minnesota Rules Chapter 7080. Permit is valid for 12-months to start construction.

SIGNATURE AND DATE

Fees: Permit/Emergency # \$ _____ Paid In Full on _____ Received by _____

Zoning/Sanitation Permit: APPROVED REJECTED
indicate reason below Date Zoning Officer

Comments: _____

ITASCA COUNTY APPLICATION FOR ZONING/SSTS PERMIT & CERTIFICATE OF COMPLIANCE

Current

Property Owner, Address & Phone # _____

Agent, Address & Phone # _____

Contractor, Address & License # _____

*If other than self, they are to be licensed with the MN Dept. of Commerce. Property owner may forfeit any mechanic's lien rights entitled under MS 514.01. The hiring of unlicensed contractor/s is a misdemeanor under Minnesota Law.

Em. # _____ Latitude/Longitude of driveway location to residence _____

The side of the main road/highway that the driveway is located on: North South East West

Property Address (if different than current) _____

Complete Legal Description _____

Parcel # and Lot Dimensions and/or Area _____

Lake and/or River Name & Classification _____

Highway/Road Name and/or No. _____ Zoning District _____ Existing Use _____

PROPOSED USE:

- Single Family Dwelling New Construction SSTS (Septic System) New Upgrade
Multi-family Dwelling Alt. Of Structure SSTS Certificate of Compliance
Two, Three or Four Plex Change in Use Yes: No: Nonconforming SSTS
Seasonal Cabin Other If yes, SSTS shall be upgraded by the year
Manufactured Home Special Conditions Necessary (explain)
Garage Steep Slopes Screening Erosion Control
Accessory Structure OTHER:
Recreational; Commercial; Industrial

STRUCTURE - MINIMUM DISTANCE FROM:

- A.* Road centerline and/or* intersecting road to bldg line
B. Side Yard (each)
C. Rear Yard (each)
D. Water Table to lowest floor
E. Flood Plain - First Floor Elevation
F. High water mark to building line
G. Top of Bluff
H. Maximum percent of lot coverage
I. Max. Building Height Maximum Stories
J. Dimensions:

MINIMUM REQUIREMENTS FOR SSTS:

- A. Septic Tank (S.T.) to: Well 50'
B. S.T to: Occupied Bldg and Property Line/s 10'
C. S.T to: Buried Water Pipe under Pressure 10'
D. Minimum Septic Tank Size (Gallons)
E. SSTS to Ordinary High Water Mark
F. Type of Sewage Treatment:
G. Sewage Treatment to Deep Well 50'
H. Sewage Treatment to Shallow Well 100'
I. Sewage Treatment to Occupied Building 20'
J. Sewage Treatment to Property Lines (each) 10'
K. Sewage Treatment to Water Table 03'
L. Certified Installer or **Self

INSPECTION: 218/327-2857

I have read the above minimum requirements and hereby acknowledge that I understand them and will comply with them. **I hereby waive any and all claims against Itasca County, on installing my own SSTS due to my failure to conform and comply with the Sanitation Ordinance and Minnesota Rules Chapter 7080. Permit is valid for 12-months to start construction.

SIGNATURE AND DATE _____

Fees: Permit/Emergency # \$ _____ Paid In Full on _____ Received by _____

Zoning/Sanitation Permit: (APPROVED) REJECTED indicate reason below Date Zoning Officer

Comments: _____

Harris Twp.

Zoning / Land Use Itasca County Land Use Permit # 190141, UID # 127036

Itasca County Courthouse
123 NE 4th Street
Grand Rapids, MN 55744
(218) 327-2857

Parcel Information

Parcel Information:	PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
	19-023-3404	NIEWIND, MARTY JOE	29467 ROBINSON RD GRAND RAPIDS MN 55744	HARRIS TWP			S:23 T:54 R:25	FARM RESIDENTIAL	29467 ROBINSON RD GRAND RAPIDS MN 55744	1.16	N 272.50' OF SE SW LYG E OF HARRIS TOWN RD LESS E 210'

River:
Class:

Applicant / Agent Information

Contractor Name and License:	<table border="1"><tr><td>Contact Name</td><td>Business</td><td>License</td></tr><tr><td>Owner</td><td>Owner</td><td></td></tr></table>	Contact Name	Business	License	Owner	Owner		Name:	<u>Marty Niewind</u>
Contact Name	Business	License							
Owner	Owner								

Property Information

Ownership Description:	<u>Private</u>	Access Road Name:	<u>Robinson Rd</u>
Is septic compliant?	<u>Unknown</u>	Road Class:	<u>County / Township Rd</u>

Structure Information

Existing Use:	<u>Residential</u>	Proposed Use:	<u>Accessory</u>
Accessory Structure:	<u>Other</u>	Maximum building height:	<u>35'</u>
Number of bedrooms:	<u>0</u>	Well type:	<u>Unknown</u>
Pressurized Water:	<u>Unknown</u>	Building Dimensions:	<u>8'x12' Chicken Coop</u>
Current septic status:	<u>Unknown</u>		

Permit Fee

Permit application fee:	<u>Accessory Structure/Addn. - Other \$60</u>
-------------------------	---

Permit Comments

After The Fact:	<u>No</u>	Resort:	<u>No</u>
Application Received Date:	<u>05/17/2019</u>	Issued Date:	<u>05/17/2019</u>
Issued By:	<u>Katie Benes</u>		

Terms

Road Setback

Centerline 68'
Right-of-Way 35'

Side Yard Setback

Accessory 10'
Dwelling 15'

Rear Yard Setback

Accessory 10'
Dwelling 30'

Impervious Surface

25% of parcel

Elevation of Lowest Floor

3'

Bluff Setback

30' from the top of a bluff

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at 218-591-1616. New or upgrading driveways; township road contact your township and county road contact County Engineer Office at 218-327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. Permit is valid for 12 months to start construction. Permit authorized by Environmental Services Department.

Approvals

Approval	Signature	Date
#1 Approved By		5-17-19
#2 Approved By		5/17/19

HARRIS TWP.

Zoning / Land Use Itasca County Land Use Permit # 190142, UID # 127038

Itasca County Courthouse
123 NE 4th Street
Grand Rapids, MN 55744
(218) 327-2857

Parcel Information

Parcel Information:	PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
	19-011-1201	GODWIN, KENNETH & OFELIA TRUSTEES	20884 FIELD CREST ROAD GRAND RAPIDS MN 55744	HARRIS TWP			S:11 T:54 R:25	FARM RESIDENTIAL	20884 FIELD CREST RD GRAND RAPIDS MN 55744	3.05	N 550FT OF NW NE LYG W OF E 1070FT

River:
Class:
Phone Number: (218) 327 - 4822

Applicant / Agent Information

Contractor Name and License:	Contact Name	Business	License	Name:	<u>Kenneth Godwin</u>
	Owner	Owner			

Property Information

Ownership Description:	<u>Private</u>	Access Road Name:	<u>Field Crest Rd</u>
Is septic compliant?	<u>Unknown</u>	Road Class:	<u>County / Township Rd</u>

Structure Information

Existing Use:	<u>Residential</u>	Proposed Use:	<u>Accessory</u>
Accessory Structure:	<u>Storage Shed</u>	Maximum building height:	<u>35'</u>
Number of bedrooms:	<u>0</u>	Well type:	<u>Unknown</u>
Pressurized Water:	<u>Unknown</u>	Building Dimensions:	<u>30'x44' Storage Building</u>
Current septic status:	<u>Unknown</u>		

Permit Fee

Permit application fee:	<u>Accessory Structure/Addn. - Storage Shed \$60</u>
-------------------------	--

Permit Comments

After The Fact:	<u>No</u>	Resort:	<u>No</u>	
Comments:	Single-story storage building, on slab. Intended for storage use. No living/sleeping quarters. No running water at this time.		Application Received Date:	<u>05/17/2019</u>
Issued Date:	<u>05/17/2019</u>	Issued By:	<u>Katie Benes</u>	

Terms

Road Setback

Centerline 68'

Right-of-Way 35'

Side Yard Setback

Accessory 10'

Dwelling 15'

Rear Yard Setback

Accessory 10'

Dwelling 30'

Impervious Surface

25% of parcel

Elevation of Lowest Floor

3'

Bluff Setback

30' from the top of a bluff

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. *Electrical Inspector contact Steve Bartlett at 218-591-1616.* New or upgrading driveways; township road contact your township and county road contact County Engineer Office at 218-327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. Permit is valid for 12 months to start construction. Permit authorized by Environmental Services Department.

Approvals

Approval

Signature

Date

#1 Approved By

Kenneth Modum 5-17-19

#2 Approved By

Karl Benca 5/17/19

HARRIS

Zoning / Land Use Itasca County Land Use Permit # 190145, UID # 127041

Itasca County Courthouse
123 NE 4th Street
Grand Rapids, MN 55744
(218) 327-2857

Parcel Information

PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
19-008-1108	RH PROPERTIES- ITASCA LLC	20890 US HWY 169 GRAND RAPIDS MN 55744	HARRIS TWP			S:8 T:54 R:25	LIGHT IND. COMMERCIAL		0.64	REV DESC 1 OF NE NE

River Class:
 Phone Number: (218) 259 - 8063

Applicant / Agent Information

Name: Jason Wedge

Property Information

Ownership Description: Private Access Road Name: State Hwy. 169
 Is septic compliant? Unknown Road Class: State / Federal Highway

Structure Information

Existing Use: Commercial Proposed Use: Commercial Building
 Accessory Structure: Maximum building height: 35'
 Well type: Unknown Pressurized Water: Unknown
 Building Dimensions: 82'x124' Commercial Storage Building Current septic status: Unknown

Permit Fee

Permit application fee: Commercial Building - Commercial Building \$250

Permit Comments

After The Fact: No Resort: No
 Comments: OK Per DS. Impervious surface is at 49% (including all 3 parcels) as per sketch. Structure will be used for storage of products/equipment inventory for their business. Contractor is J Grooms Construction LLC, L #BC722696. Application Received Date: 05/17/2019
 Issued Date: 05/17/2019 Issued By: Diane Nelson

**Terms
Road Setback**

Centerline 135'

Right-of-Way 35'

Side Yard Setback

Dwelling 15'

Rear Yard Setback

Dwelling 30'

Impervious Surface

25% of parcel

Elevation of Lowest Floor

3'

Bluff Setback

30' from the top of a bluff

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at 218-591-1616. New or upgrading driveways; township road contact your township and county road contact County Engineer Office at 218-327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. Permit is valid for 12 months to start construction. Permit authorized by Environmental Services Department.

Approvals

Approval	Signature	Date
#1 Approved By		5-17-19
#2 Approved By		5-17-19

Public Notes

Text:

File(s):

Parcel Information

Parcel Information:										
PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
19-030-3108	BERGQUIST, AMIE L ETAL	17376 US HWY 169 GRAND RAPIDS MN 55744	HARRIS TWP	NO NAME	NE1	S:30 T:54 R:25	FARM RESIDENTIAL	17376 US HWY 169 GRAND RAPIDS MN 55744	5.11	REV DESC #6 OF NE SW

River Class:

Phone Number: (218) 259 - 9512

Applicant / Agent Information

Name: Dave Amundson

Property Information

Ownership Description: Private Access Road Name: State Hwy. 169

Is septic compliant? Unknown Road Class: State / Federal Highway

Structure Information

Existing Use: Residential	Proposed Use: Deck
Accessory Structure:	Maximum building height: 35'
Well type: Unknown	Pressurized Water: Unknown
Building Dimensions: 12'x20' Deck	Current septic status: Unknown

Permit Fee

Permit application fee: Deck - Deck \$50

Permit Comments

After The Fact: No	Resort: No
Comments: 5/2019- DS & GS to site & flagged the 200' OHWL setback & approved deck OK as marked. Permission form attached.	Application Received Date: 05/20/2019
Issued Date: 05/20/2019	Issued By: Diane Nelson

Terms

Road Setback

Centerline 135'

Right-of-Way 35'

Side Yard Setback

Dwelling 15'

Rear Yard Setback

Dwelling 30'

Riparian Setback

Structure 200'

Impervious Surface

12% of parcel

Property owner can increase the coverage allowed by 5% if erosion control and stormwater management conform to the shoreline vegetative buffer standards.

Elevation of Lowest Floor

3'

Bluff Setback

30' from the top of a bluff

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at 218-591-1616. New or upgrading driveways; township road contact your township and county road contact County Engineer Office at 218-327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. Permit is valid for 12 months to start construction. Permit authorized by Environmental Services Department.

Approvals

Approval	Signature	Date
#1 Approved By	<u>David Anderson</u>	<u>5-20-19</u>
#2 Approved By	<u>Diane Nelson</u>	<u>5-20-19</u>

Public Notes

Text:

File(s):

Harris twp.

SSTS Subsurface Sewage Treatment System Permit # 190170, UID # 127068

Itasca County Courthouse
123 NE 4th Street
Grand Rapids, MN 55744
(218) 327-2857

Parcel Information

Parcel Information:	PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
	19-011-3403	HOOVER, DEE ANN	21234 N 124TH AVE SUN CITY WEST AZ 85375	HARRIS TWP			S:11 T:54 R:25	FARM RESIDENTIAL	29638 UNDERWOOD RD GRAND RAPIDS MN 55744	9.24	W 1/2 OF SE SW LYG N OF ACCESS RD & LESS THAT PART OF THE W 200 FT OF THE SE SW LYG NLY OF THE FOLLOWING DESC LINE: COMM AT THE NW CORNER OF THE SE SW; TH S 00 DEG 06' 31" W ASSUMED BEARING, ALG THE W LINE OF SE SW A DIST OF 733 FT TO THE POB OF THE LINE TO BE HEREIN DESC; TH N 10 DEG 30' 45" E 99 FT; TH
River Class:											

Applicant / Agent Information

Name: Larry Holmquist

Property Information

Ownership Description: Private Access Road Name: Underwood Rd
Well Type: Deep Soil verified? No

Designer/Installer

Designer Name and License #:	<table border="1"> <tr> <th>Contact Name</th> <th>Business</th> <th>License</th> </tr> <tr> <td>Larry Holmquist</td> <td>Holmquist Excavating</td> <td>1016</td> </tr> </table>	Contact Name	Business	License	Larry Holmquist	Holmquist Excavating	1016	Installer Name and License #:	<table border="1"> <tr> <th>Contact Name</th> <th>Business</th> <th>License</th> </tr> <tr> <td>Larry Holmquist</td> <td>Holmquist Excavating</td> <td>1016</td> </tr> </table>	Contact Name	Business	License	Larry Holmquist	Holmquist Excavating	1016
Contact Name	Business	License													
Larry Holmquist	Holmquist Excavating	1016													
Contact Name	Business	License													
Larry Holmquist	Holmquist Excavating	1016													

Septic Information

Type of Septic:	<u>Replacement</u>	Type:	<u>1</u>	Depth to Limiting Layer:	<u>68</u>
Number of Tanks:	<u>1</u>	Number of Bedrooms:	<u>3</u>	Tank Size:	<u>1500 gal</u>
Pump Tank:	<u>None</u>	Tank Material:	<u>Concrete</u>	Treatment Area Size (sq ft):	<u>375</u>
Treatment Type:	<u>Trench/Chambers</u>				

Permit Fee

Permit application fee: SSTS - Replacement \$175

Permit Information

After The Fact: No
Resort: No
Notes: Management Plan submitted. Recommended maintenance every 24 months.
Application Received Date: 05/28/2019
Issued Date: 05/28/2019
Issued By: Katie Benes

Terms

Distance to Occupied Building

10' from septic tank; 20' from sewage treatment; 10' from privy

Distance to Property Line

10' from septic tank; 10' from sewage treatment; 10' from privy

Large Tree Setback Requirement

10' from sewage treatment

Distance to Buried Water Pipe/Pressure

10' from septic tank; 10' from sewage treatment

Distance to Well

50' from septic tank; 50' from sewage treatment; 50' from privy

Above Watertable Setback Requirements

3' sewage treatment; 3' privy


Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at (218)591-1616. New or upgrading driveways; for township roads - contact your Township and County roads - contact County Engineer Office at (218)327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. **I hereby waive any and all claims against Itasca County, on installing my own SSTS, due to my failure to conform and comply with the Sanitation Ordinance and Minnesota Rules Chapter 7090 to 7093. Permit is valid for 12-months to start construction. Permit authorized by: Itasca County Environmental Services Department.

Approvals

Approval	Signature	Date
#1 Approved By		5-28-2019
#2 Approved By		5/28/19

Harris Twp.

SSTS Subsurface Sewage Treatment System Permit # 190171, UID # 127069

Itasca County Courthouse
123 NE 4th Street
Grand Rapids, MN 55744
(218) 327-2857

Parcel Information

Parcel Information:	PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
	19-011-3302	GUNDERSON, DOUGLAS & MARY	29644 UNDERWOOD RD GRAND RAPIDS MN 55744	HARRIS TWP			S:11 T:54 R:25	RECREATIONAL COMMERCIAL	29644 UNDERWOOD RD GRAND RAPIDS MN 55744	0.8	S 100FT OF E 400FT OF SWSW LESS E 50FT THRF

River Class:

Applicant / Agent Information

Name: Larry Holmquist

Property Information

Ownership Description: Private Access Road Name: Underwood Rd
Well Type: Deep Soil verified? No

Designer/Installer

Designer Name and License #:

Contact Name	Business	License
Larry Holmquist	Holmquist Excavating	1016

 Installer Name and License #:

Contact Name	Business	License
Larry Holmquist	Holmquist Excavating	1016

Septic Information

Type of Septic: Replacement Type: 1 Depth to Limiting Layer: 68
Number of Tanks: 1 Number of Bedrooms: 3 Tank Size: 1500 gal
Pump Tank: None Tank Material: Concrete Treatment Area Size (sq ft): 375
Treatment Type: Trench/Chambers

Permit Fee

Permit application fee: SSTS - Replacement \$175

Permit Information

After The Fact: No
Resort: No
Notes: Management Plan submitted. Maintenance recommended every 24 months.
Application Received Date: 05/28/2019
Issued Date: 05/28/2019
Issued By: Katie Benes

Terms

Distance to Occupied Building

10' from septic tank; 20' from sewage treatment; 10' from privy

Distance to Property Line

10' from septic tank; 10' from sewage treatment; 10' from privy

Large Tree Setback Requirement

10' from sewage treatment

Distance to Buried Water Pipe/Pressure

10' from septic tank; 10' from sewage treatment

Distance to Well

50' from septic tank; 50' from sewage treatment; 50' from privy

Above Watertable Setback Requirements

3' sewage treatment; 3' privy


Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at (218)591-1616. New or upgrading driveways, for township roads - contact your Township and County roads - contact County Engineer Office at (218)327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. **I hereby waive any and all claims against Itasca County, on installing my own SSTS, due to my failure to conform and comply with the Sanitation Ordinance and Minnesota Rules Chapter 7080 to 7083. Permit is valid for 12-months to start construction. Permit authorized by, Itasca County Environmental Services Department.

Approvals

Approval	Signature	Date
#1 Approved By		5-28-2019
#2 Approved By		5/28/19

10E

Zoning / Land Use Itasca County Land Use Permit # 190325, UID # 127246

Itasca County Courthouse
123 NE 4th Street
Grand Rapids, MN 55744
(218) 327-2857

Parcel Information

Parcel Information:

PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
19-585-0020	POKEGAMA LIMITED LIABILITY LIMITED	PARTNERSHIP 1660 HWY 100 SOUTH SUITE 400 ST LOUIS PARK MN 55416	HARRIS TWP	POKEGAMA	GD	S:6 T:54 R:25	RURAL RESIDENTIAL	21771 ISLEVIEW RD GRAND RAPIDS MN 55744	0.65	LOTS 2-3 SUNSET PARK

River Class:
Phone Number: (218) 244 - 6255

Applicant / Agent Information

Contractor Name and License:

Contact Name	Business	License	Name:	Amber Kongsjord
Owner	Owner			

Property Information

Ownership Description: Private Access Road Name: Isleview Rd
Is septic compliant? Yes Road Class: County / Township Rd

Structure Information

Existing Use: Seasonal Proposed Use: Accessory
Accessory Structure: Other Maximum building height: Other
Number of bedrooms: 0 Well type: Unknown
Pressurized Water: Unknown Building Dimensions: Retaining wall approx. 60', no higher than 3'; Patio and sidewalk approx. 395 sq. ft.
Current septic status: In Compliance

Permit Fee

Permit application fee: Accessory Structure/Addn. - Other \$60
Accessory Structure/Addn. - Patio Platform \$60

Permit Comments

After The Fact: No Resort: No
Application Received Date: 06/28/2019 Issued Date: 06/28/2019
Issued By: Katie Benes Lloyd's Landscaping, Contractor

Terms
Road Setback

Centerline 68'

Right-of-Way 35'

Side Yard Setback

Accessory 10'

Dwelling 15'

Rear Yard Setback

Accessory 10'

Dwelling 30'

Riparian Setback

Structure 75'

Impervious Surface

20% of parcel

Property owner can increase the coverage allowed by 5% if erosion control and stormwater management conform to the shoreline vegetative buffer standards.

Elevation of Lowest Floor

3'

Bluff Setback

30' from the top of a bluff

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at 218-591-1616. New or upgrading driveways; township road contact your township and county road contact County Engineer Office at 218-327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. Permit is valid for 12 months to start construction. Permit authorized by Environmental Services Department.

Approvals

Approval	Signature	Date
#1 Approved By		6/28/19
		6/28/19

Harris IWP

Zoning / Land Use Itasca County Land Use Permit # 190319, UID # 127240

Itasca County Courthouse
123 NE 4th Street
Grand Rapids, MN 55744
(218) 327-2857

Parcel Information

Parcel Information:	PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
	19-425-0160	STOLTZ, GARY D & ANGELA L	20202 HARBOR HEIGHTS RD GRAND RAPIDS MN 55744	HARRIS TWP	POKEGAMA	GD	S:8 T:54 R:25	RURAL RESIDENTIAL		1.08	LOT 16 AUDITORS SUBDIVISION 62

River Class:

Phone Number: (218) 259 - 6054

Applicant / Agent Information

Contractor Name and License:

Contact Name	Business	License
Owner	Owner	

Name: Gary Stoltz

Property Information

Ownership Description: Private Access Road Name: Harbor Heights Rd

Is septic compliant? Unknown Road Class: County / Township Rd

Structure Information

Existing Use: Residential Proposed Use: Accessory

Accessory Structure: Boathouse Maximum building height: 10'

Number of bedrooms: 0 Well type: Unknown

Pressurized Water: Unknown Building Dimensions: 14'x17.5' Boathouse

Current septic status: Unknown

Permit Fee

Permit application fee: Accessory Structure/Addn. - Boathouse \$60

Permit Comments

After The Fact: No Resort: No

Comments: 6/6/2019 Boathouse site approved by Dan S & Greg S. Because the location is in a floodplain the boathouse will need to be built to FEMA & DNR specifications. All other boathouse rules (S.5.11) will need to be followed. Application Received Date: 06/27/2019

Issued Date: 06/27/2019 Issued By: Katie Benes

Parcel Information

Parcel Information:

PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
19-010-1303	ULSETH, RONALD R & ANGELA D	20595 ASPEN DRIVE GRAND RAPIDS MN 55744	HARRIS TWP			S:10 T:54 R:25	FARM RESIDENTIAL	20595 ASPEN DR GRAND RAPIDS MN 55744	6.41	S 446.93FT OF SW NE LYG W OF ASPEN DR

River Class:

Phone Number: (218) 259 - 9782

Applicant / Agent Information

Contractor Name and License:

Contact Name	Business	License	Name:
Owner	Owner		Ron Ulseth

Property Information

Ownership Description: Private Access Road Name: Aspen Dr.

Is septic compliant? Unknown Road Class: County / Township Rd

Structure Information

Existing Use: Residential	Proposed Use: Accessory
Accessory Structure: Pole Building	Maximum building height: 35'
Well type: Deep	Pressurized Water: Yes
Building Dimensions: 36'x32' Pole Building	Current septic status: Unknown

Permit Fee

Permit application fee: Accessory Structure/Addn. - Pole Building \$60

Permit Comments

After The Fact: No	Resort: No
Comments: For storage/garage use only; no livestock; no living/sleeping quarters; no water; single-story.	Application Received Date: 06/25/2019
Issued Date: 06/25/2019	Issued By: Diane Nelson

**Terms
Road Setback**

Centerline 68'

Right-of-Way 35'

Side Yard Setback

Accessory 10'

Dwelling 15'

Rear Yard Setback

Accessory 10'

Dwelling 30'

Impervious Surface

25% of parcel

Elevation of Lowest Floor

3'

Bluff Setback

30' from the top of a bluff

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at 218-591-1616. New or upgrading driveways; township road contact your township and county road contact County Engineer Office at 218-327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. Permit is valid for 12 months to start construction. Permit authorized by Environmental Services Department.

Approvals

Approval

Signature

Date

#1 Approved By

Ronald ROseter 6-25/19

#2 Approved By

Diane Nelson 6/25/19

Public Notes

Text:

File(s):

Parcel Information

Parcel Information:	PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
	19-415-0141	SCHMITTDIEL, LEONARD R JR & MARY L	19129 FOREST VIEW TRL GRAND RAPIDS MN 55744	HARRIS TWP	POKEGAMA	GD	S:22 T:54 R:25	FARM RESIDENTIAL	19129 FOREST VIEW TRL GRAND RAPIDS MN 55744	0.68	LOT 14 LESS REV DESC 1 & REV DESC 1 LOT 15 ATARAXIA

River Class:

Phone Number: (651) 387 - 2020

Applicant / Agent Information

Contractor Name and License:

Contact Name	Business	License	Name:	<u>Leonard Schmittziel</u>
Owner	Owner			

Property Information

Ownership Description: Private Access Road Name: Forest View Trail

Is septic compliant? Unknown Road Class: County / Township Rd

Structure Information

Existing Use: Residential Proposed Use: Accessory

Accessory Structure: Storage Shed Maximum building height: 35'

Well type: Unknown Pressurized Water: Yes

Building Dimensions: 10'x20' Shed Current septic status: Unknown

Permit Fee

Permit application fee: Accessory Structure/Addn. - Storage Shed \$60

Permit Comments

After The Fact: No Resort: No

Comments: Site visit 6/14/19 JG. Proposed shed complies with lake and road setbacks. Single-story shed; no living/sleeping quarters; no water/electric. For storage use only. Application Received Date: 06/21/2019

Issued Date: 06/21/2019 Issued By: Diane Nelson

**Terms
Road Setback**

Centerline 68'

Right-of-Way 35'

Side Yard Setback

Accessory 10'

Dwelling 15'

Rear Yard Setback

Accessory 10'

Dwelling 30'

Riparian Setback

Structure 75'

Impervious Surface

20% of parcel

Property owner can increase the coverage allowed by 5% if erosion control and stormwater management conform to the shoreline vegetative buffer standards.

Elevation of Lowest Floor

3'

Bluff Setback

30' from the top of a bluff


Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at 218-591-1616. New or upgrading driveways; township road contact your township and county road contact County Engineer Office at 218-327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. Permit is valid for 12 months to start construction. Permit authorized by Environmental Services Department.

Approvals

Approval	Signature	Date
#1 Approved By		6/21/19
#2 Approved By		

HARRIS TWP.

Zoning / Land Use Itasca County Land Use Permit # 190293, UID # 127210

Itasca County Courthouse
 123 NE 4th Street
 Grand Rapids, MN 55744
 (218) 327-2857

Parcel Information

PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
19-610-0050	SCHLICHT, BRYAN A & CARRIE L	29929 SUNNY BEACH RD GRAND RAPIDS MN 55744	HARRIS TWP	POKEGAMA	GD	S:23 T:54 R:25	RURAL RESIDENTIAL	29929 SUNNY BEACH RD GRAND RAPIDS MN 55744	0.75	LOT 5 & THAT PT OF LOT 6 DESC AS FOLL: COMM AT NW COR OF SAID LOT 6; TH S17°55'19"W, ALG W LINE OF LOT 6 A DIST OF 139.38' TO THE POB; TH S72° 04'41"E 20'; TH S17°55'19"W PARALLEL WITH W LINE OF LOT 6 A DIST OF 162' MORE OR LESS TO S/L OF POKEGAMA LAKE; TH NWLY ALG SAID S/L TO WENDIGO BAY

River Class:
 Phone Number: (218) 838 - 3660

Applicant / Agent Information

Contractor Name and License:

Contact Name	Business	License
Owner	Owner	

 Name: Bryan Schlicht

Property Information

Ownership Description: Private Access Road Name: Sunny Beach Rd
 Is septic compliant? Unknown Road Class: County / Township Rd

Structure Information

Existing Use: Residential Proposed Use: Accessory
 Accessory Structure: Boathouse Maximum building height: 10'
 Number of bedrooms: 0 Well type: Unknown
 Pressurized Water: Unknown Building Dimensions: 12'x12' Boathouse
 Current septic status: Unknown

Permit Fee

Permit application fee: Accessory Structure/Addn. - Boathouse \$60

Permit Comments

After The Fact: No Resort: No
 Comments: Site visit 10/20/16 JG. Proposed access path to lake is in a steep slope area. Existing boathouse is 6' x 4' and is 3' from OHWL. Application Received Date: 06/21/2019
 Will remove existing boathouse. New boathouse will follow rules in S.5.11 of Zoning Ordinance.
 Issued Date: 06/21/2019 Issued By: Katie Benes

Terms

Road Setback

Centerline 66'
Right-of-Way 35'

Side Yard Setback

Accessory 10'
Dwelling 15'

Rear Yard Setback

Accessory 10'
Dwelling 30'

Riparian Setback

Structure 75'

Impervious Surface

20% of parcel
Property owner can increase the coverage allowed by 5% if erosion control and stormwater management conform to the shoreline vegetative buffer standards.

Elevation of Lowest Floor

3'

Bluff Setback

30' from the top of a bluff


Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at 218-591-1616. New or upgrading driveways, township road contact your township and county road contact County Engineer Office at 218-327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. Permit is valid for 12 months to start construction. Permit authorized by Environmental Services Department.

Approvals

Approval	Signature	Date
#1 Approved By		6/21/19

Parcel Information

Parcel Information:

PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
19-530-0135	CANTORE, JOHN & CHERYL &	CANTORE, CHRISTOPHER J 29298 WESLEYAN DR GRAND RAPIDS MN 55744	HARRIS TWP			S:11 T:54 R:25	FARM RESIDENTIAL	29298 WESLEYAN DR GRAND RAPIDS MN 55744	1.94	LOT 7 BLK 1 PALKKI ADDITION

River Class:

Applicant / Agent Information

Name: Corey Salisbury Phone Number: (218) 244 - 7739

Property Information

Ownership Description: Private Access Road Name: Wesleyan Dr.
 Well Type: Deep Soil verified? No

Designer/Installer

Designer Name and License #:			Installer Name and License #:		
Contact Name	Business	License	Contact Name	Business	License
Corey Salisbury	S & S Excavation & Construction	2010	Corey Salisbury	S & S Excavation & Construction	2010

Septic Information

Type of Septic: Replacement Type: I Depth to Limiting Layer: 26"
 Number of Tanks: 1 Number of Bedrooms: 4 Tank Size: 1500 gal
 Pump Tank: 600 gal Tank Material: Concrete Treatment Area Size (sq ft): 500
 Treatment Type: Mound

Permit Fee

Permit application fee: SSTS - Replacement \$175

Permit Information

After The Fact: No
 Resort: No
 Notes: Management plan completed.
 Application Received Date: 06/21/2019
 Issued Date: 06/21/2019
 Issued By: Diane Nelson

Terms

Distance to Occupied Building

10' from septic tank; 20' from sewage treatment; 10' from privy

Distance to Property Line

10' from septic tank; 10' from sewage treatment; 10' from privy

Large Tree Setback Requirement

10' from sewage treatment

Distance to Buried Water Pipe/Pressure

10' from septic tank; 10' from sewage treatment

Distance to Well

50' from septic tank; 50' from sewage treatment; 50' from privy

Above Watertable Setback Requirements

3' sewage treatment; 3' privy

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at (218)591-1616. New or upgrading driveways; for township roads - contact your Township and County roads - contact County Engineer Office at (218)327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. **I hereby waive any and all claims against Itasca County, on installing my own SSTS, due to my failure to conform and comply with the Sanitation Ordinance and Minnesota Rules Chapter 7080 to 7083. Permit is valid for 12-months to start construction. Permit authorized by, Itasca County Environmental Services Department.

Invoice #29401 (06/21/2019)

Charge	Cost	Quantity	Total
Grand Total			
		Total	\$0.00
		Due	\$0.00

Approvals

Approval	Signature	Date
#1 Approved By		6-21-19
#2 Approved By		6-21-19

Parcel Information

Parcel Information:

PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
19-024-4401	KIGER, KRAIG A & BEVERLY J	18080 DANSON RD GRAND RAPIDS MN 55744	HARRIS TWP			S:24 T:54 R:25	FARM RESIDENTIAL	18080 DANSON RD GRAND RAPIDS MN 55744	4.84	SE SE LESS PT LYG S & SW OF CO RD 427 & LESS E 225'

River Class:

Phone Number: (218) 327 - 1369

Applicant / Agent Information

Contractor Name and License:

Contact Name	Business	License	Name:
Owner	Owner		Kraig Kiger

Property Information

Ownership Description: Private Access Road Name: Danson Rd.

Is septic compliant? Unknown Road Class: County / Township Rd

Structure Information

Existing Use:	<u>Residential</u>	Proposed Use:	<u>Accessory</u>
Accessory Structure:	<u>Pole Building</u>	Maximum building height:	<u>35'</u>
Well type:	<u>Deep</u>	Pressurized Water:	<u>Yes</u>
Building Dimensions:	<u>30'x50' Pole Building</u>	Current septic status:	<u>Unknown</u>

Permit Fee

Permit application fee: Accessory Structure/Addn. - Pole Building \$60

Permit Comments

After The Fact:	<u>No</u>	Resort:	<u>No</u>
Comments:	<u>For storage use only; single-story.</u>	Application Received Date:	<u>06/20/2019</u>
Issued Date:	<u>06/20/2019</u>	Issued By:	<u>Diane Nelson</u>

**Terms
Road Setback**

Centerline 68'

Right-of-Way 35'

Side Yard Setback

Accessory 10'

Dwelling 15'

Rear Yard Setback

Accessory 10'

Dwelling 30'

Impervious Surface

25% of parcel

Elevation of Lowest Floor

3'

Bluff Setback

30' from the top of a bluff


Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at 218-591-1616. New or upgrading driveways; township road contact your township and county road contact County Engineer Office at 218-327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. Permit is valid for 12 months to start construction. Permit authorized by Environmental Services Department.

Approvals

Approval	Signature	Date
#1 Approved By		6/20/19
#2 Approved By		6/20/19

Public Notes

Text:
File(s):

Harris Twp

Parcel Information

Parcel Information:

PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
19-017-1301	BROWN, ALICE P TRUST	20682 MELODY ROAD GRAND RAPIDS, MN 55744	HARRIS TWP	POKEGAMA	GD	S:17 T:54 R:25	RURAL RESIDENTIAL	32318 SOUTHWOOD RD GRAND RAPIDS MN 55744	3.43	THAT PT OF GOVT LOT 4 LYG ELY OF A LINE 2510 ELY AND PARALLEL TO THE W LINE OF GOVT LOT 3

River Class:

Applicant / Agent Information

Name: Ron Myers

Property Information

Ownership Description: Private Access Road Name: Southwood Rd
Well Type: Deep Soil verified? Unknown

Designer/Installer

Designer Name and License #:

Contact Name	Business	License
Ron Myers	RON-EX Excavating	697

Installer Name and License #:

Contact Name	Business	License
Ron Myers	RON-EX Excavating	697

Septic Information

Type of Septic: Replacement Type: 1 Depth to Limiling Layer: 80
Number of Tanks: 1 Number of Bedrooms: 2 Tank Size: 1000 gal
Pump Tank: Other If other: 650 Tank Material: Concrete
Treatment Area Size (sq ft): 385 Treatment Type: Pressure Bed

Permit Fee

Permit application fee: SSTS - Replacement \$175

Permit Information

After The Fact: No
Resort: No
Notes: Replacement septic system tied to cabin, not house. (house & cabin on property). Management plan is completed.
Application Received Date: 06/19/2019
Issued Date: 06/19/2019
Issued By: Rosann Bray

**Terms
Riparian Setback**

50' tank; 100' sewage treatment

Distance to Occupied Building

10' from septic tank; 20' from sewage treatment; 10' from privy

Distance to Property Line

10' from septic tank; 10' from sewage treatment; 10' from privy

Large Tree Setback Requirement

10' from sewage treatment

Distance to Buried Water Pipe/Pressure

10' from septic tank; 10' from sewage treatment

Distance to Well

50' from septic tank; 50' from sewage treatment; 50' from privy

Above Watertable Setback Requirements

3' sewage treatment; 3' privy

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at (218)591-1616. New or upgrading driveways; for township roads - contact your Township and County roads - contact County Engineer Office at (218)327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. **I hereby waive any and all claims against Itasca County, on installing my own SSTS, due to my failure to conform and comply with the Sanitation Ordinance and Minnesota Rules Chapter 7080 to 7083. Permit is valid for 12-months to start construction. Permit authorized by, Itasca County Environmental Services Department.

Approvals

Approval	Signature	Date
#1 Approved By	<u>Ron Myers</u>	<u>6-19-19</u>
#2 Approved By	<u>William Bray</u>	<u>6-19-19</u>

Parcel Information

Parcel Information:	PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
	19-605-0047	MIKKELSEN, FORREST & HOLMAN, KARI	1302 FIRST ST N FARGO ND 58102	HARRIS TWP	POKEGAMA	GD	S:22 T:54 R:25	RURAL RESIDENTIAL	30400 LAPLANT RD GRAND RAPIDS MN 55744	2.63	LOTS 4-6 & W 90FT OF LOT 7 WALDHEIM

River:
Class:

Phone Number: (701) 260 - 1667

Applicant / Agent Information

Contractor Name and License:

Contact Name	Business	License
Owner	Owner	

 Name: Forrest Mikkelsen

Property Information

Ownership Description: Private Access Road Name: LaPlant Rd
 Is septic compliant? Unknown Road Class: County State Aid Highway

Structure Information

Existing Use: Seasonal Proposed Use: Dwelling Addition
 Accessory Structure: Maximum building height: 35'
 Number of bedrooms: 2 Well type: Unknown
 Pressurized Water: Unknown Building Dimensions: 4'x12' Dwelling Addition
 Current septic status: Unknown

Permit Fee

Permit application fee: Single Family Dwelling - Dwelling Addition \$65

Permit Comments

After The Fact: No Resort: No
 Comments: Small, single-story addition creating common space/utility room. Not adding bedrooms. Application Received Date: 06/14/2019
 Issued Date: 06/14/2019 Issued By: Katie Benes

Terms

Road Setback

Centerline 110'
Right-of-Way 35'

Side Yard Setback

Dwelling 15'

Rear Yard Setback

Dwelling 30'

Riparian Setback

Structure 75'

Impervious Surface

20% of parcel
Property owner can increase the coverage allowed by 5% if erosion control and stormwater management conform to the shoreline vegetative buffer standards.

Elevation of Lowest Floor

3'

Bluff Setback

30' from the top of a bluff


Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact <u>Steve Bartlett at 218-591-1616</u> . New or upgrading driveways; township road contact your township and county road contact County Engineer Office at 218-327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. Permit is valid for 12 months to start construction. Permit authorized by Environmental Services Department.

Approvals

Approval	Signature	Date
#1 Approved By		6-14-19
#2 Approved By		6/14/19

Parcel Information

Parcel Information:										
PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
19-008-1204	PETERSON, JEFFREY W	1100 S POKEGAMA AVE GRAND RAPIDS MN 55744	HARRIS TWP			S:8 T:54 R:25	LIGHT IND. COMMERCIAL	20919 US HWY 169 GRAND RAPIDS MN 55744	4.3	S 200' OF N 500' OF NW NE LYG WLY OF HWY 169
River Class:										
Phone Number: (218) 259 - 2042										

Applicant / Agent Information

Contractor Name and License:			Name: Jeff Peterson	
Contact Name	Business	License		
Jeffrey W Peterson	Peterson Contracting of Grand Rapids LLC	20635290		

Property Information

Ownership Description:	Private	Access Road Name:	US Hwy 169
Is septic compliant?	None	Road Class:	State / Federal Highway

Structure Information

Existing Use:	Seasonal	Proposed Use:	Accessory
Accessory Structure:	Pole Building	Maximum building height:	35'
Well type:	None	Pressurized Water:	None
Building Dimensions:	30'x48' Pole Building	Current septic status:	None

Permit Fee

Permit application fee:	Accessory Structure/Addn. - Pole Building \$60
-------------------------	--

Permit Comments

After The Fact:	No	Resort:	No
Comments:	For storage use only. Parcel 19-498-0108, Lakes Area Storage CIC #8.	Application Received Date:	06/12/2019
Issued Date:	06/12/2019	Issued By:	Katie Benes

Terms

Road Setback

Centerline 135'
Right-of-Way 35'

Side Yard Setback

Accessory 10'
Dwelling 15'

Rear Yard Setback

Accessory 10'
Dwelling 30'

Impervious Surface

25% of parcel

Elevation of Lowest Floor

3'

Bluff Setback

30' from the top of a bluff


Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at 218-591-1616. New or upgrading driveways; township road contact your township and county road contact County Engineer Office at 218-327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. Permit is valid for 12 months to start construction. Permit authorized by Environmental Services Department.

Approvals

Approval	Signature	Date
#1 Approved By		6-12-19
#2 Approved By	K. D. Benes	6/12/19

HARRIS TWP

SSTS Subsurface Sewage Treatment System Permit # 190242, UID # 127151

Itasca County Courthouse
123 NE 4th Street
Grand Rapids, MN 55744
(218) 327-2857

Parcel Information

Parcel Information:

PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
19-610-0100	TULEK, TERRY J & MOLLY A	29804 SUNNY BEACH RD GRAND RAPIDS MN 55744	HARRIS TWP	POKEGAMA	GD	S:23 T:54 R:25	RURAL RESIDENTIAL	29867 SUNNY BEACH RD GRAND RAPIDS MN 55744	0.79	LOT 10 WENDIGO BAY

River:
Class:
Phone Number: (218) 256 - 2780

Applicant / Agent Information

Name: Brian Maasch

Property Information

Ownership Description: Private Access Road Name: Sunny Beach Rd
Well Type: Deep Soil verified? No

Designer/Installer

Designer Name and License #:

Contact Name	Business	License
Brian Maasch	Maasch Construction Inc	2900

 Installer Name and License #:

Contact Name	Business	License
Brian Maasch	Maasch Construction Inc	2900

Septic Information

Type of Septic: Alteration Type: 1 Depth to Limiting Layer: 72
Number of Tanks: 2 Number of Bedrooms: 4 Tank Size: Other
If other: 2150 gal Pump Tank: 1000 gal Tank Material: Concrete
Treatment Type: Pressure Bed

Permit Fee

Permit application fee: SSTS - Alteration \$175

Permit Information

After The Fact: No
Resort: No
Notes: Existing tanks abandoned. Installing new 2150 gal septic tank and 1000 gal pump tank. No alterations to drainfield.
Management Plan submitted. Recommended maintenance every 36 months.
Application Received Date: 06/11/2019
Issued Date: 06/11/2019
Issued By: Katie Benes

**Terms
Riparian Setback**

50' tank; 100' sewage treatment

Distance to Occupied Building

10' from septic tank; 20' from sewage treatment; 10' from privy

Distance to Property Line

10' from septic tank; 10' from sewage treatment; 10' from privy

Large Tree Setback Requirement

10' from sewage treatment

Distance to Buried Water Pipe/Pressure

10' from septic tank; 10' from sewage treatment

Distance to Well

50' from septic tank; 50' from sewage treatment; 50' from privy

Above Watertable Setback Requirements

3' sewage treatment; 3' privy

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at (218)591-1616. New or upgrading driveways; for township roads - contact your Township and County roads - contact County Engineer Office at (218)327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. **I hereby waive any and all claims against Itasca County, on installing my own SSTS, due to my failure to conform and comply with the Sanitation Ordinance and Minnesota Rules Chapter 7080 to 7083. Permit is valid for 12-months to start construction. Permit authorized by: Itasca County Environmental Services Department.

Approvals

Approval	Signature	Date
#1 Approved By		6-11-19
#2 Approved By		6-11-19

Zoning / Land Use Itasca County Land Use Permit # 190241, UID # 127150

Itasca County Courthouse
 123 NE 4th Street
 Grand Rapids, MN 55744
 (218) 327-2857

Parcel Information

Parcel Information:

PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
19-545-0140	GARNER, LUKE L & JENNIFER A	19548 PINE LANDING DR GRAND RAPIDS MN 55744	HARRIS TWP	POKEGAMA	GD	S:17 T:54 R:25	RURAL RESIDENTIAL	19548 PINE LANDING DR GRAND RAPIDS MN 55744	1.49	LOT 9 BLK 1 PINE LANDING ADDITION

River Class:
 Phone Number: (218) 244 - 1343

Applicant / Agent Information

Contractor Name and License:

Contact Name	Business	License	Name:
Marty Niewind	CN Construction Inc	638713	Marty Niewind

Property Information

Ownership Description: Private Access Road Name: Pine Landing Dr
 Is septic compliant? Unknown Road Class: County / Township Rd

Structure Information

Existing Use: Residential Proposed Use: Deck
 Accessory Structure: Maximum building height: 35'
 Number of bedrooms: 0 Well type: Unknown
 Pressurized Water: Unknown Building Dimensions: 16'x12' Deck
 Current septic status: Unknown

Permit Fee

Permit application fee: Deck - Deck \$50

Permit Comments

After The Fact: No Resort: No
 Comments: Replacing existing deck. Open-style, not covered or screened. Application Received Date: 06/11/2019
 Issued Date: 06/11/2019 Issued By: Katie Benes

Terms

Road Setback

Centerline 68'

Right-of-Way 35'

Side Yard Setback

Dwelling 15'

Rear Yard Setback

Dwelling 30'

Riparian Setback

Structure 75'

Impervious Surface

20% of parcel

Property owner can increase the coverage allowed by 5% if erosion control and stormwater management conform to the shoreline vegetative buffer standards.

Elevation of Lowest Floor

3'

Bluff Setback

30' from the top of a bluff

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at 218-591-1616. New or upgrading driveways; township road contact your township and county road contact County Engineer Office at 218-327-2853

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. Permit is valid for 12 months to start construction. Permit authorized by Environmental Services Department.

Approvals

Approval

Signature

Date

#1 Approved By

 6-11-19

#2 Approved By

 6/11/19

Parcel Information

Parcel Information:

PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
19-530-0115	JACOBS, SUSAN M & TUMA, PAUL E	200 HICKORY LAKE DR JORDAN MN 55352	HARRIS TWP			S:11 T:54 R:25	FARM RESIDENTIAL		2.02	LOT 3 BLK 1 PALKKI ADDITION

River Class:

Phone Number: (612) 619 - 6597

Applicant / Agent Information

Contractor Name and License:

Contact Name	Business	License	Name:
Owner	Owner		Paul Tuma

Property Information

Ownership Description: Private Access Road Name: Wesleyan Dr.

Is septic compliant? None Road Class: County / Township Rd

Structure Information

Existing Use: <u>Vacant</u>	Proposed Use: <u>Accessory</u>
Accessory Structure: <u>Storage Shed</u>	Maximum building height: <u>35'</u>
Well type: <u>None</u>	Pressurized Water: <u>None</u>
Building Dimensions: <u>40'x60' Storage Shed</u>	Current septic status: <u>None</u>

Permit Fee

Permit application fee: Accessory Structure/Addn. - Storage Shed \$60
Emergency 911 - Emergency 911 \$75

Permit Comments

After The Fact: <u>No</u>	Resort: <u>No</u>
Comments: <u>For storage use only; no living/sleeping quarters; single-story.</u>	Application Received Date: <u>06/05/2019</u>
Issued Date: <u>06/05/2019</u>	Issued By: <u>Diane Nelson</u>

**Terms
Road Setback**

Centerline 68'

Right-of-Way 35'

Side Yard Setback

Accessory 10'

Dwelling 15'

Rear Yard Setback

Accessory 10'

Dwelling 30'

Impervious Surface

25% of parcel

Elevation of Lowest Floor

3'

Bluff Setback

30' from the top of a bluff


Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at 218-591-1616. New or upgrading driveways; township road contact your township and county road contact County Engineer Office at 218-327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. Permit is valid for 12 months to start construction. Permit authorized by Environmental Services Department.

Approvals

Approval	Signature	Date
#1 Approved By		6/5/19
#2 Approved By	Diane Nelson	6/5/19

Public Notes

Text:
File(s):

Parcel Information

Parcel Information:

PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
19-519-0150	JANSSEN, JOEL	20768 CRYSTAL SPRINGS LOOP GRAND RAPIDS MN 55744	HARRIS TWP			S:12 T:54 R:25	FARM RESIDENTIAL	20185 CAROL ST GRAND RAPIDS MN 55744	4.28	LOT 5 BLK 1 NYHOLM ESTATES

River Class:

Phone Number: (812) 644 - 4122

Applicant / Agent Information

Contractor Name and License:

Contact Name	Business	License	Name:
Robert G Troumbly	Midway Homes Inc	9347	David Schultz

Property Information

Ownership Description: Private Access Road Name: Carol St

Is septic compliant? None Road Class: Private/Easement Road

Structure Information

Existing Use: Vacant Proposed Use: Dwelling/Deck/Garage/SSTS

Accessory Structure: Maximum building height: 35'

Number of bedrooms: 3 Well type: Deep

Pressurized Water: Yes Building Dimensions: 26'x56' Dwelling; 37'x26' Garage

Current septic status: None

Permit Fee

Permit application fee: Single Family Dwelling - Dwelling/Deck/Garage/SSTS \$275

Permit Comments

After The Fact: No Resort: No

Comments: Single-story dwelling with crawl space. 3 bedrooms. Application Received Date: 06/03/2019

Garage/carport intended for garage storage use. No living or sleeping quarters in the garage.

SSTS permit #190207. New pressure bed.

Issued Date: 06/03/2019 Issued By: Katie Benes

Terms

Side Yard Setback

Accessory 10'
Dwelling 15'

Rear Yard Setback

Accessory 10'
Dwelling 30'

Impervious Surface

25% of parcel

Elevation of Lowest Floor

3'

Bluff Setback

30' from the top of a bluff

Other

Contact SWCD at (218)328-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at 218-591-1616. New or upgrading driveways, township road contact your township and county road contact County Engineer Office at 218-327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. Permit is valid for 12 months to start construction. Permit authorized by Environmental Services Department.

Approvals

Approval	Signature	Date
#1 Approved By		6.3.19
#2 Approved By		6/3/19

Parcel Information

Parcel Information:

PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
19-519-0150	JANSSEN, JOEL	20768 CRYSTAL SPRINGS LOOP GRAND RAPIDS MN 55744	HARRIS TWP			S:12 T:54 R:25	FARM RESIDENTIAL	20185 CAROL ST GRAND RAPIDS MN 55744	4.28	LOT 5 BLK 1 NYHOLM ESTATES

River Class:
 Phone Number: (512) 644 - 4122

Applicant / Agent Information

Name: David Schultz

Property Information

Ownership Description: Private
 Access Road Name: Carol St
 Well Type: Deep
 Soil verified? No

Designer/Installer

Designer Name and License #: Ron Myers RON-EX Excavating 697
 Installer Name and License #: Ron Myers RON-EX Excavating 697

Septic Information

Type of Septic: New
 Type: 1
 Depth to Limiting Layer: 80
 Number of Tanks: 1
 Number of Bedrooms: 3
 Tank Size: 1000 gal
 Pump Tank: Other
 If other: 650 gal
 Tank Material: Concrete
 Treatment Area Size (sq ft): 450
 Treatment Type: Pressure Bed

Permit Fee

Permit application fee: SSTS - SSTS

Permit Information

After The Fact: No
 Resort: No
 Notes: Management Plan submitted. Recommended maintenance every 24 months.
 Land use permit #190207.
 Application Received Date: 06/03/2019
 Issued Date: 06/03/2019
 Issued By: Katie Benes

Terms

Distance to Occupied Building

10' from septic tank; 20' from sewage treatment; 10' from privy

Distance to Property Line

10' from septic tank; 10' from sewage treatment; 10' from privy

Large Tree Setback Requirement

10' from sewage treatment

Distance to Buried Water Pipe/Pressure

10' from septic tank; 10' from sewage treatment

Distance to Well

50' from septic tank; 50' from sewage treatment; 50' from privy

Above Watertable Setback Requirements

3' sewage treatment; 3' privy

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at (218)591-1616. New or upgrading driveways; for township roads - contact your Township and County roads - contact County Engineer Office at (218)327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. **I hereby waive any and all claims against Itasca County, on installing my own SSTS, due to my failure to conform and comply with the Sanitation Ordinance and Minnesota Rules Chapter 7080 to 7083. Permit is valid for 12-months to start construction. Permit authorized by, Itasca County Environmental Services Department.

Approvals

Approval	Signature	Date
#1 Approved By		6.3.19
#2 Approved By		6/3/19

Zoning / Land Use Itasca County Land Use Permit # 190366, UID # 127292

Itasca County Courthouse
 123 NE 4th Street
 Grand Rapids, MN 55744
 (218) 327-2857

Parcel Information

Parcel Information:	PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
	19-008-1350	GABRIELSON, TODD R	20760 US HWY 169 GRAND RAPIDS MN 55744	HARRIS TWP			S:8 T:54 R:25	LIGHT IND. COMMERCIAL	20648 S US HWY 169 GRAND RAPIDS MN 55744	4.61	REV DESC 9 OF SW NE

River Class:

Phone Number: (218) 259 - 3088

Applicant / Agent Information

Contractor Name and License:

Contact Name	Business	License
Owner	Owner	

Name: Dan Fillbrandt

Property Information

Ownership Description: Private Access Road Name: US Hwy 169

is septic compliant? Unknown Road Class: State / Federal Highway

Structure Information

Existing Use: Commercial Proposed Use: Accessory

Accessory Structure: Storage Shed Maximum building height: 35'

Number of bedrooms: 0 Well type: Unknown

Pressurized Water: Unknown Building Dimensions: 60'x80' Cold Storage Building

Current septic status: Unknown

Permit Fee

Permit application fee: Commercial Building - Commercial Building \$250

Permit Comments

After The Fact: No Resort: No

Comments: Contracted by Hawk Construction Application Received Date: 07/10/2019

Building intended for storage of inventory only. Not open to the public.

Impervious surface total 1.71 vs. Pervious surface total 3.09. (Limit of 50% impervious surface)

Issued Date: 07/10/2019 Issued By: Katie Benes

Terms

Road Setback

Centerline 135'

Right-of-Way 35'

Side Yard Setback

Accessory 10'

Dwelling 15'

Rear Yard Setback

Accessory 10'

Dwelling 30'

Impervious Surface

25% of parcel

Elevation of Lowest Floor

3'

Bluff Setback

30' from the top of a bluff

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at 218-591-1616. New or upgrading driveways; township road contact your township and county road contact County Engineer Office at 218-327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. Permit is valid for 12 months to start construction. Permit authorized by Environmental Services Department.

Approvals

Approval

Signature

Date

#1 Approved By

 7/10/19

#2 Approved By

 7/10/19

Zoning / Land Use Itasca County Land Use Permit # 190416, UID # 127348

Itasca County Courthouse
123 NE 4th Street
Grand Rapids, MN 55744
(218) 327-2857

Parcel Information

Parcel Information:	PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
	19-565-0163	CARSRUD, DEAN R & LISA K	1506 SW 3RD AVE GRAND RAPIDS MN 55744	HARRIS TWP	POKEGAMA	GD	S:16 T:54 R:25	RURAL RESIDENTIAL	31888 SOUTHWOOD RD GRAND RAPIDS MN 55744	0.71	S 100 FT OF OUTLOT A RUFF SHORES

River Class:

Phone Number: (218) 244 - 5465

Applicant / Agent Information

Contractor Name and License:	Contact Name	Business	License	Name:	Mark Rajdl
	Mark Rajdl	Maraj Construction Inc	20098149		

Property Information

Ownership Description:	Private	Access Road Name:	Southwood Rd
Is septic compliant?:	Unknown	Road Class:	County / Township Rd

Structure Information

Existing Use:	Residential	Proposed Use:	Dwelling/Deck/Garage/SSTS
Accessory Structure:		Maximum building height:	35'
Number of bedrooms:	3	Well type:	Unknown
Pressurized Water:	No	Building Dimensions:	24'x52' Dwelling; 10'x52' Covered Patio; 27'x30' Attached Garage
Current septic status:	Unknown		

Permit Fee

Permit application fee:	Single Family Dwelling - Dwelling/Deck/Garage/SSTS \$275
-------------------------	--

Permit Comments

After The Fact:	No	Resort:	No	
Comments:	<p>10/6/2016 Measured setback to existing cabin. They will be taking old building down to build new home. Cabin is right on 75' to OHWL. GS</p> <p>Single-story dwelling, 3 bedrooms, on slab. Certificate of Elevation, dated July 25, 2019, from Northern Lights Land Surveying states Base Flood Elevation 1278.1 NGVD29/1278.91 NAVD88. Contractor is bringing in fill and certifies the lowest finished floor will not be below 1280.3.</p> <p>Patio will be open, no railings or screens, but covered.</p> <p>Attached garage intended for garage/storage use.</p> <p>SSTS permit #190416.</p>		Application Received Date:	07/25/2019
Issued Date:	07/25/2019	Issued By:	Katie Benes	

Terms

Road Setback

Centerline 68'

Right-of-Way 35'

Side Yard Setback

Accessory 10'

Dwelling 15'

Rear Yard Setback

Accessory 10'

Dwelling 30'

Riparian Setback

Structure 75'

Impervious Surface

20% of parcel

Property owner can increase the coverage allowed by 5% if erosion control and stormwater management conform to the shoreline vegetative buffer standards.

Elevation of Lowest Floor

3'

Bluff Setback

30' from the top of a bluff

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at 218-591-1616. New or upgrading driveways; township road contact your township and county road contact County Engineer Office at 218-327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. Permit is valid for 12 months to start construction. Permit authorized by Environmental Services Department.

Approvals

Approval

Signature

Date

#1 Approved By

 7/25/19
 7/25/19

Parcel Information

Parcel Information:	PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
	19-565-0163	CARSrud, DEAN R & LISA K	1506 SW 3RD AVE GRAND RAPIDS MN 55744	HARRIS TWP	POKEGAMA	GD	S:16 T:54 R:25	RURAL RESIDENTIAL	31888 SOUTHWOOD RD GRAND RAPIDS MN 55744	0.71	S 100 FT OF OUTLOT A RUFF SHORES

River Class:

Phone Number: (218) 244 - 5465

Applicant / Agent Information

Name: Mark Rajdl

Property Information

Ownership Description: Private Access Road Name: Southwood Rd

Well Type: Unknown Soil verified? No

Designer/Installer

Designer Name and License #:	<table border="1"> <tr> <th>Contact Name</th> <th>Business</th> <th>License</th> </tr> <tr> <td>Dan Gielen</td> <td>Gielen Excavating</td> <td>1745</td> </tr> </table>	Contact Name	Business	License	Dan Gielen	Gielen Excavating	1745	Installer Name and License #:	<table border="1"> <tr> <th>Contact Name</th> <th>Business</th> <th>License</th> </tr> <tr> <td>Dan Gielen</td> <td>Gielen Excavating</td> <td>1745</td> </tr> </table>	Contact Name	Business	License	Dan Gielen	Gielen Excavating	1745
Contact Name	Business	License													
Dan Gielen	Gielen Excavating	1745													
Contact Name	Business	License													
Dan Gielen	Gielen Excavating	1745													

Septic Information

Type of Septic:	<u>Alteration</u>	Type:	<u>1</u>	Depth to Limiting Layer:	<u>28</u>
Number of Tanks:	<u>0</u>	Number of Bedrooms:	<u>3</u>	Tank Size:	<u>Existing</u>
If other:	<u>1000 gal</u>	Pump Tank:	<u>Existing</u>	If other:	<u>500 gal</u>
Tank Material:	<u>Concrete</u>	Treatment Area Size (sq ft):	<u>375</u>	Treatment Type:	<u>Mound</u>

Permit Fee

Permit application fee: SSTS - SSTS

Permit Information

After The Fact: No

Resort: No

Notes: Management Plan submitted. Recommended maintenance every 36 months.

Land use permit #190416.

Application Received Date: 07/25/2019

Issued Date: 07/25/2019

Issued By: Katie Benes

**Terms
Riparian Setback**

50' tank; 100' sewage treatment

Distance to Occupied Building

10' from septic tank; 20' from sewage treatment; 10' from privy

Distance to Property Line

10' from septic tank; 10' from sewage treatment; 10' from privy

Large Tree Setback Requirement

10' from sewage treatment

Distance to Buried Water Pipe/Pressure

10' from septic tank; 10' from sewage treatment

Above Watertable Setback Requirements

3' sewage treatment; 3' privy

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at (218)591-1616. New or upgrading driveways; for township roads - contact your Township and County roads - contact County Engineer Office at (218)327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. **I hereby waive any and all claims against Itasca County, on installing my own SSTS, due to my failure to conform and comply with the Sanitation Ordinance and Minnesota Rules Chapter 7080 to 7083. Permit is valid for 12-months to start construction. Permit authorized by, Itasca County Environmental Services Department.

Approvals

Approval	Signature	Date
#1 Approved By		7/25/19
#2 Approved By		7/25/19

7/23/19 WP

190407

Zoning / Land Use Itasca County Land Use Permit #190307, UID # 127339

Itasca County Courthouse
123 NE 4th Street
Grand Rapids, MN 55744
(218) 327-2857

Parcel Information

Parcel Information:										
PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
19-471-0145	TAYLOR, DENNIS & DEBRA	19753 LITTLE CRYSTAL LN GRAND RAPIDS MN 55744	HARRIS TWP			S:24 T:54 R:25	RURAL RESIDENTIAL		3.22	LOT 9 BLOCK 1 HALE ACRES NORTH FIRST ADDITION

River:
Class:
Phone Number: (218) 326 - 8689

Applicant / Agent Information

Name: Debra Taylor

Property Information

Ownership Description: Private Access Road Name: Wendigo Park Circle
Is septic compliant? None Road Class: County / Township Rd

Structure Information

Existing Use: Vacant Proposed Use: Dwelling/Deck/Garage/SSTS
Accessory Structure: Maximum building height: 35'
Number of bedrooms: 3 Well type: None
Pressurized Water: None Building Dimensions: 28'x64' Dwelling; 16'x20' Deck; 54'x40' Garage
Current septic status: None

Permit Fee

Permit application fee: Emergency 911 - Emergency 911 \$75
Single Family Dwelling - Dwelling/Deck/Garage/SSTS \$275

Permit Comments

After The Fact: No Resort: No
Comments: Single manufactured home with crawl space. Constructed by Anderson Homes. 3 bedrooms. Open-style deck, not covered or screened. Application Received Date: 07/23/2019
Single-story garage on slab, intended for garage/storage use. No living/sleeping quarters.
SSTS permit #190307: 190407
Issued Date: 07/23/2019 Issued By: Katie Benes

Terms

Road Setback

Centerline 68'

Right-of-Way 35'

Side Yard Setback

Accessory 10'

Dwelling 15'

Rear Yard Setback

Accessory 10'

Dwelling 30'

Impervious Surface

25% of parcel

Elevation of Lowest Floor

3'

Bluff Setback

30' from the top of a bluff

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at 218-591-1616. New or upgrading driveways; township road contact your township and county road contact County Engineer Office at 218-327-2853

www.dli.mn.gov

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. Permit is valid for 12 months to start construction. Permit authorized by Environmental Services Department.


Approvals

Approval

Signature

Date

#1 Approved By



7-23-19

#2 Approved By



7/23/19

190407

SSTS Subsurface Sewage Treatment System Permit # 190307; UID # 127338

Itasca County Courthouse
123 NE 4th Street
Grand Rapids, MN 55744
(218) 327-2857

Parcel Information

Parcel Information:

PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
19-471-0145	TAYLOR, DENNIS & DEBRA	19753 LITTLE CRYSTAL LN GRAND RAPIDS MN 55744	HARRIS TWP			S:24 T:54 R:25	RURAL RESIDENTIAL		3.22	LOT 9 BLOCK 1 HALE ACRES NORTH FIRST ADDITION

River:
Class:

Phone Number: (218) 326 - 8689

Applicant / Agent Information

Name: Debra Taylor

Property Information

Ownership Description: Private Access Road Name: Wendigo Park Circle

Well Type: None Soil verified? No

Designer/Installer

Designer Name and License #: Installer Name and License #:

Contact Name	Business	License
Bob Perreault	Robert L. Perreault	330

Contact Name	Business	License
Randy Sutherland	Sutherland Excavating Inc	868

Septic Information

Type of Septic: New Type: ! Depth to Limiting Layer: 28

Number of Tanks: 1 Number of Bedrooms: 3 Tank Size: 1000 gal

Pump Tank: 500 gal Tank Material: Concrete Treatment Area Size (sq ft): 380

Treatment Type: Mound

Permit Fee

Permit application fee: SSTS - SSTS

Permit Information

After The Fact: No

Resort: No

Notes: Management Plan submitted. Recommended maintenance every 36 months.

No well at time of permit. Future deep well.

Land Use permit #190307: 190407

Application Received Date: 07/23/2019

Issued Date: 07/23/2019

Issued By: Katie Benes

Terms

Distance to Occupied Building

10' from septic tank; 20' from sewage treatment; 10' from privy

Distance to Property Line

10' from septic tank; 10' from sewage treatment; 10' from privy

Large Tree Setback Requirement

10' from sewage treatment

Distance to Buried Water Pipe/Pressure

10' from septic tank; 10' from sewage treatment

Above Watertable Setback Requirements

3' sewage treatment; 3' privy

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at (218)591-1616. New or upgrading driveways; for township roads - contact your Township and County roads - contact County Engineer Office at (218)327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. **I hereby waive any and all claims against Itasca County, on installing my own SSTS, due to my failure to conform and comply with the Sanitation Ordinance and Minnesota Rules Chapter 7060 to 7063. Permit is valid for 12-months to start construction. Permit authorized by: Itasca County Environmental Services Department.

Approvals

Approval

Signature

Date

#1 Approved By

Dustin Taylor 7-23-19

#2 Approved By

Karl Beneš 7/23/19

Parcel Information

Parcel Information:	PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
	19-011-1402	CASTLE, TIMOTHY L	304 SW 30TH ST GRAND RAPIDS MN 55744	HARRIS TWP			S:11 T:54 R:25	FARM RESIDENTIAL	20641 WENDIGO PARK RD GRAND RAPIDS MN 55744	2	N 240' OF S 900' OF E 363' OF SE-NE

River Class:
 Phone Number: (218) 259 - 6683

Applicant / Agent Information

Name: Timothy Castly

Property Information

Ownership Description: Private Access Road Name: Wendigo Rd
 Is septic compliant? No Road Class: County / Township Rd

Structure Information

Existing Use: Vacant Proposed Use: Garage
 Accessory Structure: Maximum building height: 35'
 Number of bedrooms: 0 Well type: Unknown
 Pressurized Water: Unknown Building Dimensions: 34'x34' Garage
 Current septic status: None

Permit Fee

Permit application fee: Garage - Garage \$60

Permit Comments

After The Fact: No Resort: No
 Comments: Contracted by Rapids Roof Truss (Jim Wilson). Application Received Date: 07/18/2019
 Single-story garage, with slab. Intended for garage/storage use. No living/sleeping quarters permitted. No running water.
 Issued Date: 07/18/2019 Issued By: Katie Benes

Terms

Road Setback

Centerline 68'

Right-of-Way 35'

Side Yard Setback

Accessory 10'

Dwelling 15'

Rear Yard Setback

Accessory 10'

Dwelling 30'

Elevation of Lowest Floor

3'

Bluff Setback

30' from the top of a bluff

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at 218-591-1616. New or upgrading driveways, township road contact your township and county road contact County Engineer Office at 218-327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. Permit is valid for 12 months to start construction. Permit authorized by Environmental Services Department.


Approvals

Approval

Signature

Date

#1 Approved By

 7-18-19

#2 Approved By

 7/18/19

HARRIS

Zoning / Land Use Itasca County Land Use Permit # 190373, UID # 127300

Itasca County Courthouse
123 NE 4th Street
Grand Rapids, MN 55744
(218) 327-2857

Parcel Information

Parcel Information:

PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
19-650-0120	HOWARD, TAD C & KRISTI A	21883 VERDE LANE GRAND RAPIDS MN 55744	HARRIS TWP			S:4 T:54 R:25	FARM RESIDENTIAL	21883 VERDE LN GRAND RAPIDS MN 55744	1	LT 2 BLK 1 VERDE ACRES

River Class:

Phone Number: (218) 327 - 2131

Applicant / Agent Information

Name: Tad Howard

Property Information

Ownership Description: Private Access Road Name: Verde Lane
 Is septic compliant? Unknown Road Class: County / Township Rd

Structure Information

Existing Use: Residential Proposed Use: Garage
 Accessory Structure: Maximum building height: 35'
 Well type: Deep Pressurized Water: Yes
 Building Dimensions: 24'x24' Garage Current septic status: Unknown

Permit Fee

Permit application fee: Garage - Garage \$60

Permit Comments

After The Fact: No Resort: No
 Comments: Will be moving the existing 24'x24' garage to new location (& removing lean-to & not replacing). Single-story garage; no living/sleeping quarters; storage/garage use only. Application Received Date: 07/15/2019
 Issued Date: 07/15/2019 Issued By: Diane Nelson

Terms
Road Setback

Centerline 68'

Right-of-Way 35'

Side Yard Setback

Accessory 10'

Dwelling 15'

Rear Yard Setback

Accessory 10'

Dwelling 30'

Impervious Surface

25% of parcel

Elevation of Lowest Floor

3'

Bluff Setback

30' from the top of a bluff

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at 218-591-1616. New or upgrading driveways; township road contact your township and county road contact County Engineer Office at 218-327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. Permit is valid for 12 months to start construction. Permit authorized by Environmental Services Department.

Approvals

Approval

Signature

Date

#1 Approved By

Scott C. Hard

7-15-19

#2 Approved By

Diane Nelson

7-15-19

Public Notes

Text:

File(s):

Parcel Information

Parcel Information:	PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
	19-020-2101	GLINES, JOHN W & ROBIN	32667 LAPLANT ROAD GRAND RAPIDS MN 55744	HARRIS TWP			S:20 T:54 R:25		32667 LAPLANT RD GRAND RAPIDS MN 55744	5.01	E 165 FT OF W 495 FT OF NE NW

River Class:

Phone Number: (218) 326 - 9041

Applicant / Agent Information

Contractor Name and License:

Contact Name	Business	License
Owner	Owner	

Name: John Glines

Property Information

Ownership Description: Private Access Road Name: Laplant Road

Is septic compliant? Unknown Road Class: County / Township Rd

Structure Information

Existing Use:	Residential	Proposed Use:	Garage
Accessory Structure:		Maximum building height:	35'
Number of bedrooms:	0	Well type:	Unknown
Pressurized Water:	No	Building Dimensions:	24' X 26'
Current septic status:	Unknown		

Permit Fee

Permit application fee: Garage - Garage \$60

Permit Comments

After The Fact:	No	Resort:	No
Comments:	Building sketch submitted. Garage is 24' X 26' with a concrete slab. No living quarters.	Application Received Date:	07/26/2019
Issued Date:	07/26/2019	Issued By:	Walker Maasch

Terms
Road Setback

Centerline 68'

Right-of-Way 35'

Side Yard Setback

Accessory 10'

Dwelling 15'

Rear Yard Setback

Accessory 10'

Dwelling 30'

Impervious Surface

25% of parcel

Elevation of Lowest Floor

3'

Bluff Setback

30' from the top of a bluff

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at 218-591-1616. New or upgrading driveways; township road contact your township and county road contact County Engineer Office at 218-327-2853

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. Permit is valid for 12 months to start construction. Permit authorized by Environmental Services Department.

Approvals

Approval	Signature	Date
#1 Approved By		7-26-19
#2 Approved By		7/26/19

Parcel Information

Parcel Information:	P/D	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
19-480-0108		SANDSTROM, DAVID	PO BOX 538 GRAND RAPIDS MN 55744	HARRIS TWP	POKEGAMA	GD	S:6 T:54 R:25	RURAL RESIDENTIAL		2.2	LOTS 2-4 BLK 1 LESS THAT PART OF LOT 2 LYG NLY OF A LINE 150' S OF & PARALLEL TO THE N LINE OF PLAT OF ISLEVIEW ADDITION ISLE VIEW ADDITION

River Class:

Phone Number: (218) 244 - 4509

Applicant / Agent Information

Name: David Sandstrom

Property Information

Ownership Description: Private
 Access Road Name: Chippewa Dr
 Well Type: Deep
 Soil verified? No

Designer/Installer

Designer Name and License #:	Contact Name	Business	License	Installer Name and License #:	Contact Name	Business	License
	Bob Perreault	Robert L. Perreault	330		Dean Sandstrom	AL-X, LLC	3317

Septic Information

Type of Septic: Replacement
 Type: II
 Depth to Limiting Layer: N/A
 Number of Tanks: 1
 Number of Bedrooms: 1
 Tank Size: 1500 gal
 Pump Tank: None
 Tank Material: Concrete
 Treatment Type: Holding Tank

Permit Fee

Permit application fee: SSTS - Holding Tank \$150

Permit Information

After The Fact: No
 Resort: No
 Notes: Manual Alarm
 Management Plan submitted.
 Compliance contingent upon submission of Pumper Agreement.
 Application Received Date: 07/15/2019
 Issued Date: 07/15/2019
 Issued By: Katie Benes

**Terms
Riparian Setback**

50' tank; 100' sewage treatment

Distance to Occupied Building

10' from septic tank; 20' from sewage treatment; 10' from privy

Distance to Property Line

10' from septic tank; 10' from sewage treatment; 10' from privy

Large Tree Setback Requirement

10' from sewage treatment

Distance to Buried Water Pipe/Pressure

10' from septic tank; 10' from sewage treatment

Distance to Well

50' from septic tank; 50' from sewage treatment; 50' from privy

Above Watertable Setback Requirements

3' sewage treatment; 3' privy

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at (218)591-1616. New or upgrading driveways; for township roads - contact your Township and County roads - contact County Engineer Office at (218)327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. **I hereby waive any and all claims against Itasca County, on installing my own SSTS, due to my failure to conform and comply with the Sanitation Ordinance and Minnesota Rules Chapter 7080 to 7083. Permit is valid for 12-months to start construction. Permit authorized by, Itasca County Environmental Services Department.

Approvals

Approval	Signature	Date
#1 Approved By		7-15-19
#2 Approved By		7/15/19

Parcel Information

Parcel Information:

PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
19-005-1105	BROSE, TONI J TRUSTEE	31708 LAPLANT RD GRAND RAPIDS MN 55744	HARRIS TWP			S:5 T:54 R:25	LIGHT IND. COMMERCIAL	32052 S PIT RD GRAND RAPIDS MN 55744	4.31	N 660' OF LOT 1 LYG E OF HWY 169 LESS E 660' OF N 330' & LESS E 330' OF S 330' OF N 660' & LESS REV DESC #1

River Class:

Phone Number: (218) 259 - 4900

Applicant / Agent Information

Name: Toni Brose

Property Information

Ownership Description: Private Access Road Name: S. Pit Rd.
 Well Type: Deep Soil verified? No

Designer/Installer

Designer Name and License #:

Contact Name	Business	License
Dale Anderson	3 B's Company	2423

Installer Name and License #:

Contact Name	Business	License
Owner	Owner	

Septic Information

Type of Septic: Alteration Type: I Depth to Limiting Layer: 24"
 Number of Tanks: 0 Number of Bedrooms: 0 Tank Size: Existing
 Pump Tank: Tank Material: Concrete Treatment Area Size (sq ft): 450
 Treatment Type: Mound

Permit Fee

Permit application fee: SSTS - Alteration \$175

Permit Information

After The Fact: No
 Resort: No
 Notes: Will be using the two existing tanks and adding new mound. Management plan completed. *** Call for Environmental Services for inspection after installation prior to covering. ***
 Application Received Date: 07/08/2019
 Issued Date: 07/08/2019
 Issued By: Diane Nelson

Terms

Distance to Occupied Building

10' from septic tank; 20' from sewage treatment; 10' from privy

Distance to Property Line

10' from septic tank; 10' from sewage treatment; 10' from privy

Large Tree Setback Requirement

10' from sewage treatment

Distance to Buried Water Pipe/Pressure

10' from septic tank; 10' from sewage treatment

Distance to Well

50' from septic tank; 50' from sewage treatment; 50' from privy

Above Watertable Setback Requirements

3' sewage treatment; 3' privy

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at (218)591-1616. New or upgrading driveways; for township roads - contact your Township and County roads - contact County Engineer Office at (218)327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. **I hereby waive any and all claims against Itasca County, on installing my own SSTS, due to my failure to conform and comply with the Sanitation Ordinance and Minnesota Rules Chapter 7080 to 7083. Permit is valid for 12-months to start construction. Permit authorized by, Itasca County Environmental Services Department.

Invoice #29431 (07/08/2019)

Charge	Cost	Quantity	Total
Grand Total			
		Total	\$0.00
		Due	\$0.00

Approvals

Approval	Signature	Date
#1 Approved By	<u>Doni Bruce</u>	<u>7-8-19</u>
#2 Approved By	<u>Deane Nelson</u>	<u>7-8-19</u>

Parcel Information

Parcel Information:	PID	Owner Name	Owner Address	Township Name	Lake Name	Lake Class	Sec/Twp/Range	Zoning Type	Property Address	Acres	Legal Description
	19-565-0164	MCDOWELL, SHAWN & AMY	19378 RUFF SHORES RD GRAND RAPIDS MN 55744	HARRIS TWP	POKEGAMA	GD	S:16 T:54 R:25	RURAL RESIDENTIAL	19378 RUFF SHORES RD GRAND RAPIDS MN 55744	0.68	N 100 FT OF S 405 FT OF OUTLOT A RUFF SHORES

River:
Class:

Applicant / Agent Information

Name: Dan Gielen

Property Information

Ownership Description: Private Access Road Name: Ruff Shores Rd
Well Type: Deep Soil verified? No

Designer/Installer

Designer Name and License #:	<table border="1"> <tr> <th>Contact Name</th> <th>Business</th> <th>License</th> </tr> <tr> <td>Dan Gielen</td> <td>Gielen Excavating</td> <td>1745</td> </tr> </table>	Contact Name	Business	License	Dan Gielen	Gielen Excavating	1745	Installer Name and License #:	<table border="1"> <tr> <th>Contact Name</th> <th>Business</th> <th>License</th> </tr> <tr> <td>Dan Gielen</td> <td>Gielen Excavating</td> <td>1745</td> </tr> </table>	Contact Name	Business	License	Dan Gielen	Gielen Excavating	1745
Contact Name	Business	License													
Dan Gielen	Gielen Excavating	1745													
Contact Name	Business	License													
Dan Gielen	Gielen Excavating	1745													

Septic Information

Type of Septic:	Alteration	Type:	III	Depth to Limiting Layer:	48"
Number of Tanks:	1	Number of Bedrooms:	3	Tank Size:	Existing
If other:	1000 gal	Pump Tank:	500 gal	Tank Material:	Concrete
Treatment Area Size (sq ft):	312.5	Treatment Type:	Mound		

Permit Fee

Permit application fee: SSTS - Alteration \$175

Permit Information

After The Fact: No
Resort: No
Notes: Management Plan submitted.

This is a Type III system which requires an annual inspection for five years and to be pumped and maintained as required.

Existing 1000 gal septic tank. Adding pump tank and constructing mound on top of existing rock trench system.

Application Received Date: 07/16/2019
Issued Date: 07/16/2019
Issued By: Katie Benes

**Terms
Riparian Setback**

50' tank; 100' sewage treatment

Distance to Occupied Building

10' from septic tank; 20' from sewage treatment; 10' from privy

Distance to Property Line

10' from septic tank; 10' from sewage treatment; 10' from privy

Large Tree Setback Requirement

10' from sewage treatment

Distance to Buried Water Pipe/Pressure

10' from septic tank; 10' from sewage treatment

Distance to Well

50' from septic tank. 50' from sewage treatment. 50' from privy

Above Watertable Setback Requirements

3' sewage treatment; 3' privy

Other

Contact SWCD at (218)326-0017 if constructing in any wetlands. If construction activity will result in the disturbance of one acre or more, need to obtain Storm Water Permit thru MPCA at 1-800-657-3804 prior to construction. Electrical Inspector contact Steve Bartlett at (218)591-1616. New or upgrading driveways; for township roads - contact your Township and County roads - contact County Engineer Office at (218)327-2853.

Disclaimer

I have read the above minimum requirements and hereby acknowledge that I understand and will comply with them. **I hereby waive any and all claims against Itasca County, on installing my own SSTS, due to my failure to conform and comply with the Sanitation Ordinance and Minnesota Rules Chapter 7080 to 7083. Permit is valid for 12-months to start construction. Permit authorized by, Itasca County Environmental Services Department.

Approvals

Approval	Signature	Date
#1 Approved By		7/16/19
#2 Approved By		7/16/19

Payment Request

Harris Township
Itasca County

Name: Peggy Clayton
Address: 20356 Wendigo Park Road
Grand Rapids

Date	Description	# Hours	Rate	Amount
7/8/2019	Itasca County Township Association Meeting	fixed rate	\$60.00	\$60.00
7/10/2019	Regular Meeting	fixed rate	\$60.00	\$60.00
7/24/2019	P & D Meeting	fixed rate	\$60.00	\$60.00
Monthly	Supervisor Wages/chair	fixed rate	\$500.00	\$500.00
Additional Work:				
7/9/2019	Work Session re: security 7-8 pm	1	\$18.70	\$18.70
7/9/2019	IEDC Meeting 2-3pm	1	\$18.70	\$18.70
7/17/2019	Work Session re: security 3:30-5:15 pm	1.75	\$18.70	\$32.73
7/24/2019	Local Collaborative Meeting 11-1 pm	2	\$18.70	\$37.40
7/31/2019	Work Session re: security 7-8:45 pm	1.75	\$18.70	\$32.73
TOTALS		7.5	\$18.70	\$140.26
NO PAY		Mileage		
7/3/2019	Facebook post			
7/6/2019	Email newsletter to Rapids Printing			
7/8/2019	Park and cemetery inspections (mileage)	21		
7/8/2019	Empty garbage from town hall to service center (mileage)	6		
7/9/2019	Pick up check for postage for newsletter & drop off to printer(M)	15.2		
7/2,7/6,7/11-1	Emails back and forth to constituent re:Road vacate			
7/14/2016	Emails back and forth re: former clerk file access			
7/15/2019	Email to MAT Attorney re: file access			
7/17&19	email to Express Employment re: temp maintenance			
7/18/2019	Park and cemetery inspections (mileage)	21		
7/19/2019	Pick up and drop off toner and mail from S.C. (Mileage)	6		
7/22/2019	Facebook post			
7/22/2019	Go to Crystal Park and update pavillion calendar (mileage)	12.8		
7/24/2019	Park and cemetery inspections (mileage)	21		
7/24/2019	Email and letter from City of Grand Rapids			
7/25/2029	Email back and forth to Express re: temp employee			
7/25/2019	Email back and forth to constituent re: tree down on road			
7/25/2019	Email back and forth to MowDaddt			
7/29&30/19	Email back and forth to constituent re: Pickled Loon seating cap.			
7/30/2019	Pull together security information for security meeting for Clerk .50			
7/30/2019	Facebook post			
7/30/2019	Pull together final appraisal from caretaker appraisal mtg .50			
7/31/2019	Park and cemetery inspections (mileage)	21		
7/31/2019	email to MAT Attorney re: moving equipment on township rd.			
7/31/2019	Calls to and from constituent re: moving equipment on township rd.			
TOTALS		124 m		
Reimbursements:				
July	Mileage @ .58/mile x 124	124.00	\$0.580000	\$71.92
<i>Total reimbursements requested:</i>				\$71.92

I declare under the penalties of law that this account, claim or demand is just and correct and that no part of it has been paid. Minn. Stat. § 471.391, subd. 1.

Peggy Clayton
Signature

Peggy Clayton

5-Aug-19

just and correct and that no part of it has been paid. Minn. Stat. § 471.391, subd. 1.

Ken Haubrich

Signature

Date

Reimbursements:		Miles	Rate	Amount
7/8/2019	Look at issue on Wendigo Park Circle and look at Alicia Place	9	0.58	\$ 5.22
7/9/2019	Look at washout issues on Woodbine and Fieldcrest Rds.	19	0.58	\$ 11.02
7/12/2019	Inspect work at parks and Woodbine, Romans, Metzenhuber, Littlecrystal, Gary, and road vacation request area.	21	0.58	\$ 12.18
7/17/2019	Inspect shoulder work on Woodbine Road	13	0.58	\$ 7.54
7/19/2019	Look at drainage issue on Lake View Drive	12	0.58	\$ 6.96
7/23/2019	Inspect work at Crystal Park and Mishawauka Landing	14	0.58	\$ 8.12
7/25/2019	Look at washout issue on Robinson Rd. driveway.	10	0.58	\$ 5.80
7/29/2019	Look at washouts at the intersection of Sunny Beach and Wendigo Park and Alicia Place	8	0.58	\$ 4.64
7/31/2019	Look at issue on Wendigo Park Rd. Visability & inspect work on Robinson Rd.	15	0.58	\$ 8.70
			0.58	\$ -
	Total Mileage:		0.58	\$ 70.18
	Other Expenses			
	Total Other Expenses:			

**Harris Township
Pay Request**

Name: Derrick Marttila
Address: 37147 Woodland Dr.
Cohasset MN, 55721

	General	Equipment	Road/Bridge	Cemetery	Recreation	Buildings/Grounds	TOTAL
Date	100	200	300	400	500	600	
9-Jul		0.5	9.5				10
10-Jul		0.5	9.5				10
11-Jul	1	0.5	8.5				10
12-Jul	1	2	6			1	10
16-Jul		1.5	8.5				10
17-Jul	0.5	3	4	0.5	2		10
18-Jul	1.5	1	7.5				10
19-Jul	1.5		8.5				10
23-Jul	0.5		2.5		3.5	3.5	10
24-Jul		1	4.5	0.5	4		10
25-Jul	0.5	1.5	2			6	10
26-Jul	1.5	1	6.5	1			10
30-Jul	0.5	3.5	5			1	10
31-Jul	0.5	3.5	6				10
1-Aug	0.5	0.5	9				10
2-Aug	1	0.5	8			0.5	10
6-Aug		0.5	9.5				10
7-Aug		0.5	9.5				10
8-Aug	0.5	3.5	6				10
9-Aug	5.5	0.5	4				10
							0
							0
							0
							0
							0
							0
							0

I declare under the penalties of law that this account, claim or demand is just and correct and that no part of it has been paid. Minn. Stat. § 471.391, subd. 1.

Derrick Marttila

8/9/2019

Signature

Date

Approved: Ken Haubrich

Date: Aug 11, 2011

Payment Request
Sexton

Harris Township
Hasca County

Byeannne Vetsch

19153 Cardinal Dr.
55744

July

Date	Work	Time
07/07	Email / Paperwork - W4 ^{received,} completed, ^{turned in}	.75
07/10	Email Re: Salo burial prices	.25
07/17	Updating thumbdrive / website w/ recent burials	2
07/17	Phone calls to Peggy / Kati for ^{Derrick} Clarification (5)	.50
07/17	Call re: purchasing sites & questions	.50
07/17	Printing and placing pamphlets @ Cemetery	1
07/17	Figuring out available sites close to Gunderson family - discussing w/ buyer	.50
07/25	Call about purchasing sites - questions	.25
07/29	Meet Kati to review webpage updating	1
07/30	Call from Gundersons - more questions	.50
07/30	Arrange meeting w/ Hall to purchase sites	.25

Total 7.50 hours

Fixed Rate: 150.00

[Signature]

08/02/19

Payment Request
Sexton
Harris Township
Itasca County

Byyanna Vetsch
19153 Cardinal Dr.
Grand Rapids.

June ~~20-30~~ 20-30

Meeting re position expectations 06/10 - 30 mins

Training:

06/17 - 1 hr. 15 mins

Training / begin paperwork (dispositions papers, 06/18 1 hr. 45 mins
webpage, getting familiar with thumbdrive

Communications: Email requesting an organization that
could regularly place flowers 06/20 15 mins

June Total 3.75 hours

Fixed Rate x .5 : 75th

X: By L / 08/02/19: date

Acheson Tire

203 NE 5th Street

Statement

DATE

7/31/2019

BILL TO

HARRIS TOWNSHIP
20876 WENDIGO PARK RD
GRAND RAPIDS, MN 55744

TERMS	AMOUNT DUE	AMOUNT PAID
Net 30	\$135.00	

DATE	DESCRIPTION	AMOUNT	BALANCE
06/30/2019	Balance forward		303.40
07/08/2019	INV #502771. Due 08/08/2019.	25.00	328.40
07/08/2019	PMT #502729.	-300.00	28.40
07/08/2019	CREDMEM #502729.2.	-3.40	25.00
07/30/2019	INV #503990. Due 08/30/2019.	110.00	135.00

CURRENT	1-30 DAYS PAST DUE	31-60 DAYS PAST DUE	61-90 DAYS PAST DUE	OVER 90 DAYS PAST DUE	AMOUNT DUE
135.00	0.00	0.00	0.00	0.00	\$135.00

Finance Charge on all Accounts Past 30 Days will be 1.5% per Month with a Minimum of 50 cents Annual Rate =18%
218-326-4319

503990

Acheson Tire Inc.

203 N.E. 5TH ST. • GRAND RAPIDS, MINN. 55744-2896

PASSENGER-COMMERCIAL-INDUSTRIAL
WHEELS@ACHESONTIRE.COM
PH. (218-326-4319)
FAX (218-326-6536)

Customer's Order No. _____ Date 7/30 2019
 Name Harris Township
 Address _____
 _____ Tax Exempt

SOLD BY	CASH	CHARGE	ON ACCT.	PAID OUT
<u>NS</u>				

QUAN.	DESCRIPTION	PRICE	AMOUNT
1	23x9.50-12 tire		90
1	repair		20

IMPORTANT: After 50 miles check torque on lugs, aluminum and truck wheels. Lugs may loosen.	SALES TAX		
	TOTAL		110

All claims and returned goods MUST be accompanied by this bill.

REC'D BY [Signature]

502771

Acheson Tire Inc.

203 N.E. 5TH ST. • GRAND RAPIDS, MINN. 55744-2896

PASSENGER-COMMERCIAL-INDUSTRIAL
WHEELS@ACHESONTIRE.COM
PH. (218-326-4319)
FAX (218-326-6536)

Customer's Order No. _____ Date 7-8 2019
 Name Harris Township
 Address _____

SOLD BY	CASH	CHARGE	ON ACCT.	PAID OUT
<u>WG</u>		<u>X</u>		

QUAN.	DESCRIPTION	PRICE	AMOUNT
1	Switch & Disposal	25	

IMPORTANT: After 50 miles check torque on lugs, aluminum and truck wheels. Lugs may loosen.	SALES TAX		
	TOTAL		25

All claims and returned goods MUST be accompanied by this bill.

REC'D BY _____

ASV Holdings, Inc.
 840 LILY LANE
 GRAND RAPIDS MN 55744
 US

Page: 1 of 1
 Phone: 800-205-9913
 Fax: 218-327-9123



C3442

Statement of Account

Statement Date: 7/31/2019

HARRIS TOWNSHIP
 20876 WENDIGO PARK ROAD
 GRAND RAPIDS MN 55744 US

Delivery: EMAIL

Email: harristownshiptreasurer@gmail.com

Dollars

Date	Invoice	PO	Check	Charge	Credit
7/18/2019	477881	SERVICE ORDER		292.26	
Total:				292.26	0.00

Future	CURRENT	Over 30	Over 60	Over 90	Over 120	Balance Due
292.26	0.00	0.00	0.00	0.00	0.00	292.26USD

Rep. ID: LANCE SCHJENKEN

PLEASE NOTE NEW REMITTANCE ADDRESS: ASV
 HOLDINGS, INC. PO BOX 677986 DALLAS TX 75267-7986

ASV Holdings, Inc.
PO Box 677986
Dallas, TX 75267-7986



800-205-9913
218-327-9123

Invoice

Date: 7/18/2019

Invoice: 477881

Page: 1 of 1

SOLD TO: C3442

HARRIS TOWNSHIP
20876 WENDIGO PARK ROAD
GRAND RAPIDS MN 55744
US

Fax:
Email: harristownshiptreasurer@gmail.com

SHIP TO:

HARRIS TOWNSHIP
20876 WENDIGO PARK ROAD
GRAND RAPIDS MN 55744
US

PO Number: SERVICE ORDER #3264 Terms: NET 30 DAYS Freight Terms: FACTORY
Packing Slip: 261864 Date Ordered: 7/15/2019 Ship Via: CUSTOMER PICK UP
Order #: 374617 Tax ID: GOVT Ship Date: 7/15/2019

PT60TTE026201374 HOURS DRILLED BROKEN BOLT & ADDED ANOTHER BRACKET

Line	Part Number/Description	Revision	Quantity	Unit Price	Ext. Price
1	0782-065 ARM,TENSION,COMPRESSOR	A ARM,TENSION,COMPRESSOR PERRIN MFG 9213	1.00 EA	37.26 /1	37.26
2	SLAB SHOP LABOR	A	2.00 HR	115.00 /1	230.00
3	MISC SHOP SUPPLIES	A	1.00 EA	25.00 /1	25.00

Due Date	Amount
1 8/17/2019	292.26
Total	292.26

New Remittance as of 12/23/2016:

ASV Holdings, Inc.
PO Box 677986
Dallas, TX 75267-7986

Total:	292.26
---------------	---------------

BARGEN INCORPORATED

INVOICE

Invoice

219355

606 County Road 1
Phone (507) 427-2924
Mountain Lake, MN 56159

Invoice Date:
Jul 31, 2019

Bill To:

Harris Township
28677 Norberg Drive
Grand Rapids, MN 55744

Ship to:

Harris Township
28677 Norberg Drive
Grand Rapids, MN 55744

Customer ID	Customer PO	Payment Terms	
harrtowns		Net 30 Days	
Sales Rep ID	Shipping Method	Ship Date	Due Date
VanDyJA	Courier		8/30/19

Quantity	Description	Unit Price	Amount
	Crack Repair Completed on Sunny Beach (new part only)		5,000.00
	Crack Repair Completed on Birch Street/Isleview/Pine Street		2,184.00
	Crack Repair Completed on Underwood Rd West		432.00
	Crack Repair Completed on Underwood Rd East		1,008.00
	Crack Repair Completed on Mishawaka Rd		6,676.00
	Crack Repair Completed on Keyview Drive		1,920.00
	Crack Repair completed on Stoney Point Rd		936.00
	Crack Repair Completed on Westwood Dr		2,016.00
	Crack Repair Completed on Westwood Lane		1,260.00
	Crack Repair Completed on Ruff SHores Rd		432.00
	Crack Repair Completed on Apache		936.00
	Crack Repair Completed on Mohawk Dr		307.00
	Crack Repair Completed on Chippewa		1,113.00
	Crack Repair Completed on Winnebago		320.00

Subtotal	24,540.00
Sales Tax	
Total Invoice Amount	24,540.00
Payment/Credit Applied	
TOTAL	24,540.00

Check/Credit Memo No:



Contractor Affidavit Submitted

Thank you, your Contractor Affidavit has been approved.

Confirmation Summary

Confirmation Number: 1-243-705-376
Submitted Date and Time: 5-Aug-2019 2:34:11 PM
Legal Name: BARGEN INC
Federal Employer ID: 41-1580447
User Who Submitted: Bargen
Type of Request Submitted: Contractor Affidavit

Affidavit Summary

Affidavit Number: 177987584
Minnesota ID: 3894913
Project Owner: HARRIS TOWNSHIP
Project Number: 219355
Project Begin Date: 25-Jul-2019
Project End Date: 26-Jul-2019
Project Location: HARRIS TOWNSHIP
Project Amount: \$24,540.00
Subcontractors: No Subcontractors

Important Messages

A copy of this page must be provided to the contractor or government agency that hired you.

Contact Us

If you need further assistance, contact our Withholding Tax Division at 651-282-9999, (toll-free) 800-657-3594, or (email) withholding.tax@state.mn.us. Business hours are 8:00 a.m. - 4:30 p.m. Monday - Friday.

Please [print this page](#) for your records using the print or save functionality built into your browser.

BARGEN INCORPORATED

INVOICE

Invoice
219355-1

606 County Road 1
Phone (507) 427-2924
Mountain Lake, MN 56159

Invoice Date:
Jul 31, 2019

Bill To:

Harris Township
28677 Norberg Drive
Grand Rapids, MN 55744

Ship to:

Harris Township
28677 Norberg Drive
Grand Rapids, MN 55744

Customer ID	Customer PO	Payment Terms	
harrtowns		Net 30 Days	
Sales Rep ID	Shipping Method	Ship Date	Due Date
VanDyJA	Courier		8/30/19

Quantity	Description	Unit Price	Amount
	Gap Repairs Completed on Wendigo Park Road, North End from Underwood Road to River Road		17,280.00
	Gap Repairs Completed on Keyview Drive		4,032.00

Subtotal	21,312.00
Sales Tax	
Total Invoice Amount	21,312.00
Payment/Credit Applied	
TOTAL	21,312.00

Check/Credit Memo No:



Contractor Affidavit Submitted

Thank you, your Contractor Affidavit has been approved.

Confirmation Summary

Confirmation Number: 0-995-520-544
Submitted Date and Time: 5-Aug-2019 2:30:01 PM
Legal Name: BARGEN INC
Federal Employer ID: 41-1580447
User Who Submitted: Bargaen
Type of Request Submitted: Contractor Affidavit

Affidavit Summary

Affidavit Number: 250798080
Minnesota ID: 3894913
Project Owner: HARRIS TOWNSHIP
Project Number: 219355-1
Project Begin Date: 23-Jul-2019
Project End Date: 24-Jul-2019
Project Location: HARRIS TOWNSHIP
Project Amount: \$21,312.00
Subcontractors: No Subcontractors

Important Messages

A copy of this page must be provided to the contractor or government agency that hired you.

Contact Us

If you need further assistance, contact our Withholding Tax Division at 651-282-9999, (toll-free) 800-657-3594, or (email) withholding.tax@state.mn.us. Business hours are 8:00 a.m. - 4:30 p.m. Monday - Friday.

Please [print this page](#) for your records using the print or save functionality built into your browser.



PO Box 480
212 SE 10th Street
Grand Rapids, MN 55744
Phone: (218) 326-9637
Fax: (218) 326-9638

INVOICE
NO.
21706

Customer:

HARRIS TOWNSHIP
C/O BECKY ADAMS
20876 WENDIGO PARK RD
GRAND RAPIDS, MN 55744

Job: 13019

SALE OF CONST. MATERIALS

INVOICE DATE	INVOICE NO.	CUSTOMER NO.	PAYMENT TERMS	CONTRACT NO.
7/19/2019	21706	HAR005	On Rcpt	

QUANTITY (HRS)	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
13.29	7/9/19 SCREENED TOPSOIL (CY)	15.00	199.35
0.5	7/9/19 DUMP TRUCK	115.00	57.50

Payment due upon receipt. Invoices over 30 days will be subject to 1.5% finance charge.

TOTAL AMOUNT DUE \$256.85



PO Box 480
 212 SE 10th Street
 Grand Rapids, MN 55744
 Phone: (218) 326-9637
 Fax: (218) 326-9638

**INVOICE
 NO.
 21716**

Customer:
 HARRIS TOWNSHIP
 C/O BECKY ADAMS
 20876 WENDIGO PARK RD
 GRAND RAPIDS, MN 55744

Job: 13019
 SALE OF CONST. MATERIALS

INVOICE DATE	INVOICE NO.	CUSTOMER NO.	PAYMENT TERMS	CONTRACT NO.
7/26/2019	21716	HAR005	On Rcpt	

QUANTITY (HRS)	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
26.16	7/19/19 CLASS 5 (CY)	8.50	222.36 *
1	7/19/19 DUMP TRUCK	115.00	115.00 *

Payment due upon receipt. Invoices over 30 days will be subject to 1.5% finance charge.

TOTAL AMOUNT DUE \$337.36

* means item is non-taxable

Davis Oil Inc.
 PO Box 508
 1301 NW 4th Street
 Grand Rapids, MN 55744

Statement

Date
8/2/2019

To:
Harris Township 20876 Wendigo Park Road Grand Rapids, MN 55744

		Amount Due	Amount Enc.		
		\$1,134.01			
Date	Transaction	Amount	Balance		
06/30/2019	Balance forward		1,111.37		
07/05/2019	INV #5154.	432.71	1,544.08		
07/08/2019	PMT #19006.	-454.76	1,089.32		
07/15/2019	PMT #19019.	-653.03	436.29		
07/17/2019	INV #6060.	532.53	968.82		
07/26/2019	INV #6776.	82.98	1,051.80		
07/30/2019	INV #6959.	82.21	1,134.01		
CURRENT	1-30 DAYS PAST DUE	31-60 DAYS PAST DUE	61-90 DAYS PAST DUE	OVER 90 DAYS PAST DUE	Amount Due
1,130.43	0.00	3.58	0.00	0.00	\$1,134.01



Harris Township

EMF

Payroll related services, please pay from this invoice.
2281-142695 Account # 22810565

Invoice Date 7/24/2019
Invoice Number 22660330

Page: 1 of 1

	item	summary
Harris Township G391 - Grounds Laborer Cimino, Ryan A 7/21/2019 Regular Time 40.00 hours @ \$21.00 per hour	\$840.00	

Invoice Total \$840.00

For questions regarding your account, contact Duluth/Superior MN at (218) 624-4416

Express offers total client care, professional search, HR services and employment solutions at all levels.

1



Account Number	22810565
Invoice Number	22660330
Invoice Date	7/24/2019
Amount Due	\$840.00
Due Date	8/03/2019

BDF

Please make check payable to Express Services, Inc.

FIN: 840909680



2281

Harris Township
ATTN: Treasurer
20876 Wendigo Park Road
Grand Rapids, MN 55744

Express Services, Inc.
P.O. BOX 203901
Dallas, TX 75320-3901

Please return this portion with your payment



000000022660330

000000000142695

00084000



Harris Township

EMF

Payroll related services, please pay from this invoice.
2281-142695 Account # 22810565

Invoice Date 7/30/2019
Invoice Number 22677444

Page: 1 of 1

Harris Township
G391 - Grounds Laborer
Cimino, Ryan A
7/28/2019 Regular Time 40.00 hours @ \$21.00 per hour

item	summary
\$840.00	

Invoice Total \$840.00

For questions regarding your account, contact Duluth/Superior MN at (218) 624-4416

Express offers total client care, professional search, HR services and employment solutions at all levels.



Account Number	22810565
Invoice Number	22677444
Invoice Date	7/30/2019
Amount Due	\$840.00
Due Date	8/09/2019

1
PDF

Please make check payable to Express Services, Inc.

FIN: 840909680

 2281
 Harris Township
 ATTN: Treasurer
 20876 Wendigo Park Road
 Grand Rapids, MN 55744

Express Services, Inc.
P.O. BOX 203901
Dallas, TX 75320-3901

Please return this portion with your payment



000000022677444

000000000142695

00084000



Harris Township

EMF

Payroll related services, please pay from this invoice.
2281-142695 Account # 22810565

Invoice Date 8/07/2019
Invoice Number 22734918

Page: 1 of 1

	item	summary
Harris Township		
G391 - Grounds Laborer		
8/04/2019 Reimb. Office Expense--Drug Screen (K. Simon)	\$30.00	
Cimino, Ryan A		
8/04/2019 Regular Time 40.00 hours @ \$21.00 per hour	\$840.00	
Davis, Ronald E		
8/04/2019 Regular Time 16.00 hours @ \$21.00 per hour	\$336.00	
Simon, Kerry Blake		
8/04/2019 Regular Time 40.00 hours @ \$16.28 per hour	\$651.20	

Invoice Total \$1,857.20

For questions regarding your account, contact Duluth/Superior MN at (218) 624-4416

Express offers total client care, professional search, HR services and employment solutions at all levels.

1



Account Number	22810565
Invoice Number	22734918
Invoice Date	8/07/2019
Amount Due	\$1,857.20
Due Date	8/17/2019

PDF

Please make check payable to Express Services, Inc.

FIN: 840909680

||||| 2281

Harris Township
ATTN: Treasurer
20876 Wendigo Park Road
Grand Rapids, MN 55744

Express Services, Inc.
P.O. BOX 203901
Dallas, TX 75320-3901

Please return this portion with your payment



000000022734918

000000000142695

00185720

Service	Meter Number	Rate Code	Read Code	Usage Period		# Days	Meter Readings		Multiplier	Usage	Charge Details	Total Charges
				From	To		Previous	Current				
Electric									1.00000			
											\$ 14.95	15.98
											\$ 1.03	
											\$14.95 @ 6.87500%	

DESCRIPTIONS	UNIT OF MEASURE EXPLANATIONS
Service Charge - Charge for customer billing & administration services	Energy Usage -kWH = 1,000 watt hours (amount used by a 100 watt bulb in 10 hours time)
Energy Usage - Measure of electricity used (in kWH)	Commodity Charge - Water reading indicates thousands of gallons.
Off Peak Usage - Measure of off peak electricity used (in kWH)	WW Collection/trtmt - Wastewater collection/trtmt charge is based on water consumption.
Demand Charge - Highest average electric demand (in KW) over any 15 minutes during the month	
Commodity Charge - Water Consumption	
WW Collection/trtmt charge - Wastewater gallons collected and treated	

Service	Meter Number	Rate Code	Read Code	Usage Period		# Days	Meter Readings		Multiplier	Usage	Charge Details	Total Charges
				From	To		Previous	Current				
Electric									1.00000			
											\$ 14.95	
											\$ 1.03	15.98

DESCRIPTIONS	UNIT OF MEASURE EXPLANATIONS
Service Charge - Charge for customer billing & administration services	
Energy Usage - Measure of electricity used (in kWh)	Energy Usage - kWh = 1,000 watt hours (amount used by a 100 watt bulb in 10 hours time)
Off Peak Usage - Measure of off peak electricity used (in kWh)	
Demand Charge - Highest average electric demand (in KW) over any 15 minutes during the month	Commodity Charge - Water reading indicates thousands of gallons.
Commodity Charge - Water Consumption	WW Collection/trtmt - Wastewater collection/trtmt charge is based on water consumption.
WW Collection/trtmt charge - Wastewater gallons collected and treated	

Service	Meter Number	Rate Code	Read Code	Usage Period		# Days	Meter Readings		Multiplier	Usage	Charge Details	Total Charges
				From	To		Previous	Current				
Electric									1.00000			
											\$ 14.95	
											\$ 1.03	15.98

DESCRIPTIONS	UNIT OF MEASURE EXPLANATIONS
Service Charge - Charge for customer billing & administration services	Energy Usage -kWH = 1,000 watt hours (amount used by a 100 watt bulb in 10 hours time)
Energy Usage - Measure of electricity used (in kWH)	Commodity Charge - Water reading indicates thousands of gallons.
Off Peak Usage - Measure of off peak electricity used (in kWH)	WW Collection/trtmt - Wastewater collection/trtmt charge is based on water consumption.
Demand Charge - Highest average electric demand (in KW) over any 15 minutes during the month	
Commodity Charge - Water Consumption	
WW Collection/trtmt charge - Wastewater gallons collected and treated	

Customer Statement

For 6/17/2019 to 6/17/2019

Wednesday, June 26, 2019 7:53 AM

County:

Itasca County Recorder
123 NE 4th St
Grand Rapids, MN 55744

Customer:

HARRIS TOWNSHIP
20876 WENDIGO PK RD
GRAND RAPIDS, MN 55744

Receipt #:	Doc #:	Date:	Type:	Paid:	Debited:	Charged:	Outstanding:
	Grantor:			Grantee:			
176059	A000731708	6/17/2019	CEMETERY DEED	\$0.00	\$0.00	\$46.00	\$46.00
	HARRIS TOWNSHIP			OAKS, LENARD			
176059	A000731709	6/17/2019	CEMETERY DEED	\$0.00	\$0.00	\$46.00	\$46.00
	HARRIS TOWNSHIP			HALL, DAVID			
				\$0.00	\$0.00	\$92.00	\$92.00

L & M Supply, Inc.
P.O. Box 280
Grand Rapids, MN 55744-0000
*** STATEMENT OF ACCOUNT ***
PERIOD ENDING 7/31/19

ACCOUNT NUMBER: 1000003580

Payment Amount: _____

HARRIS TOWNSHIP
ATTN: TREASURER
20876 WENDIGO PARK ROAD
GRAND RAPIDS, MN 55744

Please return this portion with your payment.

DATE	TRANSACTION	CREDITS	CHARGES	BALANCE
	BALANCE FORWARD			.00
7-15-2019	INVOICE #0001-9265523		131.11	131.11
7-16-2019	INVOICE #0001-9267870		89.90	221.01
7-22-2019	INVOICE #0001-9277264		66.97	287.98
7-22-2019	INVOICE #0001-9277321		7.97	295.95
7-23-2019	INVOICE #0001-9278367		26.99	322.94

CURRENT	31-60 DAYS PAST DUE	61-90 DAYS PAST DUE	OVER 90 DAYS PAST DUE	TOTAL AMOUNT DUE
322.94				322.94

PLEASE REMIT PAYMENT
BY 8/25/19
TO

THANK YOU FOR
SHOPPING AT
L&M SUPPLY

L & M Supply, Inc.
P.O. Box 280
Grand Rapids, MN 55744-0000

218/326-9451

PLEASE REFER ALL QUESTIONS CONCERNING
YOUR ACCOUNT TO OUR CORPORATE OFFICE:
* P.O. Box 280 *
* Grand Rapids, MN 55744 *
* 218/326-9451 *



GRAND RAPIDS

CUSTOMER
HARRIS TOWNSHIP
 Contact Pref: Phone
 Phone: (719) 433-1507

SERVICE ITEM
STIHL
 Model Number: FS 46
 Item Description: TRIMMER
 Service Item Type:
 Trimmer/Auger/Blower
 Serial # 285885866

TICKET INFORMATION
Ticket # 071019-10
 Job Type: New
 Created: 07/10/2019
 Est. Date: - - -
 Tech: Dan T
 Status: Closed

Prior Work History	Desc	Date / Time	By Whom
No Prior History or Warranty Items Exist			

Work Log	Desc	Date / Time	By Whom
Reason for Service	HIT THE GAS IT BOGS OUT TUNE UP	07/10/2019 07:51 pm	N, S
Closed / Ready for Pa...	All work is complete. Thanks for choosing GRAND RAPIDS L&M SUPPLY! INSTALLED NEW CARB CHECKED SPARK PLUG-GOOD CHECKED FILTERS-GOOD RAN AND ADJUSTED -DAN	07/15/2019 09:37 am	R, H

Item #	Desc	Qty	Rate	Taxed	Amount
42740231	Part - Carburetor C1q-s186 4140 120 0619	1	\$31.27	Y	\$31.27
4	LABOR NON-TAXED	0.5	\$72.00	N	\$36.00
Sub-Total:					\$67.27
Tax:					\$2.15
Total:					\$69.42

L&M FLEET SUPPLY
 1400 South Pokegama Avenue
 Grand Rapids, MN 55744
 Phone: (218) 326-2926



Hours of Operation:
 Mon - Fri: 7:30am - 8:30pm
 Saturday: 7:30am - 7:00pm
 Sunday: 9:00am - 5:00pm



GRAND RAPIDS

CUSTOMER
HARRIS TOWNSHIP
 Contact Pref: Phone
 Phone: (719) 433-1507

SERVICE ITEM
STIHL
 Model Number: BG85C
 Item Description: BLOWER
 Service Item Type:
 Trimmer/Auger/Blower
 Serial # 261866488

TICKET INFORMATION
Ticket # 071019-11
 Job Type: New
 Created: 07/10/2019
 Est. Date: - - -
 Tech: Dan T
 Status: Closed

Prior Work History	Desc	Date / Time	By Whom
No Prior History or Warranty Items Exist			


Work Log	Desc	Date / Time	By Whom
Reason for Service	RUNS THEN DIES SWITCH? IF IT COSTS TOO MUCH DONT DO IT TUNE UP IF COST IS LOW	07/10/2019 07:53 pm	N. S
Closed / Ready for Pa...	All work is complete. Thanks for choosing GRAND RAPIDS L&M SUPPLY! REPLACED SPARK PLUG INSTALLED NEW FUEL FILTER CLEANED AIR FILTER RAN AND ADJUSTED -DAN	07/15/2019 09:34 am	R. H

Item #	Desc	Qty	Rate	Taxed	Amount
2441574	Spark Plug Ngk Bpnr7a-solid BPMR7A-S #6703	1	\$1.99	Y	\$1.99
42741563	Part- Fuel Filter 0000 350 3502	1	\$5.86	Y	\$5.86
4	LABOR NON-TAXED	0.5	\$72.00	N	\$36.00
Sub-Total:					\$43.85
Tax:					\$0.54
Total:					\$44.39

L&M FLEET SUPPLY
 1400 South Pokegama Avenue
 Grand Rapids, MN 55744
 Phone: (218) 326-2926



Hours of Operation:
 Mon - Fri: 7:30am - 8:30pm
 Saturday: 7:30am - 7:00pm
 Sunday: 9:00am - 5:00pm



GRAND RAPIDS

CUSTOMER
HARRIS TOWNSHIP
 Contact Pref: Phone
 Phone: (719) 433-1507

SERVICE ITEM
STIHL
 Model Number: FS 46
 Item Description: TRIMMER
 Service Item Type:
 Trimmer/Auger/Blower
 Serial # 291381978

TICKET INFORMATION
Ticket # 071019-12
 Job Type: New
 Created: 07/10/2019
 Est. Date: ---
 Tech: Dan T
 Status: Closed

Prior Work History	Desc	Date / Time	By Whom
No Prior History or Warranty Items Exist			


Work Log	Desc	Date / Time	By Whom
Reason for Service	MAKES CLUNKING NOISE WHERE SHAFT MEETS ENGINE TUNE UP	07/10/2019 07:58 pm	N. S
Closed / Ready for Pa...	All work is complete. Thanks for choosing GRAND RAPIDS L&M SUPPLY! REPLACED SPARK PLUG FILTERS-GOOD NOISE IS THE CLUTCH ENGAGING-NORMAL -DAN	07/15/2019 09:32 am	R. H

Item #	Desc	Qty	Rate	Taxed	Amount
2441574	Spark Plug Ngk Bpmr7a-solid BPMR7A-S #6703	1	\$1.99	Y	\$1.99
4	LABOR NON-TAXED	0.25	\$72.00	N	\$18.00
Sub-Total:					\$19.99
Tax:					\$0.14
Total:					\$20.13

L&M FLEET SUPPLY
 1400 South Pokegama Avenue
 Grand Rapids, MN 55744
 Phone: (218) 326-2926



Hours of Operation:
 Mon - Fri: 7:30am - 8:30pm
 Saturday: 7:30am - 7:00pm
 Sunday: 9:00am - 5:00pm



4065 HWY 73
Kettle River, MN 55757-8797


Office hours: 8:00 a.m. to 4:30 p.m. Monday-Friday
In case of an outage, phones answered 24 hours a day.
Office 1-800-421-9959
Pay by Phone 1-888-222-6892 or
visit us at www.lakecountrypower.coop

4695 2 AV 0.380
HARRIS TOWNSHIP
ATTN: TREASURER
20876 WENDIGO PARK RD
GRAND RAPIDS MN 55744-4682

4 4695
C-25 P-25



YOUR DIRECTOR IS DANIEL W KINGSLEY, DISTRICT 6.



ACTIVITY SINCE LAST BILL	AMOUNT
PREVIOUS BILL	128.00
PAYMENT 07/14/2019	-128.00
BALANCE FORWARD DUE IMMEDIATELY	0.00

CURRENT BILL INFORMATION									
RATE CODE	METER	DATES	METER READING PRES	METER READING PREV	MULTI-PLIER	CODE	USAGE	DESCRIPTION	
10	20025490	07/26 -06/26	2119	998	1		927	ENERGY CHARGE @	.133600
68 S	20025489	07/26 -06/26	189	104	1		85	PEAK SHAVE WATER HEATING @	.076500
65 S	20025487	07/26 -06/26	454	345	1		109	DUAL FUEL INTERR. HEAT @	.061500
								SERVICE AVAILABILITY CHG:	42.00
								OPERATION ROUND-UP	0.95
TOTAL CHARGES THIS STATEMENT									180.00

METER READ AUTOMATICALLY

Account Number	Service Address	Phone Number	Bill Date	Due Date	Net Amount Due
102000853	SERVICE CENTER	(218) 327-8759	08/05/2019	08/24/2019	180.00

Please detach and return this portion with your payment.

Account No.: 102000853 Cycle: 07
Due Date: 08/24/2019 Net Due: 180.00
A 1.5% penalty may be applied if payment is not received by the Due Date.

Your Phone Number: (218) 327-8759


Check box if your address or phone number has changed. Please enter changes on the back.

HARRIS TOWNSHIP
ATTN: TREASURER
20876 WENDIGO PARK RD
GRAND RAPIDS MN 55744-4842



0102000853080730000180000000180006

Lake Country Power
8535 Park Ridge Drive
Mountain Iron, MN 55768-2059





4065 HWY 73
Kettle River, MN 55757-8797

A Truebstone Energy Cooperative

Office hours: 8:00 a.m. to 4:30 p.m. Monday-Friday
In case of an outage, phones answered 24 hours a day.

Office 1-800-421-9959
Pay by Phone 1-888-222-6892 or
visit us at www.lakecountrypower.coop

HARRIS TOWNSHIP
ATTN: TREASURER
20876 WENDIGO PARK RD
GRAND RAPIDS MN 55744-4842

YOUR DIRECTOR IS DANIEL W KINGSLEY, DISTRICT 6.

Join us for Member Appreciation Days. Enjoy a hot picnic lunch from 11 a.m. until 1:30 p.m. at our three service centers. See insert for details.

ACTIVITY SINCE LAST BILL	AMOUNT
PREVIOUS BILL	136.50
PAYMENT 07/14/2019	-136.50
BALANCE FORWARD DUE IMMEDIATELY	0.00

CURRENT BILL INFORMATION						
RATE CODE	METER	DATES	METER READING PRES	MULTI-PREV PLIER	CODE USAGE DESCRIPTION	
30				45	SEC LIGHT-100W HPS(QTY 1)	
30				480	SEC LIGHT-200W HPS(QTY 6)	
30				104	SEC LIGHT-73 WATT LED(QTY 4)	
					TOTAL CHARGES THIS STATEMENT	136.50

Account Number	Service Address	Phone Number	Bill Date	Due Date	Net Amount Due
500598750	STREET LIGHT ACCOUNT	(218) 327-8759	08/05/2019	08/24/2019	136.50

Please detach and return this portion with your payment.

Account No.: 500598750 Cycle: 07
Due Date: 08/24/2019 Net Due: 136.50
A 1.5% penalty may be applied if payment is not received by the Due Date.

Your Phone Number: (218) 327-8759


Check box if your address or phone number has changed. Please enter changes on the back.

HARRIS TOWNSHIP
ATTN: TREASURER
20876 WENDIGO PARK RD
GRAND RAPIDS MN 55744-4842



0500598750080700000136500000136508

Lake Country Power
8535 Park Ridge Drive
Mountain Iron, MN 55768-2059





Lease Landscaping, Inc.
 32057 South Pit Road
 Grand Rapids, MN 55744
 (218)326-0876

Invoice

Date	Invoice #
7/16/2019	1914

Bill To

Harris Township
 20876 Wendigo Park Road
 Grand Rapids, MN 55744

Job Site

P.O. No.

Service Date	Description	Qty	Rate	Amount
7/10/2019	Futerra Blanket 82" x 135' w/net		120.00	120.00
7/10/2019	Staples		15.00	15.00
7/15/2019	Staples		10.00	10.00

Terms: Due and payable upon receipt. Finance charge on all accounts past 30 days of 1.5% per month or \$5.00 minimum on the unpaid balance. This corresponds to an annual percentage rate of 18%.

3% charge on all credit card payments

Thank You !!

Any alteration or deviation on project after work has began may result in additional charges at customers expense.

Subtotal	\$145.00
Sales Tax (0.0%)	\$0.00
Total	\$145.00
Payments/Credits	\$0.00
Balance Due	\$145.00

I N V O I C E



**MARTIN'S SNOWPLOW
AND EQUIPMENT**
105 East US 2
Cohasset, MN 55721
Phone #: (218)999-0770
Fax #: (218)999-5704

PHONE #: (218)244-5247
CELL #:
FAX #:
P.O.#:
TERMS: Net 10th EOM
SALES ORDER#: 1772
SALES TYPE: Sales
CP: KyleB
SALES REP: KyleB

DATE: 7/13/2019 8:33:01 PM
INVOICE #: 5087
CUSTOMER#: 100751
LOCATION: 1

BILL TO 100751

HARRIS TOWNSHIP
GRAND RAPIDS, MN 55744

SHIP TO

HARRIS TOWNSHIP
GRAND RAPIDS, MN 55744

MFR	PRODUCT NUMBER	DESCRIPTION	SOLD	B/O	PRICE	NET	TOTAL
BUY	16120820	CUTTING EDGE 40inx 6.0in x .500	2	0	\$131.09	\$131.09	\$262.18
BUY	16120840	CUTTING EDGE VXDS CTR 11.18x 6.0 x .500	1	0	\$56.26	\$56.26	\$56.26
BUY	16120850	CUTTING EDGE VXPS CTR 11.18x 6.0 x .500	1	0	\$56.26	\$56.26	\$56.26
BUY	16120114	HDW KIT, CUTTING EDGE,	1	0	\$13.63	\$13.63	\$13.63

No returns on electrical or special order items. There may be a 20% restocking fee imposed on returned items. All returns must be accompanied by the original receipt and be made within 30 days. Thank you for your business!

SUBTOTAL: \$388.33
TAX: \$0.00
INVOICE TOTAL: \$388.33
AMOUNT DUE: \$388.33

Picked Up By: _____

MEDIACOM™ BUSINESS

Account Information

This statement reflects current charges as of the date the statement was printed.

Did you know?

Please reference your service agreement for terms to terminate service and arrange for the return of all equipment. Failure to return our equipment will result in the following charges: Non-addressable converter up to \$125.00; addressable converter up to \$300.00; modem up to \$139.99; digital converter up to \$500.00; remote control up to \$85.00

Mediacom Business customers enjoy 24 hour customer support at the Business Technology Support Center. Our Business Technology Support Center is solely dedicated to serving businesses like yours.

As a Mediacom Business internet or video customer, you may be eligible to receive FREE phone service for the remainder of the year! Call 877-637-4190 to find out more!

Statement of Service

Page 1 of 2

HARRIS TOWNSHIP

August 08, 2019

Account Number

8384922380091722

Account PIN

7197

Telephone Number

(218) 259-1551

For Service at

20876 WENDIGO PARK RD
GRAND RAPIDS MN 55744-4682

How to reach us...

Visit Us Online: www.mediacombusiness.com

Call Customer Service: 1-800-379-7412



Your Summary

Bill from 08/18/19 through 09/17/19

See the back for details

Previous Balance	\$143.44
Payments	-135.94
Individual Services	135.94
Amount Due	\$143.44
Amount Due By	08/28/19

Closed captioning: If you are experiencing issues with Closed Captioning, please contact Mediacom Customer Service at (855) 633-4226, fax (845) 698-4079 or visit our website at <http://mediacomtoday.com>. For written closed captioning complaints, contact: Penny Kurdyla, Mediacom Closed Captioning Office, 1 Mediacom Way, Mediacom Park, NY 10918, Phone (877) 647-6221, fax (845) 698-4079 or email closedcaption@mediacomcc.com.

MEDIACOM™ BUSINESS

PO BOX 110 WASECA MN 56093-0000

8633 2940 NO RP 08 08092019 NNNNNYNN 01 999546

HARRIS TOWNSHIP
20876 WENDIGO PARK RD
GRAND RAPIDS MN 55744-4682

August 08, 2019

Account Number:

8384922380091722

HARRIS TOWNSHIP

20876 WENDIGO PARK RD

GRAND RAPIDS MN 55744-4682

Amount Due By 08/28/19

\$143.44

Amount you are enclosing:

\$

MEDIACOM
PO BOX 5744
CAROL STREAM IL 60197-5744

838492238009172200143446

MEDIACOM[™] BUSINESS

8633 2940 NO RP 08 08092019 NNNNNYNN 01 999546

HARRIS TOWNSHIP
Account Number
Telephone Number

Page 2 of 2
August 08, 2019
8384922380091722
(218) 259-1551

Your Account Details

08/08	Previous Balance	\$143.44
07/28	1-Time EFT Payment	-135.94
		\$7.50

Your Individual Services

08/18 - 09/17	Business Internet 60/5 Mbps	129.95
08/18 - 09/17	WIFI Basic Service	5.99
08/18 - 09/17	Modem	0.00
		\$135.94

Total Due By 08/28/19 **\$143.44**



YOUR FRANCHISE AUTHORITY IS CITY OF GRAND RAPIDS 420 NORTH POKEGAMA AVE, GRAND RAPIDS, MN 55744 FCC COMMUNITY ID: MN0018

MANAGED VOICE



Crystal clear voice service
over Mediacom Business' secure
and private IP network.

**Call 866-566-2225 to
explore a voice over IP solution.**

**MEDIACOM[™]
BUSINESS**





NORTHWEST GAS
 314 MAIN ST NE - PO BOX 721
 MAPLETON, MN 56065-0721


Toll Free 800-367-6964 or 507-524-4103

Statement Date - 8/5/2019
 Account Number: 440601.01

ADDRESS SERVICE REQUESTED



*****AUTO**SCH 5-DIGIT 55744 655 1 AV 0.380
 HARRIS TOWNSHIP MAINT BLDG
 20876 WENDIGO PARK RD
 GRAND RAPIDS MN 55744 4682



Location: 20876 WENDIGO PARK RD, GRAND RAPIDS

Meter No: 19233593

	Actual	Budget
Base Gas Charge-01		
Current Reading on: 7/30/2019 of 3,164 ; - Previous Reading on: 6/28/2019 of 3,164 = 0ccf		
Tax	\$1.03	
Purchased Gas-02		
TOTAL CURRENT MONTH BILLING	\$16.03	
PAST DUE BALANCE - PAYABLE UPON RECEIPT	\$0.00	
FINANCE CHARGES	\$0.00	
TOTAL BALANCE DUE	\$16.03	

PAYMENTS RECEIVED IN THE LAST 30 DAYS

DATE	AMOUNT	TYPE	CHECK NO	COMMENT
7/8/2019	\$36.17	EP*		iConnect Payment
7/29/2019	\$19.66	EP*		iConnect Payment

WWW.GOPHERSTATEONECALL.ORG

TO ASSURE PROPER CREDIT TO YOUR ACCOUNT - PLEASE RETURN THIS PORTION WITH YOUR PAYMENT



- Check here and complete form on reverse side for Address Change Information
- Check here and complete form on reverse side for Automatic Payment Plan information



HARRIS TOWNSHIP MAINT BLDG

DUE DATE: 8/26/2019

ACCOUNT NUMBER: 440601.01

TOTAL BALANCE DUE: \$16.03

AMOUNT ENCLOSED: \$

NORTHWEST GAS
 314 MAIN ST NE - PO BOX 721
 MAPLETON, MN 56065-0721

TERMS and CONDITIONS

THIS STATEMENT REFLECTS ONLY CHARGES & CREDITS RECEIVED IN OUR OFFICE BY STATEMENT DATE

IN CASE OF ERRORS OR INQUIRES ABOUT YOUR BILL

Send your inquiry in writing on a separate sheet so that the creditor receives it within 60 days after the bill was mailed to you. Your written reply must include:

1. Your name and account number (if any),
2. A description of the error and why (to the extent you can explain) you believe it is an error; and
3. The dollar amount of the suspected error.

You remain obligated to pay the parts of your bill not in dispute, but you do not have to pay any amount in dispute during the time the creditor is resolving the dispute. During that same time, creditor may not take any action to collect disputed amounts or report amounts as delinquent.

This is a summary of your rights; a full statement of your rights and the creditor's responsibilities under the Federal Fair Credit Billing Act will be sent to you both upon request and in response to a billing error notice.

FINANCE CHARGE of 1.5% per month, which is an **ANNUAL PERCENTAGE RATE** of 18% with 50¢ per month minimum on balances of \$33.33 or less, will be applied to any balance over 30 days old. Subject to change – without notice. Customer hereby agrees to pay all costs of collection – including attorney's, court and legal costs and fees, our correspondence, office and telephone costs, collector's costs, fees and expenses – if this amount is not paid upon request.

Save



and



with our automatic payment plan!

Your financial institution automatically transfers the amount of your monthly natural gas bill from your account to the natural gas Company each month.

You will still receive your monthly natural gas bill indicating the amount that will be withdrawn from your account.

The amount transferred will also appear on your monthly bank statement. The amount due will not be transferred out of your account before the due date of your natural gas bill.

You can withdraw from this plan at any time by providing us with written notification. (Northwest Natural Gas reserves the right to cancel your use of this automatic payment plan.)

Sign up by filling out the form on the bottom right-hand panel, attaching a voided check or deposit slip (see form) and sending it with an upcoming payment or directly to Northwest Natural Gas at the address listed on the back panel. Within three months, you'll see a message on your bill confirming the Automatic Payment Plan is in effect. Until then, simply make payments as usual.

For more information on the Automatic Payment Plan, call Northwest Natural Gas at (507) 524-4103 or toll-free at 1-800-367-6964.

ADDRESS CHANGE

Please fill in the correct name and address information below:

Account Name: _____

Address: _____

Phone: (_____) _____

AUTOMATIC PAYMENT PLAN

Please check the appropriate option:

Contact me regarding additional information.

Yes, I want my automatic payment taken from:

Checking (attach voided check) Savings (attach deposit slip)

My Financial Institution _____

Financial Institution Account Number _____

Authorized signature(s) on account must match name(s) on account(s)

Automatic payments taken from accounts and returned for any reason will be treated the same as returned checks.

Northwest Natural Gas • 314 Main Street NE • PO Box 721 • Mapleton, MN 56065



Open Invoices

Select	Summary
<input checked="" type="checkbox"/>	<p>440600.01MCS19-8-5GR Due on 8/26/2019 Balance Due:\$17.25</p> <p>View Invoice Payment History Adjustment History Scheduled Payment History Remind Me</p>
<input checked="" type="checkbox"/>	<p>440601.01MCS19-8-5GR Due on 8/26/2019 Balance Due:\$16.03</p> <p>View Invoice Payment History Adjustment History Scheduled Payment History Remind Me</p>

Pay Selected >

I N V O I C E

POKEGAMA LAWN & SPORT
 20648 US HWY 169
 GRAND RAPIDS, MN 55744 USA
 Phone #: (218)326-1200
 Fax #: (218)326-1517

PHONE #: (218)244-5247
 CELL #:
 FAX #:
 P.O.#:
 TERMS: Net 10th EOM
 SALES ORDER#: 68501
 SALES TYPE: Work Order
 CP: Adam L
 SALES REP: Adam L

DATE: 7/8/2019 12:34:26 PM
 INVOICE #: 138789
 CUSTOMER#: 3462
 LOCATION: 1
 DELIVERY:
 PICK UP:
 TAG #:
 TECH: Derek M

BILL TO 3462

HARRIS TOWNSHIP
 20876 WENDIGO PARK ROAD
 GRAND RAPIDS, MN 55744

SHIP TO

HARRIS TOWNSHIP
 28600 SUNNYBEACH ROAD
 GRAND RAPIDS MN 55744

YEAR	MFR	MODEL NUMBER	DESCRIPTION	VIN/SERIAL #	MILAGE / PURCH
	JD	0085TC/1001/2000/300	1445 31HP DIESEL 4WD FRONT MOWER	1TC1445DABT110289	
					3/30/2011

1: Job 1 Tech: Derek M [JD 0085TC/1001/2000/300 1TC1445DABT110289] 1445 31HP DIESEL 4WD FRONT

INSTALL NEW GAUGE WHEELS AND POSTS
 LEVEL DECK

ALREADY BOUGHT THE WHEELS, THEY ARE IN THE CAB

THEY WILL TAKE NEW TIRE ALSO. THEY WILL INSTALL IT.

MFR	PRODUCT NUMBER	DESCRIPTION	SOLD	B/O	PRICE	NET	TOTAL
JD	M146453	Bolt	1	0	\$1.52	\$1.52	\$1.52
JD	AM129501	Arm	2	0	\$55.28	\$55.28	\$110.56
JD	M119692	Tire	1	0	\$207.78	\$207.78	\$207.78
Parts Job 1:							\$319.86

INSTALLED NEW DECK WHEELS /PINS WHERE NOT WITH THE MOWER SO PUT BOLTS IN

LABOR	DESCRIPTION	HRS	RATE	AMOUNT	TOTAL
**LABOR	GENERAL LABOR	0.5	\$80.00		\$40.00
Hours Job 1:					0.5
Labor Job 1:					\$40.00
Subtotal Job 1:					\$359.86

No returns allowed past 30 days.
 No returns on electrical parts.
 All returns subject to a 15% restocking fee.
 No returns without original receipt.

Thank you for your business!

3802

TOTAL PARTS:	\$319.86
TOTAL LABOR:	\$40.00
TOTAL EXTRAS:	\$0.00
SUBTOTAL:	\$359.86
TAX:	\$0.00
INVOICE TOTAL:	\$359.86
AMOUNT DUE:	\$359.86

Picked Up By: _____

PORTABLE JOHN

P. O. BOX 490
HIBBING, MN 55746-0490

(218) 262-4576
DULUTH: 1-218-733-1377
TOLL FREE: 1-800-370-4576



JULY 29, 2019

INVOICE #: 102964

BILL TO:
HARRIS TOWNSHIP (BL)
20876 WENDIGO PARK ROAD

UNIT LOCATION
BOAT LANDINGS
MISHAWAKA, LAPLANT, TROOPTOWN

GRAND RAPIDS MN 55744

GRAND RAPIDS, MN

CUSTOMER P.O. #

SERVICE DATES

JOB #

7/1/2019 - 7/28/2019

		UNITS RENTED	
CONTRACT AGREEMENT (1):	41652	1-REG	\$60.00
CONTRACT AGREEMENT (2):	41653	1-REG	\$60.00
CONTRACT AGREEMENT (3):	41654	1-REG	\$60.00
CONTRACT AGREEMENT (4):			\$0.00
CONTRACT AGREEMENT (5):			\$0.00
DELIVERY CHARGE:			\$0.00
WINTER SERVICE CHARGE:			\$0.00
SALES TAX:			\$0.00
DAMAGE WAIVER (Non-Taxable):			\$0.00
DEBIT ADJUSTMENT:			\$0.00
CREDIT ADJUSTMENT:			\$0.00

TOTAL AMOUNT DUE: \$180.00

COMMENTS:

TAX EXEMPT

Thank You

We at Portable John appreciate your business

Please return this portion with payment to Portable John.

HARRIS TOWNSHIP (BL)

DUE ^{PLUG} 19, 2019

JULY 29, 2019

TOTAL AMOUNT DUE: \$180.00

INVOICE #: 102964

AMOUNT ENCLOSED: \$ _____

* We do accept Visa and Mastercard, please call 800-370-4576 to pay by credit card. Thank you!
For electronic invoices, please provide email address: _____

PORTABLE JOHN

P. O. BOX 490
HIBBING, MN 55746-0490

(218) 262-4576
DULUTH: 1-218-733-1377
TOLL FREE: 1-800-370-4576



JULY 29, 2019

INVOICE #: 102965

BILL TO:
HARRIS TOWNSHIP (CP)
20876 WENDIGO PARK ROAD

GRAND RAPIDS MN 55744

UNIT LOCATION
CEMETERY, RIVER ROAD
CRYSTAL PARK, CRYSTAL SPRINGS ROAD
WENDIGO PARK, SUNNY BEACH ROAD
GRAND RAPIDS, MN

CUSTOMER P.O. #

SERVICE DATES

JOB #

7/1/2019 - 7/28/2019

		UNITS RENTED	
CONTRACT AGREEMENT (1):	41655	1-HDCP	\$85.00
CONTRACT AGREEMENT (2):	41656	1-HDCP	\$85.00
CONTRACT AGREEMENT (3):	41657	1-HDCP	\$85.00
CONTRACT AGREEMENT (4):			\$0.00
CONTRACT AGREEMENT (5):			\$0.00
DELIVERY CHARGE:			\$0.00
WINTER SERVICE CHARGE:			\$0.00
SALES TAX:			\$0.00
DAMAGE WAIVER (Non-Taxable):			\$0.00
DEBIT ADJUSTMENT:			\$0.00
CREDIT ADJUSTMENT:			\$0.00

TOTAL AMOUNT DUE: \$255.00

COMMENTS:
TAX EXEMPT

Thank You

We at Portable John appreciate your business

Please return this portion with payment to Portable John.

HARRIS TOWNSHIP (CP)

^{AUG}
DUE 19, 2019

JULY 29, 2019

TOTAL AMOUNT DUE: \$255.00

INVOICE #: 102965

AMOUNT ENCLOSED: \$ _____

** We do accept Visa and Mastercard, please call 800-370-4576 to pay by credit card. Thank you!
For electronic invoices, please provide email address: _____*



PO BOX 489
NEWARK, NJ 07101-0489



HARRIS SERVICE CENTER
ATTN: TREASURER
20876 WENDIGO PARK RD
GRAND RAPIDS, MN 55744-4682

000016365

Verizon Wireless News

**Now It's Easier To Get Help
Online**

Our new online support experience saves you time by giving you access to the help you need when you need it. Sign in to get personalized help that's specific to your bill, plan and devices. Visit go.vzw.com/support.

Manage Your Account	Account Number	Date Due
www.vzw.com/mybusinessaccount	986510508-00001	Past Due
Change your address at http://sso.verizonenterprise.com	Invoice Number	9834036569

Quick Bill Summary

Jun 13 – Jul 12

Previous Balance (see back for details)	\$305.34
Payment – Thank You	-\$152.67
Balance Forward Due Immediately	\$152.67
Monthly Charges	\$144.21
Usage and Purchase Charges	
Voice	\$.00
Messaging	\$.00
Data	\$.00
Surcharges and Other Charges & Credits	\$7.11
Taxes, Governmental Surcharges & Fees	\$3.00
Total Current Charges Due by August 04, 2019	\$154.32

Total Amount Due \$306.99

Pay from phone	Pay on the Web	Questions:
#PMT (#768)	At vzw.com/mybusinessaccount	1.800.922.0204 or *611 from your phone



HARRIS SERVICE CENTER
ATTN: TREASURER
20876 WENDIGO PARK RD
GRAND RAPIDS, MN 55744-4682

Bill Date July 12, 2019
Account Number 986510508-00001
Invoice Number 9834036569

Total Amount Due

Make check payable to Verizon Wireless.
Please return this remit slip with payment.

\$306.99

\$.

P.O. BOX 25505
LEHIGH VALLEY, PA 18002-5505



98340365690109865105080000100000015432000000306999



Invoice Number Account Number Date Due Page

9834036569 986510508-00001 Past Due 2 of 11

Get Minutes Used

Get Data Used

Get Balance

#MIN + SEND

#DATA + SEND

#BAL + SEND

Payments

Previous Balance	\$305.34
Payment – Thank You	
Payment Received 06/17/19	-152.67
Total Payments	-\$152.67
Balance Forward Due Immediately	\$152.67

Written notations included with or on your payment will not be reviewed or honored. Please send correspondence to:
Verizon Wireless Attn: Correspondence Team PO Box 408 Newark, NJ 07101-0408

Automatic Payment Enrollment for Account: 986510508-00001 HARRIS SERVICE CENTER

By signing below, you authorize Verizon Wireless to electronically debit your bank account each month for the total balance due on your account. The check you send will be used to setup Automatic Payment. You will be notified each month of the date and amount of the debit 10 days in advance of the payment. You agree to receive all Auto Pay related communications electronically. I understand and accept these terms. This agreement does not alter the terms of your existing Customer Agreement. I agree that Verizon Wireless is not liable for erroneous bill statements or incorrect debits to my account. To withdraw your authorization you must call Verizon Wireless. Check with your bank for any charges.

1. Check this box.
2. Sign name in box below, as shown on the bill and date.
3. Return this slip with your payment. Do not send a voided check.

COLR700A 1154 5012 125 36 20190715 PG 1 OF 8
00016365 33750459.1 0-1





Overview of Shared Usage

Participating Lines as of 07/12/19	Lines Exceeding Allowance after Share	Shared Allowance	Shared Usage	Shared Billable	Cost
Talk - Nationwide for Business Share	3	0	620	0	---

Overview of Lines

Lines Charges	Page Number	Monthly Charges	Usage and Purchase Charges	Equipment Charges	Surcharges and Other Credits	Taxes, Governmental and Surcharges and Fees	Third-Party Charges (includes Tax)	Total Charges	Voice Plan Usage	Messaging Usage	Data Usage	Voice Roaming	Messaging Roaming	Data Roaming
218-244-1811 Clerk Harris	4	\$48.07	---	---	\$2.37	\$1.00	---	\$51.44	1	47	63,804KB	---	---	---
218-244-5247 Maintenance Harris	5	\$48.07	---	---	\$2.37	\$1.00	---	\$51.44	539	282	1,499,072KB	---	---	---
218-398-5033 Caretaker Harris	10	\$48.07	---	---	\$2.37	\$1.00	---	\$51.44	80	162	320,576KB	---	---	---
Total Current Charges		\$144.21	\$0.00	\$0.00	\$7.11	\$3.00	\$0.00	\$154.32						



INVOICE

Customer ID:

19-24146-23001

Customer Name:

HARRIS TOWNSHIP

Service Period:

07/01/19-07/31/19

Invoice Date:

07/31/2019

Invoice Number:

6751798-0412-4

How To Contact Us

Visit **wm.com**

To setup your online profile, sign up for paperless statements, manage your account, view holiday schedules, pay your invoice or schedule a pickup



Customer Service:
(888) 960-0008

Your Payment Is Due

Aug 30, 2019

If full payment of the invoiced amount is not received within your contractual terms, you may be charged a monthly late charge of 2.5% of the unpaid amount, with a minimum monthly charge of \$5, or such late charge allowed under applicable law, regulation or contract.

Your Total Due

\$226.10

If payment is received after 08/30/2019: **\$ 231.60**

See Reverse for Important Messages

Previous Balance	326.95	+	Payments	(326.95)	+	Adjustments	0.00	+	Current Charges	226.10	=	Total Due	226.10
------------------	--------	---	----------	----------	---	-------------	------	---	-----------------	--------	---	-----------	---------------

Details for Service Location: Harris Township, 20876 Wendigo Park Rd, Grand Rapids MN 55744-4682 **Customer ID: 19-24146-23001**

Description	Date	Ticket	Quantity	Amount
2 Yard dumpster service	07/02/19	284693	1.00	60.48
Ticket Total				60.48
2 Yard dumpster service	07/10/19	301355	1.00	60.48
Ticket Total				60.48
2 Yard dumpster service	07/23/19	318679	1.00	60.48
Ticket Total				60.48
Administrative charge				6.50
Mn state solid waste tax 17%				31.95
Late payment charge for 05/31/2019 invoice 6743458	06/30/19			6.21
Total Current Charges				226.10

----- Please detach and send the lower portion with payment ----- (no cash or staples) -----



WASTE MANAGEMENT OF WI-MN
PO BOX 42390
PHOENIX, AZ 85080

(888) 960-0008
HOURS: MON-FRI 7AM-5PM CST

Invoice Date	Invoice Number	Customer ID
07/31/2019	6751798-0412-4	19-24146-23001
<i>(Include with your payment)</i>		
Payment Terms	Total Due	Amount
Total Due by 08/30/2019	\$226.10	
If Received after 08/30/2019	\$231.60	

0412000192414623001067517980000002261000000022610 1

0011293 01 AV 0.380 **AUTO T7 0 7212 55744-468276 -C01-P11304-I1
HARRIS TOWNSHIP
20876 WENDIGO PARK RD
GRAND RAPIDS MN 55744-4682

I0500C55





WASTE MANAGEMENT OF WI-MN
PO BOX 4648
CAROL STREAM, IL 60197-4648

THINK GREEN®



3011293-0000001-0011613

300-0033317-0412-6



Prepared For	TOWNSHIP OF HARRIS DERRICK MARTILLA
Account Number	[REDACTED]
Statement Closing Date	07/19/19
Days in Billing Cycle	30
Next Statement Date	08/20/19

For 24-Hour Customer Service Call:
800-225-5935

Inquiries or Questions:
Wells Fargo SBL PO Box 29482
Phoenix, AZ 85038-8650

Payments:
Payment Remittance Center PO Box 77033
Minneapolis, MN 55480-7733

Credit Line	\$2,500
Available Credit	\$1,759

Payment Information

New Balance	\$740.38
Current Payment Due (Minimum Payment)	\$25.00
Current Payment Due Date	08/14/19

Thank you for using our Automatic Payment service. See the **Important Information** section below for your next scheduled payment.

If you wish to pay off your balance in full: The balance noted on your statement is not the payoff amount. Please call 800-225-5935 for payoff information.

Account Summary

Previous Balance		\$1,361.09
Credits	-	\$0.00
Payments	-	\$1,367.09
Purchases & Other Charges	+	\$729.89
Cash Advances	+	\$0.00
Finance Charges	+	\$16.49
New Balance	=	\$740.38

Rate Information

Your rate may vary according to the terms of your agreement.

TYPE OF BALANCE	ANNUAL INTEREST RATE	DAILY FINANCE CHARGE RATE	AVERAGE DAILY BALANCE	PERIODIC FINANCE CHARGES	TRANSACTION FINANCE CHARGES	TOTAL FINANCE CHARGES
PURCHASES	18.490%	.05065%	\$1,085.55	\$16.49	\$0.00	\$16.49
CASH ADVANCES	26.240%	.07189%	\$0.00	\$0.00	\$0.00	\$0.00
TOTAL				\$16.49	\$0.00	\$16.49


Important Information

\$0 - \$25.00 WILL BE DEDUCTED FROM YOUR ACCOUNT AND CREDITED AS YOUR AUTOMATIC PAYMENT ON 08/14/19. THE AUTOMATIC PAYMENT AMOUNT WILL BE REDUCED BY ALL PAYMENTS POSTED ON OR BEFORE THIS DATE.

See reverse side for important information.

DETACH HERE
Detach and mail with check payable to "Wells Fargo" to arrive by Current Payment Due Date.

Make checks payable to: Wells Fargo



Transaction Details

Trans	Post	Reference Number	Description	Credits	Charges
06/20	06/20	24055235B60VP2NXY	L & M SUPPLY GRAND RAPID GRAND RAPIDS MN		67.74
06/21	06/21	74856205Q0A9H3SBE	ONLINE PAYMENT	409.31	
06/27	06/27	24055235K60VP2RWX	L & M SUPPLY GRAND RAPID GRAND RAPIDS MN		17.87
06/27	06/27	24610435K09FJQXML	THE HOME DEPOT #2834 GRAND RAPIDS MN		41.34
07/11	07/11	24055236060VP2LLM	L & M SUPPLY GRAND RAPID GRAND RAPIDS MN		59.98
07/11	07/11	2469216612X88VBQE	THE HOME DEPOT 2834 GRAND RAPIDS MN		431.16
07/15	07/15	7485620640A9QHE3D	ONLINE PAYMENT	957.78	
07/17	07/17	24055236760VP2L4Z	L & M SUPPLY GRAND RAPID GRAND RAPIDS MN		41.96
07/17	07/17	24610436709FNKVVH	THE HOME DEPOT #2834 GRAND RAPIDS MN		49.84
07/17	07/17	247445567G9HBZBLZ	CLAFTON SKATE GRAND RAPIDS MN		20.00
		PERIODIC *FINANCE CHARGE*	PURCHASES \$16.49 CASH ADVANCE \$0.00		16.49

Wells Fargo News

What can alerts do for your business?*

Receive timely updates on your business credit card account via email or text. Alerts allow you to control and receive only the messages that are important to you. Sign up for alerts during your Wells Fargo Business Online® session by going to your Business Card account screen and selecting the Manage Alerts menu option.

Not enrolled in Online banking? Enroll today at wellsfargo.com/biz/online-banking

**Availability may be affected by your mobile carrier's coverage area. Your mobile carrier's message and data rates may apply.*

Remember there are no foreign transaction fees when you make international purchases or travel outside of the U.S. With your Wells Fargo Business Card, you can take your business anywhere around the world and have the confidence you'll get:

- No foreign transaction fees on your purchases
- Enhanced security with chip card technology

"No foreign transaction fees" applies to business credit cards issued by Wells Fargo and this account in particular. For information on other Wells Fargo credit and debit cards, please see your account agreement or visit wellsfargo.com.

Mail Payments to:
 Xerox Financial Services
 P.O. Box 202882
 Dallas, TX 75320-2882

INVOICE

Questions? Contact Us:
Invoicing: 844-733-9280
xfscustomer@jdrsol.com
Equipment Protection: 866-223-6383

Harris Township
 20876 WENGIGO PARK ROAD
 GRAND RAPIDS, MN 55744

Invoice Number:	1722618	Due Date:	08/24/2019
Invoice Date:	08/04/2019	Past Due Amount:	\$30.57
		Total Due Amount:	\$289.91

Contract Number: 020-0068340-001				Months Remaining: 44	
Billing Period	Due Date	Description	Charge	Sales Tax	Amount including tax
07/24/2019 - 08/23/2019	08/24/2019	Minimum Lease Payment	\$37.99	\$2.61	\$40.60
06/24/2019 - 07/23/2019	08/24/2019	Color Impressions	\$155.70	\$10.70	\$166.40
06/24/2019 - 07/23/2019	08/24/2019	Black Impressions	\$48.97	\$3.37	\$52.34
Sub Total:					\$259.34

Detach here and return coupon with payment

Please make check payable to: Xerox Financial Services

Amount Enclosed: \$

INVOICE NUMBER: 1722618
Invoice Date: 08/04/2019
Contract Number: 020-0068340-001
Due Date: 08/24/2019
Amount Due: \$289.91

Xerox Financial Services
 P.O. Box 202882
 Dallas, TX 75320-2882



Harris Township
 20876 WENGIGO PARK ROAD
 GRAND RAPIDS, MN 55744

01722618 0200068340001 068340 0000028991 6

Invoice Number: 1722618
 Invoice Date: 08/04/2019

Due Date: 08/24/2019
 Past Due Amount: \$30.57
 Total Due Amount: \$289.91

Pool Details BW68340.1								
Usage Period	Pool ID Description	Equipment Location	Model-SN-Cust Ref#	Previous Meter	Current Meter	Period Usage	%	Charge
06/24/2019-07/23/2019	0001 BW68340.1	21998 AIRPORT ROAD GRAND RAPIDS, MN 55744	C405 4HX811949	4794	7255	2461	100.00	\$48.97

Pool Summary: BW68340.1								
Usage Period	Pool ID Description	Period Usage	Period Allowance	Usage Adjustment	Usage Credit	Billable Usage	Excess Rate	Charge
06/24/2019-07/23/2019	0001 BW68340.1	2461	0	0	0	2461	0.01990	\$48.97

Pool Details COL68340.1								
Usage Period	Pool ID Description	Equipment Location	Model-SN-Cust Ref#	Previous Meter	Current Meter	Period Usage	%	Charge
06/24/2019-07/23/2019	0002 COL68340.1	21998 AIRPORT ROAD GRAND RAPIDS, MN 55744	C405 4HX811949	1104	2661	1557	100.00	\$155.70

Pool Summary: COL68340.1								
Usage Period	Pool ID Description	Period Usage	Period Allowance	Usage Adjustment	Usage Credit	Billable Usage	Excess Rate	Charge
06/24/2019-07/23/2019	0002 COL68340.1	1557	0	0	0	1557	0.10000	\$155.70

Asset Details					
Contract Number	Model	Serial Number	Address	Address 2	City, State Zip
020-0068340-001	C405	4HX811949	21998 AIRPORT ROAD		GRAND RAPIDS, MN 55744

Date Range : 8/1/2019 To 8/14/2019

Date	Vendor	Description	Claim #	Total
08/14/2019	Peggy Clayton	Reimbursement - mileage	19068	\$71.92
08/14/2019	Kenneth Haubrich	Reimbursement-Mileage	19069	\$70.18
08/14/2019	James Kelley	Reimbursements-mileage	19070	\$103.24
08/14/2019	Michael Schack	Reimbursements-mileage	19071	\$5.22
08/14/2019	Joshua Thoennes	Reimbursements-mileage	19072	\$27.84
08/14/2019	Acheson Tire	Tires	19073	\$135.00
08/14/2019	ASV Holdings, Inc	service order	19074	\$292.26
08/14/2019	Bargen INC	Road Repair	19075	\$45,852.00
08/14/2019	Casper Construction, INC.	Top Soil & Class 5	19076	\$594.21
08/14/2019	Davis Oil, Inc	July invoices for fuel	19077	\$1,130.43
08/14/2019	Grand Rapids Public Utilities	Utilities - street lights	19078	\$47.94
08/14/2019	Itasca County Recorder	Record Cementary Deeds	19079	\$92.00
08/14/2019	L&M Supply	Belts, Trimmer Repair, Weed Control	19080	\$322.94
08/14/2019	Lease Landscaping INC	Futerra Blanket	19081	\$145.00
08/14/2019	Martin's Snowplow & Equipment	Cutting Edges	19082	\$388.33
08/14/2019	Pokegama Lawn & Sport	Mower Parts	19083	\$359.86
08/14/2019	Portable John	portable restrooms	19084	\$435.00
08/14/2019	Stokes Printing	office supplies - Stamp	19085	\$21.95
08/14/2019	Verizon Wireless	mobile phone invoice - clerk, maintenance, caretaker	19086	\$154.32
08/14/2019	Waste Management of WI-MN	Garbage Service July	19087	\$226.10
08/14/2019	Xerox Financial Services	Copier Lease & Maintenance 7/24-8/23	19088	\$242.66
08/14/2019	Express Services, Inc	Grounds keeper labor 7/21, 7/28, &8/4	EFT814191	\$3,537.20
08/14/2019	Lake Country Power	utilities: service center, street lights	EFT814192	\$316.50
08/14/2019	MediaCom	internet for service center	EFT814193	\$135.94
08/14/2019	Northwest Gas	heat - service center, town hall	EFT814194	\$33.28
08/14/2019	Wells Fargo Credit Card	supplies-home depot, L&M, Clifton Skate	EFT814195	\$740.38
08/14/2019	PERA	July 2019 PERA	EFT814196	\$987.35
08/14/2019	Commissioner of Revenue	MN State Tax	EFT814197	\$298.00
08/14/2019	EFTPS	Federal, FICA, Medicare Taxes	EFT814198	\$1,990.16

Total For Selected Claims

\$58,757.21

Dennis Kortekaas	Town Supervisor	Date
------------------	-----------------	------

James Kelley	Town Supervisor	Date
--------------	-----------------	------

Kenneth Haubrich	Vice Chair, Town Supervisor	Date
------------------	-----------------------------	------

Margaret L. Clayton	Chair, Town Supervisor	Date
---------------------	------------------------	------

Michael J. Schack	Town Supervisor	Date
-------------------	-----------------	------